


- LEGEND**
- HOT-MIX ASPHALT DRIVEWAY
 - AGGREGATE DRIVEWAY (AGGREGATE BASE COURSE, TYPE B, 8")
 - HOT-MIX ASPHALT SURFACE COURSE OVER EX. PAVEMENT
 - * CONCRETE MEDIAN SURFACE, 4 INCH
 - ** CONCRETE MEDIAN, TYPE SM-4.24

- NOTES**
1. DRIVEWAYS ARE AT 90° ANGLE TO C ROADWAY UNLESS OTHERWISE SHOWN.
 2. ALL DIMENSIONS SHOWN EOP-TO-EOP UNLESS OTHERWISE NOTED.
 3. PROPOSED HOT-MIX ASPHALT SHOULDERS IN AREA OF RETURNS AND ADJACENT TO RIGHT-TURN LANE TO BE 4.0' IN WIDTH.
 4. LAYOUT OF ALL DRIVEWAYS AND MAILBOX RETURNS, AS WELL AS MAILBOX TURNOUTS SHALL COMPLY WITH ILLINOIS DISTRICT 2 STANDARD 20.1
 5. REFER TO HORIZONTAL ALIGNMENT SHEETS FOR ALL ALIGNMENT INFORMATION.
 6. SEE DRAINAGE DETAIL SHEETS AND CULVERT PLANS FOR RELATED DRAINAGE ITEMS.
 7. CORNER ISLANDS TO BE CONSTRUCTED IN ACCORDANCE WITH HIGHWAY STD. 606301 (PC CORNER ISLANDS & MEDIANS)
 8. SEE TYPICAL SECTIONS FOR WOVEN WIRE FENCE LOCATIONS ALONG ACCESS CONTROL (AC).
 9. EAST FRONTAGE RD. BASELINE (B) DOES NOT REFLECT THE EXISTING CROWLINE OF THE ROAD. IT PROVIDES A BASELINE FOR REFERENCE PURPOSES ONLY.



PROP. CURVE LATHAM1
 PI STA. = 1683+87.71
 $\Delta = 1^\circ 07' 37''$ (RT)
 $D = 0^\circ 26' 12''$
 $R = 13,123.33'$
 $T = 129.08'$
 $L = 258.15'$
 $E = 0.63'$
 $e = N.C.$
 $T.R. = N/A$
 $S.E. RUN = N/A$
 $P.C. STA. = 1682+58.63$
 $P.T. STA. = 1685+16.78$

PROP. CURVE LATHAM2
 PI STA. = 1693+11.89
 $\Delta = 1^\circ 24' 00''$ (LT)
 $D = 0^\circ 30' 00''$
 $R = 11,459.16'$
 $T = 140.00'$
 $L = 279.98'$
 $E = 0.86'$
 $e = N.C.$
 $T.R. = N/A$
 $S.E. RUN = N/A$
 $P.C. STA. = 1691+71.89$
 $P.T. STA. = 1694+51.87$

- KEY**
- 1 HOT-MIX ASPHALT PAVEMENT (FULL-DEPTH), 12.5"
SEE NOTE #3
 - 2 2" HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70
10.5" HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N70
 - 3 HOT-MIX ASPHALT SURFACE COURSE, MIX "C", N50
 - 4 HOT-MIX ASPHALT SHOULDERS
 - 5 SUB-BASE GRANULAR MATERIAL, TYPE A
 - 6 AGGREGATE SHOULDERS, TYPE A
 - 7 INCIDENTAL HOT-MIX ASPHALT SURFACING
(2" AT DRIVEWAYS)
 - 8 COMBINATION CONCRETE CURB & GUTTER, TYPE M-4.06
 - 9 COMBINATION CONCRETE CURB & GUTTER, TYPE M-4.06
 - 10 CONCRETE MEDIAN SURFACE, 4" OR CONCRETE MEDIAN, TYPE SM-4.24
 - 11 TOPSOIL FURNISH AND PLACE, 6" OR 12"
 - 12 AGGREGATE BASE COURSE, TYPE B
 - 13 PIPE UNDERDRAIN, 4"
 - 14 AGGREGATE BASE COURSE, TYPE A (SEE SCHEDULES FOR VARIABLE THICKNESS AREAS)

USER NAME = zulkowd	DESIGNED STS/GC	REVISED -
	DRAWN RDT	REVISED -
PLOT SCALE = 50.0000 FT / IN.	CHECKED GC	REVISED -
PLOT DATE = 2/2/2011	DATE 01-14-11	REVISED -

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

ILLINOIS ROUTE 2	
PLAN 18	
LATHAM RD STA 1680+00 TO STA 1694+00	
SCALE: 1"=50'	SHEET NO. 90 OF 530 SHEETS

F.A.P. RTE. 734	SECTION 77-2-2 & 77-2B-1	COUNTY WINNEBAGO	TOTAL SHEETS 530	SHEET NO. 90
CONTRACT NO. 64813				
FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT				