

RESURFACING TABLE																		
LOCATION	LENGTH	WIDTH	HOT-MIX ASPHALT SURFACE REMOVAL BUTT JOINT	TEMPORARY RAMP	HOT-MIX ASPHALT SURFACE REMOVAL 3/4"	POLYMERIZED BITUMINOUS MATERIAL PRIME COAT	SUBBASE GRANULAR MATERIAL TYPE A 12"	HMA BASE COURSE 6.5"	PCC BASE COURSE 10"	SEE NOTE 1 TIE BARS 3/4" FOR INFO ONLY	STRIP REFLECTIVE CRACK CONTROL	POLY LEVELING BINDER MACH METH IL-4.75, N50	POLY HMA SURFACE COURSE MIX D N50 1.5"	MATERIAL TRANSFER DEVICE	HOT MIX ASPHALT SHOULDERS		AGGREGATE SHOULDERS TYPE B	
															8"	2.5"	6"	2.5"
															SQ YD	TON	SQ YD	TON
1486+31 to 1486+61	30	36	120	40		0.1						3.4	10.1	13.5		0.7		3.6
1486+61 to 1490+46	385	37 to 38			1304.7	0.9	342.3		299.5	154	385	89.8	134.8	224.6	128.3	18	192.5	91.3
1490+46 to 1498+43	797	38			1948.2	1.8	1505.5		1416.9	319	797	188.4	282.7	471.1	205	37.2	307.5	189.1
1498+43 to 1504+03	560	38 to 24			1368.9	1.1	653.3		591.1	224	560	109.8	164.6	274.4	186.7	26.1	280	132.9
1504+03 to 1504+33	30	24	80	26.7		0.1						2.2	6.7	8.9		0.7		3.6
HART LANE		Var				0.2		909.9					76.4				148.7	420.5
TOTAL			200	66.7	4621.8	4.2	2501.1	909.9	2307.5	697	1742	393.6	675.3	992.5	520	82.7	928.7	841

NOTE 1- TIE BAR QUANTITIES ARE FOR INFORMATION. THEY SHALL NOT BE PAID FOR SEPARATELY AS PER ARTICLE 508.07

DRAINAGE TABLE							
LOCATION	TRENCH BACKFILL	CONCRETE COLLAR	PRECAST REINFORCED CONCRETE FLARED END SECTION	PRECAST REINFORCED CONCRETE FLARED END SECTION EQUIVALENT ROUND SIZE	PIPE CULVERTS CLASS A TYPE 1	PIPE CULVERTS CLASS A TYPE 2	PIPE CULVERTS CLASS A TYPE 1 EQUIVALENT ROUND SIZE
			18"	30"	18"	18"	30"
			CU YD	CU YD	EACH	EACH	FOOT
1488+97 45' RT		0.7		1			8
1494+83 31' RT	9	0.5	1			40	
1501+97 30' RT		0.5	1		8		
Total	9	1.7	2	1	8	40	8

COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.24	
LOCATION	FOOT
HART LANE ISLAND	65
TOTAL	65

CONCRETE MEDIAN SURFACE 4"	
LOCATION	SQ FT
HART LANE ISLAND	119.2
TOTAL	119.2