

ENTRANCE SCHEDULE

LOCATION FAP 317 (US 24)			WIDTH ACROSS FRONT (FT)	WIDTH ACROSS BACK (FT)	LENGTH OF IMPROVEMENT FROM EOP (FT)	(SQ YD)	EXIST. SURF. TYPE	PREPARATION OF BASE (SQ YD)	HOT-MIX ASPH. SURF. REMOVAL BUTT - JT. (SQ YD)	INCIDENTAL HOT-MIX ASPH. SURF. (TON)	BIT. MAT. PRIME COAT (TON)
STA. 1151+70.19	E 2700 ST	LT.	40	22	10	34.4	HMA		34.4	2.89	
STA. 1151+70.19	E 2700	RT.	40	22	10	34.4	HMA		34.4	2.89	
STA. 1170+46	P.E. W/MBT	RT.	66	33	8	44.0	HMA		44.0	3.70	
STA. 1178+28	F.E.	LT.					EARTH				
STA. 1178+28	F.E.	RT.					EARTH				
STA. 1191+98	P.E.	LT.	50	20	8	31.1	HMA		31.1	2.61	
STA. 1192+32	MBT	RT.	68	22	8	40.0	HMA		40.0	3.36	
STA 1203+06	C.E.	LT.	65	30	8	42.2	HMA		42.2	3.55	
STA. 1205+67.67	E 2600 ST	LT.	45	22	10	37.2	HMA		37.2	3.13	
STA. 1205+67.67	E 2600 ST	RT.	45	22	10	37.2	HMA		37.2	3.13	
STA 1222+89	F.E.	LT.					EARTH				
STA 1240+84	F.E.	LT.					EARTH				
STA 1242+90	F.E.	RT.					EARTH				
STA 1247+66	F.E.	RT.					EARTH				
STA 1254+90	F.E.	LT.					EARTH				
STA 1498+74	C.E.	LT.					CONC				
STA 1500+38	C.E.	LT.					CONC				
STA 1501+21	C.E.	LT.	60	20	8	35.6	HMA		35.6	2.99	
STA. 1510+09.27	S.R.	LT.	50	35	10	47.2	HMA		47.2	3.97	
STA. 1510+09.27	S.R.	RT.	65	40	10	58.3	HMA		58.3	4.90	
STA 1515+70	P.E.	LT.	40	25	8	28.9	AGG	28.9		5.66	0.04
STA 1516+86	P.E.	LT.	40	25	8	28.9	AGG	28.9		5.66	0.04
STA 1516+86	F.E.	RT.					EARTH				
STA. 1518+45	P.E. W/MBT	LT.	60	20	8	35.6	AGG	35.6		6.97	0.05
STA. 1520+38	P.E. W/MBT	LT.	60	20	8	35.6	HMA		35.6	2.99	
STA 1522+06	P.E.	LT.	30	20	8	22.2	AGG	22.2		4.36	0.03
STA 1527+36	P.E.	LT.	95	52	8	65.3	HMA		65.3	5.49	
STA 1538+34	P.E. W/MBT	LT.	97	30	8	56.4	HMA		56.4	4.74	
STA 1545+63	F.E.	RT.					EARTH				
STA 1558+88	P.E.	LT.					CONC				
STA. 1575+24.96	E 2000 ST	LT.	75	40	10	63.9	HMA		63.9	5.37	
STA. 1575+24.96	E 2000 ST	RT.	SEE SIDE ROAD IMPROVEMENT SCHEDULE								
STA 1585+78	C.E.	LT.	90	90	8	80.0	HMA		80.0	6.72	
STA 1585+78	F.E.	RT.					AGG				

ABBREVIATIONS
 F.E. FIELD ENTRANCE
 P.E. PRIVATE ENTRANCE
 C.E. COMMERCIAL ENTRANCE