

# RAISED REFLECTOR SCHEDULE

										78100100	
										RAISED REFLECTIVE PAVEMENT MARKERS (EACH)	
IL 2 (Oregon to Byron)											
LOCATION	LT / RT	SPACING	REMARKS	TYPE							
680 + 00 to 687 + 70	CL	80' o.c.	MEDIAN	TWO-WAY AMBER							22
680 + 00 to 687 + 70	LT	20' o.c.	MEDIAN	TWO-WAY AMBER							14
680 + 00 to 687 + 70	LT	40' o.c.	MEDIAN	TWO-WAY AMBER							14
687 + 70 to 691 + 00	CL	80' o.c.	CENTERLINE	TWO-WAY AMBER							4
691 + 00 to 702 + 00	CL	80' o.c.	CENTERLINE	TWO-WAY AMBER							13
702 + 00 to 714 + 61	CL	80' o.c.	CENTERLINE	TWO-WAY AMBER							16
714 + 61 to 720 + 40	LT	40' o.c.	MEDIAN	TWO-WAY AMBER							15
714 + 61 to 719 + 63	RT	40' o.c.	MEDIAN	TWO-WAY AMBER							14
719 + 63 to 720 + 40	RT	20' o.c.	MEDIAN	TWO-WAY AMBER							2
722 + 22 to 723 + 83	LT	40' o.c.	MEDIAN	TWO-WAY AMBER							5
722 + 22 to 723 + 83	RT	20' o.c.	MEDIAN	TWO-WAY AMBER							9
722 + 22 to 723 + 83	RT	20' o.c.	TURN-BAY	ONE-WAY CRYSTAL							9
724 + 53 to 728 + 31	LT	40' o.c.	MEDIAN	TWO-WAY AMBER							11
724 + 53 to 728 + 31	RT	40' o.c.	MEDIAN	TWO-WAY AMBER							11
724 + 57 to 727 + 31	LT	20' o.c.	TURN-BAY	ONE-WAY CRYSTAL							15
728 + 31 to 735 + 00	CL	80' o.c.	CENTERLINE	TWO-WAY AMBER							8
735 + 00 to 746 + 00	CL	80' o.c.	CENTERLINE	TWO-WAY AMBER							14
746 + 00 to 751 + 50	CL	80' o.c.	CENTERLINE	TWO-WAY AMBER							7
750 + 89 to 752 + 90	RT	20' o.c.	TURN-BAY	ONE-WAY CRYSTAL							11
751 + 50 to 768 + 00	CL	80' o.c.	CENTERLINE	TWO-WAY AMBER							20
768 + 00 to 769 + 20	CL	80' o.c.	CENTERLINE	TWO-WAY AMBER							2
770 + 76 to 790 + 00	CL	80' o.c.	CENTERLINE	TWO-WAY AMBER							24
779 + 85 to 790 + 00	RT	80' o.c.	PASSING LANE	ONE-WAY CRYSTAL							13
790 + 00 to 805 + 13	RT	80' o.c.	PASSING LANE	ONE-WAY CRYSTAL							20
790 + 00 to 806 + 50	CL	80' o.c.	CENTERLINE	TWO-WAY AMBER							20
804 + 0 to 806 + 24	LT	20' o.c.	TURN-BAY	ONE-WAY CRYSTAL							12
806 + 50 to 823 + 00	CL	80' o.c.	CENTERLINE	TWO-WAY AMBER							21
815 + 77 to 817 + 92	RT	20' o.c.	TURN-BAY	ONE-WAY CRYSTAL							13
823 + 00 to 839 + 50	CL	80' o.c.	CENTERLINE	TWO-WAY AMBER							20
837 + 00 to 857 + 00	LT	80' o.c.	PASSING LANE	ONE-WAY CRYSTAL							26
839 + 50 to 861 + 50	CL	80' o.c.	CENTERLINE	TWO-WAY AMBER							28
861 + 50 to 883 + 50	CL	80' o.c.	CENTERLINE	TWO-WAY AMBER							27
883 + 50 to 889 + 00	CL	80' o.c.	CENTERLINE	TWO-WAY AMBER							7
884 + 98 to 886 + 98	RT	20' o.c.	TURN-BAY	ONE-WAY CRYSTAL							11
889 + 00 to 911 + 00	CL	80' o.c.	CENTERLINE	TWO-WAY AMBER							28
904 + 99 to 907 + 16	LT	20' o.c.	TURN-BAY	ONE-WAY CRYSTAL							12
911 + 00 to 912 + 64	CL	80' o.c.	CENTERLINE	TWO-WAY AMBER							2
915 + 75 to 922 + 00	CL	80' o.c.	CENTERLINE	TWO-WAY AMBER							8
919 + 99 to 933 + 00	RT	80' o.c.	PASSING LANE	ONE-WAY CRYSTAL							4
922 + 00 to 955 + 00	CL	80' o.c.	CENTERLINE	TWO-WAY AMBER							41
933 + 00 to 955 + 00	RT	80' o.c.	PASSING LANE	ONE-WAY CRYSTAL							41
955 + 00 to 977 + 00	CL	80' o.c.	CENTERLINE	TWO-WAY AMBER							27
955 + 00 to 976 + 78	RT	80' o.c.	PASSING LANE	ONE-WAY CRYSTAL							27
960 + 63 to 962 + 23	LT	20' o.c.	TURN-BAY	ONE-WAY CRYSTAL							9
965 + 40 to 967 + 40	LT	20' o.c.	TURN-BAY	ONE-WAY CRYSTAL							11
977 + 00 to 1004 + 50	CL	80' o.c.	CENTERLINE	TWO-WAY AMBER							36
1004 + 50 to 1021 + 00	CL	80' o.c.	CENTERLINE	TWO-WAY AMBER							20
1008 + 85 to 1021 + 00	LT	80' o.c.	PASSING LANE	ONE-WAY CRYSTAL							15
1021 + 00 to 1037 + 50	CL	80' o.c.	CENTERLINE	TWO-WAY AMBER							21
1021 + 00 to 1037 + 50	LT	80' o.c.	PASSING LANE	ONE-WAY CRYSTAL							21
1037 + 50 to 1052 + 39	CL	80' o.c.	CENTERLINE	TWO-WAY AMBER							19
1037 + 50 to 1048 + 37	LT	80' o.c.	PASSING LANE	ONE-WAY CRYSTAL							15
1052 + 39 to 1060 + 19	LT	40' o.c.	MEDIAN	TWO-WAY AMBER							20
1052 + 39 to 1054 + 92	RT	40' o.c.	MEDIAN	TWO-WAY AMBER							7
1054 + 92 to 1060 + 19	RT	20' o.c.	MEDIAN	TWO-WAY AMBER							27
1056 + 68 to 1060 + 19	RT	20' o.c.	TURN-BAY	ONE-WAY CRYSTAL							18
1060 + 78 to 1065 + 46	LT	20' o.c.	TURN-BAY	ONE-WAY CRYSTAL							24
1060 + 78 to 1067 + 95	LT	40' o.c.	MEDIAN	TWO-WAY AMBER							18
1060 + 78 to 1067 + 95	RT	40' o.c.	MEDIAN	TWO-WAY AMBER							19
MUDD CREEK RD.											
6 + 65 to 9 + 54	LT	40' o.c.	MEDIAN	TWO-WAY AMBER							8
6 + 65 to 9 + 54	RT	40' o.c.	MEDIAN	TWO-WAY AMBER							8
CAMLING RD.											
97 + 63 to 99 + 57	LT	40' o.c.	MEDIAN	TWO-WAY AMBER							7
97 + 63 to 99 + 57	RT	40' o.c.	MEDIAN	TWO-WAY AMBER							7
IL 72											
1191 + 86 to 1192 + 97	LT	40' o.c.	MEDIAN	TWO-WAY AMBER							4
1191 + 86 to 1192 + 97	RT	40' o.c.	MEDIAN	TWO-WAY AMBER							4
Subtotal Two-way Amber										629	
Subtotal One-way Crystal										316	
TOTAL										945	