

**CEDAR HILLS DRIVE**  
STA. 2+315 TO 2+359

- LEGEND - EXISTING**
- ① P.C.C. PAVEMENT
  - ② P.C.C. WIDENING
  - ③ FLEXIBLE PAVEMENT
  - ④ HOT-MIX ASPHALT OVERLAY, VARIABLE DEPTH
- REMOVAL**
- ⑧ PAVEMENT REMOVAL
  - ⑨ PAVED SHOULDER REMOVAL (SPECIAL)
  - ⑪ MEDIAN REMOVAL
  - ⑫ COMBINATION CURB & GUTTER REMOVAL
  - ⑬ HOT-MIX ASPHALT SURFACE REMOVAL (VARIABLE DEPTH)


- LEGEND - PROPOSED**
- SHOULDERS**
- ⑳ AGGREGATE SHOULDERS, TYPE B 150MM
  - ㉑ AGGREGATE SHOULDERS, TYPE B, (METRIC TON)
  - ㉒ HOT-MIX ASPHALT SHOULDERS, 200MM
  - ㉓ HOT-MIX ASPHALT SHOULDERS (M TON)
- BASE COURSE**
- ㉔ HOT-MIX ASPHALT BASE COURSE, 200MM
  - ㉕ HOT-MIX ASPHALT BASE COURSE, 250MM
  - ㉖ HOT-MIX ASPHALT BASE COURSE WIDENING, 250MM
  - ㉗ HOT-MIX ASPHALT BASE COURSE WIDENING, 200MM

- BINDER COURSE & LEVELING BINDER COURSE**
- ㉘ POLYMERIZED HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N70 (38 mm)
  - ㉙ POLYMERIZED HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N70 (51 mm)
  - ㉚ POLYMERIZED LEVELING BINDER (MACHINE METHOD), IL-4.75, N50 (VARIABLE DEPTH)
  - ㉛ POLYMERIZED HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N70 (VARIABLE DEPTH)

- SURFACE COURSE**
- ㉜ POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70 (38 mm)
  - ㉝ POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70 (51 mm)

- FULL DEPTH PAVEMENT**
- ㉞ HOT-MIX ASPHALT PAVEMENT (FULL-DEPTH), 290MM

- MISC & STANDARDS**
- ㉟ TOPSOIL FURNISH AND PLACE, 100MM
  - ㊱ SUB-BASE GRANULAR MATERIAL, TYPE A
  - ㊲ COMBINATION CONC C&G, TYPE B-15.60
  - ㊳ PIPE UNDERDRAINS 100MM
  - ㊴ REFER TO STANDARD 482001 (TYPE C SUBBASE)
  - ㊵ STRIP REFLECTIVE CRACK CONTROL



**CEDAR HILLS DRIVE**  
STA. 2+359 TO 2+415

REVISIONS	
NAME	DATE

ILLINOIS DEPARTMENT OF TRANSPORTATION

**TYPICAL SECTIONS  
CEDAR HILLS DRIVE**

SCALE: NONE  
DATE: 3/13/09

DRAWN BY: JRC, JDU  
CHECKED BY: ECM