



PROPOSED CONSTRUCTION ACCESS ROUTE FOR COMPENSATORY STORAGE AREA (NTS)

TOTAL FILL = 0.17 AC-FT
TOTAL CUT = 0.08 AC-FT
REQ'D COMPENSATORY STORAGE = 0.09 AC-FT
TOTAL STORAGE PROVIDED = 0.09 AC-FT

ELEVATION (FT)	PROVIDED STORAGE (AC-FT)
780	0.00
780.45	0.09

EROSION CONTROL MEASURES

- (BF) BARRIER FILTER
- (EB) EROSION BLANKET
- (PS) PERMANENT SEEDING
- (SE) STABILIZED CONSTRUCTION ENTRANCE
- (4B) IDOT CLASS 4B SEEDING

- NOTE:**
- BARRIER FENCE TO BE PLACED AT LIMITS OF EASEMENT. OFFSET SHOWN FOR CLARITY.
 - SEE SPECIAL PROVISIONS FOR TEMPORARY ACCESS REQUIREMENTS.

LEGEND

- - - EXISTING WETLAND BOUNDARY
- - - PROPOSED CONSTRUCTION ACCESS ROUTE
- ▨ TEMPORARY ACCESS EASEMENT
- ▨ PERMANENT GRADING EASEMENT

POINT	NORTHERN	EASTING
A	4165.3462	12259.0469
B	4187.8685	12199.4752
C	4245.3493	12190.1966
D	4289.5438	12250.0626

NAME	DATE

VILLAGE OF GRAYSLAKE
SHOREWOOD ROAD
IL ROUTE 83 TO ROLLINS ROAD
COMPENSATORY STORAGE GRADING PLAN

SCALE: 1" = 20'
DATE: 7/28/06

DESIGNED BY: MTK
DRAWN BY: MTK/BB/GP
CHECKED BY: RPI

DATE	BY
DATE	BY

DATE	BY
DATE	BY