

25200100 Sodding			28000500 Intel Protection			35100100 Aggregate Base Course, Type A (Continued)			40600100 Bituminous Materials (Prime Coat)			43400200 P.C.C. Sidewalk, 5" (Continued)		
No.	Location	Quantity Unit	No.	Location	Quantity Unit	No.	Location	Quantity Unit	No.	Location	Quantity Unit	No.	Location	Quantity Unit
1	31+45, 27.4' Lt	1.1 S.Y.	2	32+90.5, 22.5' Rt	1 Each	88	44+73, 23.2' Rt	1.1 Ton	1	31+40 CL	323.4 Gal	46	60+14, 27.1' Lt	159.4 S.F.
2	31+56, 22.3' Rt	23.5 S.Y.	3	41+18, 21.7' Lt	1 Each	89	44+73.2, 2' Lt	1.4 Ton	2			47	60+35.5, 34.3' Rt	693.8 S.F.
3	31+60.6, 30' Lt	14.7 S.Y.	4	41+43, 45.4' Lt	1 Each	90	44+76, 22' Lt	1.4 Ton	3			48	60+66.4, 23' Lt	409.0 S.F.
4	32+01.2, 42' Rt	35.4 S.Y.	5	41+64, 23.2' Rt	1 Each	91	45+01.5, 10.1' Rt	2.5 Ton	4			49	61+71.5, 22.1' Lt	628.3 S.F.
5	32+20.7, 40' Lt	7.5 S.Y.	6	41+68.4, 40' Lt	1 Each	92	45+11.7, 2' Lt	1.4 Ton	5			50	63+00.3, 22' Rt	158.5 S.F.
6	32+55.4, 22.4' Rt	10.6 S.Y.	7	41+62.7, 21.7' Lt	1 Each	93	45+40, 22' Lt	5.3 Ton						
7	33+28.4, 27.5' Lt	124.5 S.Y.	8	42+27, 41.5' Rt	1.5 Ton	94	45+48, 2' Lt	1.5 Ton						
8	33+98.2, 22.4' Rt	2.3 S.Y.	9	42+53.7, 42.6' Rt	1.5 Ton	95	45+85.7, 2' Lt	1.5 Ton						
9	34+10, 31' Rt	3.6 S.Y.	10	42+70.5, 24' Rt	1 Each	96	45+92, 23.3' Rt	1.1 Ton						
10	34+30, 63' Lt	8.4 S.Y.	11	46+53, 23.9' Rt	1 Each	97	46+05.7, 8.6' Lt	2.8 Ton						
11	34+34, 55.2' Lt	113.7 S.Y.	12	47+32, 22' Lt	1 Each	98	46+44.5, 51.5' Rt	0.2 Ton						
12	34+41, 22.5' Rt	1.8 S.Y.	13	49+76.6, 46.7' Rt	1 Each	99	46+45.5, 2' Lt	8.7 Ton						
13	35+33, 22.6' Rt	1.8 S.Y.	14	50+05, 47.4' Rt	1 Each	100	46+51.5, 2' Lt	0.8 Ton						
14	35+51.4, 27' Lt	15.7 S.Y.	15	50+30.5, 22.5' Rt	1 Each	101	46+51.5, 2' Lt	1.2 Ton						
15	35+52, 22.6' Rt	1.8 S.Y.	16	50+31, 22.4' Lt	1 Each	102	47+12, 2' Lt	2.5 Ton						
16	36+05, 22.5' Rt	1.8 S.Y.	17	53+27.5, 25.9' Rt	1 Each	103	47+13, 8' Lt	3.8 Ton						
17	36+28, 22.5' Rt	1.8 S.Y.	18	53+30.8, 22.4' Lt	1 Each	104	47+17, 27' Lt	5.3 Ton						
18	36+78, 22.3' Rt	63.1 S.Y.	19	53+68.8, 47.7' Rt	1 Each	105	47+41.3, 2' Lt	1.5 Ton						
19	37+28, 78' Rt	89.4 S.Y.	20	53+83, 22.7' Rt	0.8 Ton	106	47+46.3, 22.6' Rt	0.8 Ton						
20	37+31.6, 27.6' Lt	51.2 S.Y.	21	57+17.5, 22.3' Lt	1 Each	107	47+87.8, 2' Lt	1.9 Ton						
21	38+18, 22.7' Rt	4.7 S.Y.	22	57+25, 22.7' Lt	1 Each	108	47+97, 22.8' Rt	0.2 Ton						
22	38+40.3, 27.3' Lt	5.3 S.Y.	23	58+45, 8' Lt	1 Each	109	48+29, 22.5' Lt	0.2 Ton						
23	38+64.4, 27.3' Lt	10.2 S.Y.	24	60+53.3, 22.4' Rt	1 Each	110	48+41, 2' Lt	1.5 Ton						
24	38+87, 22.5' Rt	1.7 S.Y.	25	61+77, 22.6' Lt	1 Each	111	48+88, 22.7' Rt	0.8 Ton						
25	39+10, 27.2' Lt	14.1 S.Y.			25 Each	112	48+75.5, 22.6' Lt	1.4 Ton						
26	39+21, 22.8' Rt	6.5 S.Y.				113	48+91, 2' Lt	1.9 Ton						
27	39+47, 27.2' Lt	29.4 S.Y.				114	49+22, 8.9' Lt	2.5 Ton						
28	39+69, 22.6' Rt	2.1 S.Y.				115	49+27, 22.5' Lt	0.2 Ton						
29	39+85, 23' Rt	1.9 S.Y.				116	49+41.5, 2' Lt	1.8 Ton						
30	40+02, 27' Lt	10.8 S.Y.				117	49+55, 22.5' Rt	0.8 Ton						
31	40+20, 23' Rt	1.7 S.Y.				118	49+96, 2' Lt	15.7 Ton						
32	40+35.4, 27.2' Lt	24.1 S.Y.				119	50+00, 22.5' Lt	0.9 Ton						
33	41+13.3, 23' Rt	24.4 S.Y.				120	50+13.5, 28.5' Rt	0.9 Ton						
34	41+25, 27.3' Lt	10.8 S.Y.				121	50+23.4, 2' Lt	5.3 Ton						
35	41+56.7, 33' Rt	56.2 S.Y.				122	50+43, 22.5' Lt	0.2 Ton						
36	42+68, 48' Rt	7.8 S.Y.				123	50+56.3, 2' Lt	1.5 Ton						
37	42+66, 33' Rt	24.1 S.Y.				124	50+75, 22.5' Lt	0.6 Ton						
38	43+80, 28.2' Rt	14.2 S.Y.				125	50+94, 22.5' Lt	1.0 Ton						
39	44+16.8, 27.7' Lt	16.1 S.Y.				126	51+02, 2' Lt	1.5 Ton						
40	44+45.4, 28.2' Rt	6.3 S.Y.				127	51+07, 22.6' Lt	5.7 Ton						
41	44+94, 28.3' Rt	8.3 S.Y.				128	51+30, 22.5' Lt	0.2 Ton						
42	45+07.2, 27' Lt	10.8 S.Y.				129	51+43, 22.8' Rt	1.0 Ton						
43	45+24.2, 28.3' Rt	8.9 S.Y.				130	51+51.2, 2' Lt	1.5 Ton						
44	45+45.7, 27' Lt	24.7 S.Y.				131	52+05.2, 2' Lt	1.8 Ton						
45	46+04.9, 26.3' Rt	6.9 S.Y.				132	52+49.2, 2' Lt	1.9 Ton						
46	46+05.3, 28.3' Rt	6.4 S.Y.				133	52+76, 22.5' Lt	3.3 Ton						
47	46+34, 27.2' Lt	10.8 S.Y.				134	52+80, 22.8' Rt	0.2 Ton						
48	46+44.3, 59' Rt	32.6 S.Y.				135	53+16.3, 22.5' Lt	1.5 Ton						
49	47+03, 28' Rt	14.4 S.Y.				136	53+34.4, 2' Lt	18.2 Ton						
50	47+63, 28' Rt	20.0 S.Y.				137	53+36, 8' Lt	3.4 Ton						
51	47+73.2, 27' Lt	24.9 S.Y.				138	53+40.3, 41.6' Rt	7.6 Ton						
52	48+28.4, 28.3' Rt	3.7 S.Y.				139	53+75, 2' Lt	10.7 Ton						
53	48+61, 28.2' Rt	6.3 S.Y.				140	53+89, 22.5' Rt	0.9 Ton						
54	48+78.7, 27.8' Lt	1.8 S.Y.				141	53+88.3, 12.9' Lt	2.5 Ton						
55	48+97, 27.8' Rt	0.7 S.Y.				142	53+94, 22.5' Lt	0.4 Ton						
56	49+07, 27.6' Lt	16.0 S.Y.				143	54+21, 22.5' Lt	1.2 Ton						
57	49+23, 27.7' Rt	28				144	54+44, 2' Lt	1.5 Ton						
58	49+40.3, 27.6' Rt	8.8 S.Y.				145	54+73, 33.6' Lt	0.9 Ton						
59	49+71.6, 28.7' Rt	8.9 S.Y.				146	55+27, 22.5' Lt	0.2 Ton						
60	49+77.3, 27.5' Lt	5.6 S.Y.				147	55+48, 2' Lt	1.5 Ton						
61	50+06, 33.6' Rt	3.0 S.Y.				148	56+00, 22.5' Lt	1.1 Ton						
62	50+17, 28.9' Lt	20.4 S.Y.				149	56+14, 22.5' Rt	0.2 Ton						
63	50+21, 31.4' Rt	6.5 S.Y.				150	56+36, 22.5' Lt	0.2 Ton						
64	50+54, 27.6' Rt	6.2 S.Y.				151	56+45, 23' Rt	0.7 Ton						
65	51+18.3, 27.7' Rt	6.5 S.Y.				152	56+52, 22.5' Lt	1.1 Ton						
66	51+38, 27.5' Lt	13.3 S.Y.				153	56+63, 2' Lt	19.5 Ton						
67	51+63, 27.7' Rt	6.3 S.Y.				154	56+69.4, 8' Lt	4.3 Ton						
68	51+81.2, 29.9' Rt	5.1 S.Y.				155	56+73.5, 3' Rt	0.6 Ton						
69	52+36, 27.6' Lt	10.1 S.Y.				156	56+76.5, 43.5' Lt	4.2 Ton						
70	52+02.7, 27.7' Rt	7.3 S.Y.				157	56+84.5, 5.9' Rt	0.6 Ton						
71	52+44, 28' Rt	22.3 S.Y.				158	56+87.8, 1.3' Lt	0.6 Ton						
72	52+46, 27.5' Lt	5.9 S.Y.				159	56+90, 37.5' Rt	1.5 Ton						
73	52+70, 27.3' Lt	4.7 S.Y.				160	57+00.3, 34.8' Lt	1.9 Ton						
74	52+86, 26.3' Lt	10.6 S.Y.				161	57+04.8, 13.9' Lt	2.5 Ton						
75	53+01.8, 28.4' Rt	15.7 S.Y.				162	57+08.6, 27.2' Lt	5.9 Ton						
76	53+40.6, 27.5' Lt	1.3 S.Y.				163	57+24.1, 2' Lt	2.5 Ton						
77	53+56.8, 27.6' Lt	1.6 S.Y.				164	57+28.1, 8' Lt	7.3 Ton						
78	53+66.7, 53.4' Rt	22.7 S.Y.				165	57+29, 22.5' Lt	0.9 Ton						
79	53+81.6, 53' Rt	25.1 S.Y.				166	57+36.8, 8' Lt	2.8 Ton						
80	54+02, 27.3' Lt	15.2 S.Y.				167	57+37, 22.8' Rt	3.1 Ton						
81	54+64.4, 27.8' Rt	8.5 S.Y.				168	58+10, 22.5' Lt	1.5 Ton						
82	54+71.5, 39.6' Lt	1.5 S.Y.				169	58+67.2, 7' Lt	2.4 Ton						
83	54+81.5, 28' Lt	21.1 S.Y.				170	59+03.6, 8' Lt	2.4 Ton						
84	55+57.8, 27.5' Lt	12.6 S.Y.				171	59+08.5, 22.5' Lt	0.2 Ton						
85	56+03, 27.5' Lt	2.3 S.Y.				172	59+28, 22.5' Lt	3.1 Ton						
86	56+21.5, 27.5' Lt	16.6 S.Y.				173	59+78, 22.5' Lt	16.3 Ton						
87	56+43, 28' Rt	3.9 S.Y.				174	59+82, 22.2' Lt	0.2 Ton						
88	56+52.3, 28.6' Rt	14.8 S.Y.				175	59+88, 22.5' Lt	1.0 Ton						
89	56+75.2, 34.6' Lt	4.2 S.Y.				176	59+95, 27.8' Rt	0.6 Ton						
90	56+99, 40.8' Rt	8.												