

PAVEMENT PATCHING SCHEDULE

PATCH #	ODOMETER READING	RT/LT	WIDTH	LENGTH	TY I	TY II	TY III
	0.0						
	0.6						
1		RT	12	8		10.7	
2		RT	12	4		5.3	
	0.7						
3		RT	12	4		5.3	
4		RT	12	4		5.3	
5		RT	12	4		5.3	
	0.8						
6		RT	12	4		5.3	
7		RT	12	4		5.3	
8		RT	12	4		5.3	
9		RT	12	4		5.3	
10	0.9	RT	12	4		5.3	
11		RT	12	4		5.3	
	1.0						
12	1.1	RT	12	4		5.3	
13		RT	12	12			16.0
14		RT	12	4		5.3	
15		RT	12	4		5.3	
16		RT	12	4		5.3	
	1.2						
	1.6						
17		RT	12	4		5.3	
	1.7						
18		RT	12	4		5.3	
19		RT	12	4		5.3	
20		RT	12	4		5.3	
21		RT	12	4		5.3	
	1.8						
22		RT	12	4		5.3	
	1.9						
	2.3						
23		RT	12	4		5.3	
	2.4						
24		RT	12	4		5.3	
25		RT	12	4		5.3	
26		RT	12	4		5.3	
27		RT	12	4		5.3	
	2.5						
28		RT	12	4		5.3	
29		RT	12	4		5.3	

ODOMETER READING = 0.0 MI @ BEGIN STA. 91+86

* INDICATES GUTTER SECTION

PAVEMENT PATCHING -CONT

PATCH #	ODOMETER	RT/LT	WIDTH	LENGTH	TY I	TY II	TY III
	2.6						
30		RT	12	4		5.3	
31		RT	12	4		5.3	
32		RT	12	4		5.3	
	2.7						
33	2.8	RT	12	4		5.3	
	2.9						
34		RT	12	4		5.3	
	3.0						
	3.3						
35		RT	12	4		5.3	*
	3.4						
36		RT	12	4		5.3	*
	3.5						
37		RT	12	4		5.3	
	3.7						
38		RT	12	4		5.3	
39		RT	12	4		5.3	
40	0.6	LT	12	4		5.3	
41		LT	12	8		10.7	
42		LT	6	4	2.7		
	0.7						
43		LT	12	4		5.3	
44		LT	12	4		5.3	
45		LT	12	4		5.3	
46		LT	12	4		5.3	
47		LT	12	4		5.3	
	0.8						
48		LT	12	4		5.3	
49		LT	12	4		5.3	
50		LT	6	8		5.3	
	0.9						
51		LT	12	4		5.3	
52		LT	12	4		5.3	
53		LT	12	5		6.7	
54		LT	12	4		5.3	
	1.0						
55		LT	12	4		5.3	
56		LT	12	4		5.3	
57		LT	12	4		5.3	
58		LT	12	4		5.3	
59		LT	12	4		5.3	

ODOMETER READING = 0.0 MI @ BEGIN STA. 91+86

* INDICATES GUTTER SECTION

-FOR INFORMATION ONLY. THE LOCATIONS WILL BE DETERMINED BY THE ENGINEER.