

PROPOSED PRESENT

	SIGNAL, TRAFFIC 3 SECTION 1-WAY ADJUSTABLE, 12" OR AS NOTED
	SIGNAL, TRAFFIC 3 SECTION 2-WAY ADJUSTABLE, 12" OR AS NOTED
	SIGNAL OPTICALLY PROGRAMMED
	SIGNAL, PEDESTRIAN, DON'T WALK/WALK
	SIGNAL FACE ARROW, 12" COLOR AS NOTED
	SIGNAL FACE, 1 SECTION YELLOW/GREEN ARROW DUAL INDICATION
	PUSH BUTTON, PEDESTRIAN
	SIGN, ILLUMINATED, WITH MESSAGE OR SYMBOL AS INDICATED
	MAST ARM, MONOTUBE, STEEL, SIZE AS INDICATED (SEE DWG. #870)
	MAST ARM, TRUSS, ALUMINUM, SIZE AS INDICATED
	CONTROLLER, TRAFFIC SIGNAL, PEDESTAL OR BASE MOUNTED AS INDICATED
	CONTROLLER, STREET LIGHTING, PEDESTAL OR BASE MOUNTED. (DWG. 876 or 880)
	CONTROLLER, STREET LIGHTING, POLE MOUNTED (DWG. #11940)
	POLE, WOOD, COMMONWEALTH EDISON COMPANY, SERVICE
	POLE, CITY STEEL, ANCHOR BASE, 34'-6", 7 GA. 10" DI A. AND 15" B.C. 24"x7' FND. W/1 1/4" ANCHOR RODS DRG. #818.
	POLE, CITY STEEL, ANCHOR BASE, 34'-6", 3 GA. 10" DIA. AND 15" B.C. 24"x9' FND. W/1 1/4" ANCHOR RODS DRG. #818 (16', 20' or 26' M.A.)
	POLE, CITY STEEL, ANCHOR BASE, 34'-6", 3 GA., 11" DIA. AND 17 1/4" B.C. 30"x9' FND. W/1 1/4" ANCHOR RODS DRG. #816. (30' M.A.)
	POLE, CITY STEEL, ANCHOR BASE 34'-6", 3 GA. 12 1/2" DIA. AND 16 1/2" B.C. 30"x11' FND. W/1 1/2" ANCHOR RODS DRG. #817. (35', 40' or 44' M.A.)
	POLE, CITY STEEL, ANCHOR BASE, 32'-6", 3 GA. 10" DIA., WITH 3 GA. BAL. HSG. BASE AND 17 1/4" B. C. ON 30"x9' FND. W/ 11/4" ANCHOR RODS DRG. #816.
	POLE, CITY STEEL, ANCHOR BASE, 20', 27'-6", 29'-6", 7 GA. WITH STEEL BAL. HSG. BASE AND FND. W/10" D. B.C. AND 1" ANCHOR RODS DRG. #719.
	POLE, CITY STEEL, ANCHOR BASE, 20', 27'-6", 29'-6", 3 GA., WITH STEEL BAL. HSG. BASE AND FND. W/10" D. B.C. AND 1" ANCHOR RODS DRG. #719.
	POLE, CITY STEEL, ANCHOR BASE, 20', 27'-6", 29'-6" 7 GA., AND FND. WITH 10" B.C. AND 1" ANCHOR RODS DRG. #11408B.
	POLE, CITY STEEL, ANCHOR BASE, 20', 27'-6", 29'-6" 3 GA., AND FND. WITH 10" B.C. AND 1" ANCHOR RODS DRG. #11408B.
	POLE, CITY STEEL, ANCHOR BASE, 32'-6", 7 GA., AND FND. WITH 11 1/2" B.C. AND 1" ANCHOR RODS DRG. #753.
	POLE, CITY STEEL, ANCHOR BASE, 32'-6", 3 GA., AND FND. WITH 11 1/2" B.C. AND 1" ANCHOR RODS DRG. #753.
	POLE, CITY STEEL, ANCHOR BASE, 32'-6" 7 GA., ALUM. BHB AND FND. WITH 15" B.C. 24"x7' WITH 1" ANCHOR RODS DRG. #691.
	POLE, CITY STEEL, ANCHOR BASE, 32'-6", 3 GA., ALUM. BHB AND FND. WITH 15" B.C. 24"x7' WITH 1" ANCHOR RODS DRG. #691.
	POLE, CITY ALUMINUM, WITH ROUND BAL. HSG. BASE, 25', 28', or 30' ON FND. WITH 14" B.C., ACQUIRED FROM CHICAGO PARK DISTRICT.
	POLE, CITY STEEL, EMBEDDED, 4" X 9" X 35' 7 GA., TAPERED TUBULAR. (DWG. #658)
	POLE, CITY STEEL, EMBEDDED, 4" X 9" X 35' 3 GA., TAPERED TUBULAR. (DWG. #658)
	POLE, CITY STEEL, EMBEDDED. (ACQUIRED FROM CTA)
	COLUMN, ELEVATED STRUCTURE
	POLE, WOOD. (SIZE AS NOTED)
	POLE, FOUNDATION WITH ELBOWS AS INDICATED. (SIZE AS NOTED)
	POLE, ORNAMENTAL OR OTHER, AS INDICATED ON THE PLANS

PROPOSED PRESENT

	HANDHOLE, HEAVY DUTY, 36" I.D. (DWG.#866)
	HANDHOLE, CIRCULAR WITH 24" FRAME & COVER, 30" I.D. (#867)
	MANHOLE, CITY 3'X4'X4' DWG. #729 or 730; 4'X6'X6' DWG. #732 or 733.
	FOUNDATION, CONTROLLER OR PEDESTAL, 13" B.C., 20"X5' (DWG. #709)
	FOUNDATION, TRAFFIC CONTROLLER DWG. #854. F.A. TERMINAL FND. DWG. #11972
	FOUNDATION, TRAFFIC TYPE "P", BASE MOUNT. (DWG. #888)
	FOUNDATION, CONTROLLER STREET LIGHT, SPECIAL, 100A & 200A. (DWG.#876 & # 880)
	FOUNDATION, TRANSCLOSURE; TRANSCLOSURE HOUSING. (DWG.# 583 & #891)
	CONTROLLER, UNDERPASS LIGHTING 120V. & 240V. (DWG. #860 & #861)
	MANHOLE, UTILITY, E=COMMONWEALTH EDISON; T=ILL. BELL TEL.; G=PEOPLES GAS; W=CITY WATER; P=CHGO PARK DISTRICT; CTA=C.T.A.; S=SEWER
	JUNCTION BOX, IN PAVEMENT (DWG. #815)
	DETECTOR LOOP IN PAVEMENT
	CONDUIT or P.V.C., NUMBER, SIZE & TYPE. (AS NOTED)
	CONDUIT or P.V.C. ENCASED IN CONCRETE. (SECTION OR NUMBER OF CONDUIT INDICATED)
	LUMINAIRE, H.P.S.V. 400W LAMP, 240V, SEMI-CUTOFF
	LUMINAIRE, H.P.S.V. 400W LAMP, 240V, CUTOFF
	LUMINAIRE, H.P.S.V. 310W LAMP, 240V
	LUMINAIRE, H.P.S.V. 310W LAMP 240V, CUTOFF
	LUMINAIRE, H.P.S.V. 150W LAMP, 240V
	LUMINAIRE, H.P.S.V. 150W LAMP, 120V
	LUMINAIRE, H.P.S.V. 250W LAMP, 120V. (ALLEY LIGHT)
	LUMINAIRE, H.P.S.V. 250W LAMP, 120V
	TERMINAL, CABINET F.A. & P.C.
	FIRE ALARM BOX, MOUNTED
	FIRE ALARM BOX, POLE MOUNTED
	CABLE, TRAFFIC SIGNAL, COMMUNICATION, 1-PAIR #14 SHIELDED, IN CONDUIT
	CABLE, TRAFFIC SIGNAL POWER SUPPLY, 2/C-#4, 600 V. EPR. IN CONDUIT
	CABLE, TRAFFIC SIGNAL POWER SUPPLY, 2 1/C-#2 or #1/0 600V. EPR IN CONDUIT
	CABLE, TRAFFIC SIGNAL POWER SUPPLY, 2/C-#10 or #6, 600V NSRI, IN CONDUIT
	CABLE, TRAFFIC SIGNAL, 7/C-#12 or #14, 600V, EPR IN CONDUIT
	CABLE, TRAFFIC SIGNAL, 10/C-#12 or #14, 600V, EPR IN CONDUIT
	CABLE, TRAFFIC SIGNAL, 14/C-#12 600V. EPR IN CONDUIT
	CABLE, TRAFFIC SIGNAL, 19/C-#12 or #14, 600V, EPR IN CONDUIT
	CABLE, STREET LIGHT, 2 1/C-#6, 600V. RINS IN PARKWAY
	CABLE, STREET LIGHT, 2 1/C-#6, 600V. RINS IN CONDUIT
	CABLE, STREET LIGHT, 2 1/C-#6 EPRN 600V. & 1 1/C-#8 GREEN, TRIPLEXED, IN CONDUIT
	CABLE, STREET LIGHT, 3 1/C-#1/0, or #2/0, or #4, 600V. EPR IN CONDUIT
	WIRE, STREET LIGHT, 2 1/C-#6, HDNS. AERIAL
	WIRE, STREET LIGHT, 2 1/C-#6 & 1 1/C #8, HDNS. AERIAL
	CABLE, STREET LIGHT AERIAL, 3 1/C-#4 or #2 SELF SUPPORTING, 600V EPR
	WIRE, F.A. & P.C. AERIAL, 1/C-#10, NUMERAL DENOTES QUANTITY
	CABLE, F.A. & P.C. AERIAL, W/ MESSENGER #19-(NUMBER OF PAIRS AS INDICATED)
	CABLE, F.A. & P.C. AERIAL, SELF SUPPORTING, #19-(NUMBER OF PAIRS AS INDICATED)
	CABLE, F.A. & P.C., IN CONDUIT, #19-(NUMBER OF PAIRS AS INDICATED)
	DOWNLIGHT ASSEMBLY. (DWG. #850)
	LIGHT, TRAFFIC SAFETY ISLAND
	FLASHING BEACON & DOWNLIGHT

ORNAMENTAL LUMINAIRES

PROPOSED	EXISTING	
		310W PENDANT (240V)
		400W PENDANT (240V)
		250W PENDANT (240V)
		150W ACORN (120V)
		150W ACORN (240V)
		50W ACORN (240V)
		100W ACORN (240V)
		150W GLOBE (240V)
		100W GLOBE (240V)
		50W GLOBE (240V)

C 04-01-02	REVISED/REDRAW	R. POOL/B. I.
B 12-4-01	ADDED ORNAMENTAL SYMBOLS	
A 8-6-96	REDRAWN	
DATE	REVISION	
STANDARD CODE FOR TRAFFIC SIGNALS/ STREET LIGHTING		
CITY OF CHICAGO DEPT. OF STREETS AND SANITATION BUREAU OF ELECTRICITY DIVISION OF ELECTRICAL ENGINEERING		
DRAFTSMAN R. IVY	CHIEF DRAFTSMAN R. CARTER	ENGINEER R. POOL/R.C/W.T.
SUPERVISING ENGINEER	ELEC. DESIGN ENGR.	DWG. NO.
ENGINEER OF ELECTRICITY		826
GEN'L. SUPT. OF CONSTRUCTION		
DEPUTY COMMISSIONER		
SIZE: 22" X 36"	SCALE:	DATE:

J:\298\Drawn\Add_Sheets\CDOT\Die0J15-sht-CD0Tigt08.dgn



USER NAME = kprajapati	DESIGNED - BN	REVISED -
PLOT SCALE = 2.000000:1.000000	DRAWN - AM	REVISED -
PLOT DATE = 15-MAY-2013 17:26	CHECKED - KGP	REVISED -
	DATE - 5/15/2013	REVISED -

**CITY OF CHICAGO
DEPARTMENT OF TRANSPORTATION
DIVISION OF ENGINEERING**

**63rd STREET OVER DAN RYAN EXPRESSWAY (I-90 /94)
CDOT STANDARD DETAIL DWG. 826**

SCALE: N.T.S. SHEET NO. 8 OF 13 SHEETS STA. TO STA.

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
94	1920-B	COOK	137	54
CONTRACT NO. 60J15				
FED. ROAD DIST. NO. 1 ILLINOIS FED. AID PROJECT				