


Existing Structure:  
Single 4' x 3' box culvert built in 1947 under Section 83.  
The existing box will be extended to the north and south  
and a cast in place end section constructed. One lane  
traffic to be maintained at all times utilizing staged  
construction.


No salvage.

**GENERAL NOTES**

1. Plan dimensions and details relative to existing plans are subject to nominal construction variations. The Contractor shall field verify existing dimensions and details affecting new construction and make necessary approved adjustments prior to construction or ordering of materials. Such variations shall not be cause for additional compensation for a change in scope of the work, however, the Contractor will be paid for the quantity actually furnished at the unit price bid for the work.
2. All exposed concrete edges shall be chamfered 3/4" unless otherwise noted.
3. All construction joints shall be bonded.
4. This work shall be done according to the applicable portion of of 501, 503, 505, 508, 540 and 584 of the Standard Specifications.
5. A precast option is not allowed at this location.
6. Drainage holes shall conform to the requirements of Article 503.11 of the Standard Specifications.
7. The Contract unit price "Each" for Box Culvert End Sections of the culvert end section specified shall include Concrete Box Culverts, Reinforcement Bars, Earth Excavation where required and necessary grading to fit the structures as shown, or to the slope.
8. Nonwoven geotextile fabric shall conform to the requirements of Art. 1080.01 of the Standard Specifications. The minimum weight of the fabric shall be 6 ounces per square yard.



**LONGITUDINAL SECTION**



**SECTION A-A**

**TOTAL BILL OF MATERIAL**

ITEM	UNIT	TOTAL
Turf Reinforcement Mat	Sq. Yd.	29
Stone Riprap, Class A4	Sq. Yd.	25
Filter Fabric	Sq. Yd.	25
Removal and Disposal of Unsuitable Material for Structures	Cu. Yd.	16
Box Culvert End Sections, Culvert No. 08	Each	2
Traversable Pipe Grate	Foot	30.2
Rock Fill	Ton	28

**DESIGN SPECIFICATIONS**


2002 AASHTO Standard Specifications

**DESIGN STRESSES  
FIELD UNITS**

f'c = 3,500 psi  
fy = 60,000 psi (Reinforcement)

**INDEX OF SHEETS**

1. General Plan & Elevation
2. Box Culvert End Section
3. Box Culvert End Section
4. Box Culvert End Section Details
5. Traversable Steel Pipe System



**PLAN**



Signature: *Andrew E. Underwager*  
Date: 3-13-2013  
License Expires: 11-30-2014

**GENERAL PLAN & ELEVATION**  
**ILLINOIS ROUTE 92**  
**F.A.P. RTE 599 - SEC. (83MFT & 103MFT)W**  
**ROCK ISLAND COUNTY**  
**STATION 925+59.49**

FILE NAME: W:\P\Projects\2013\081020\_P18\_IL92\_Culvert\1\Station\2013-08-14\Drawings\01-01.dwg; Submittal: 13-02-2013 09:25:59; 44-54411-001.dwg; 01-01.dwg

**WILLS BURKE KELSEY ASSOCIATES LTD.**  
116 West Main Street, Suite 201  
St. Charles, Illinois 60174

USER NAME: hfemaj	DESIGNED: AWH	REVISED:
PLOT SCALE:	CHECKED: AEU	REVISED:
PLOT DATE: 3/28/2013	DRAWN: AWH	REVISED:
	CHECKED: AEU	REVISED:

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**GENERAL PLAN AND ELEVATION  
STA. 925 + 59.49**  
SHEET NO. 1 OF 5 SHEETS

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
599	(83MFT & 103MFT)W	ROCK ISLAND	340	180
FED. ROAD DIST. NO.		ILLINOIS FED. AID PROJECT		