### If you plan to submit a bid directly to the Department of Transportation

**ADDENDA AND REVISIONS:** It is the contractor's responsibility to determine which, if any, addenda or revisions pertain to any project they may be bidding. Failure to incorporate all relevant addenda or revisions may cause the bid to be declared unacceptable.

Each addendum will be placed with the contract number. Addenda and revisions will also be placed on the Addendum/Revision Checklist and each subscription service subscriber will be notified by e-mail of each addendum and revision issued.

The Internet is the Department's primary way of doing business. The subscription server e-mails are an added courtesy the Department provides. It is suggested that bidder check IDOT's website <a href="http://www.dot.il.gov/desenv/delett.html">http://www.dot.il.gov/desenv/delett.html</a> before submitting final bid information.

### IDOT is not responsible for any e-mail related failures.

Addenda Questions may be directed to the Contracts Office at (217)782-7806 or D&Econtracts@dot.il.gov

Technical Questions about downloading these files may be directed to Tim Garman (217)524-1642 or Timothy. Garman@illinois.gov.

WHAT MUST BE INCLUDED WHEN BIDS ARE SUBMITTED?: Bidders need not return the entire proposal when bids are submitted. That portion of the proposal that must be returned includes the following:

- 1. All documents from the Proposal Cover Sheet through the Proposal Bid Bond
- 2. Other special documentation and/or information that may be required by the contract special provisions

All proposal documents, including Proposal Guaranty Checks or Proposal Bid Bonds, should be stapled together to prevent loss when bids are processed by IDOT personnel. Proposal Bid Bonds are not required for Small Business Set-Asides.

**ABOUT SUBMITTING BIDS**: It is recommended that bidders deliver bids in person to insure they arrive at the proper location prior to the time specified for the receipt of bids. Any bid received at the place of letting after the time specified will not be accepted.

### WHO SHOULD BE CALLED IF ASSISTANCE IS NEEDED?

Call
(217)782-3413
(217)782-7806
(217)782-7806
(217)524-1642

### ADDENDUMS AND REVISIONS TO THE PROPOSAL FORMS

Planholders should verify that they have received and incorporated the addendum and/or revision prior to submitting their bid. Failure by the bidder to include an addendum could result in a bid being rejected as irregular.

115

Proposal Submitted By	
Name	
Address	
City	

### Letting August 3, 2007

### NOTICE TO PROSPECTIVE BIDDERS

This proposal can be used for bidding purposes by only those companies that request and receive written AUTHORIZATION TO BID from IDOT's Central Bureau of Construction. (SEE INSTRUCTIONS ON THE INSIDE OF COVER)

### Notice To Bidders, Specifications, Proposal, Contract and Contract Bond



Springfield, Illinois 62764

Contract No. 44970
MCLEAN County
Section D 5 GDRL DELIN MAINT 2008-6
District 5 Construction Funds
Various Routes

PLEASE MARK THE APPROPRIATE BOX BELOW:	
A Bid Bond is included.	
A Cashier's Check or a Certified Check is included.	

Plans Included Herein

Prepared by

S

Checked by

(Printed by authority of the State of Illinois)

BIDDERS NEED NOT RETURN THE ENTIRE PROPOSAL (See instructions inside front cover)

### **INSTRUCTIONS**

**ABOUT IDOT PROPOSALS**: All proposals issued by IDOT are potential bidding proposals. Each proposal contains all Certifications and Affidavits, a Proposal Signature Sheet and a Proposal Bid Bond required for Prime Contractors to submit a bid after written **Authorization to Bid** has been issued by IDOT's Central Bureau of Construction.

**WHO CAN BID?**: Bids will be accepted from only those companies that request and receive written **Authorization to Bid** from IDOT's Central Bureau of Construction. To request authorization, a potential bidder <u>must complete and submit Part B of the Request for Authorization to Bid/or Not For Bid Status form (BDE 124 INT) and submit an original Affidavit of Availability (BC 57).</u>

WHAT CONSTITUTES WRITTEN AUTHORIZATION TO BID?: When a prospective prime bidder submits a "Request for Proposal Forms and Plans" he/she must indicate at that time which items are being requested For Bidding purposes. Only those items requested For Bidding will be analyzed. After the request has been analyzed, the bidder will be issued a Proposal Denial and/or Authorization Form, approved by the Central Bureau of Construction, that indicates which items have been approved For Bidding. If Authorization to Bid cannot be approved, the Proposal Denial and/or Authorization Form will indicate the reason for denial. If a contractor has requested to bid but has not received a Proposal Denial and/or Authorization Form, they should contact the Central Bureau of Construction in advance of the letting date.

WHAT MUST BE INCLUDED WHEN BIDS ARE SUBMITTED?: Bidders need not return the entire proposal when bids are submitted. That portion of the proposal that must be returned includes the following:

- 1. All documents from the Proposal Cover Sheet through the Proposal Bid Bond
- 2. Other special documentation and/or information that may be required by the contract special provisions

All proposal documents, including Proposal Guaranty Checks or Proposal Bid Bonds, should be stapled together to prevent loss when bids are processed by IDOT personnel.

**ABOUT SUBMITTING BIDS**: It is recommended that bidders deliver bids in person to insure they arrive at the proper location prior to the time specified for the receipt of bids. Any bid received at the place of letting after the time specified will not be accepted.

Call

### WHO SHOULD BE CALLED IF ASSISTANCE IS NEEDED?

Questions Pagarding

Questions Negarang	Call
Prequalification and/or Authorization to Bid Preparation and submittal of bids Mailing of CD-ROMS	217/782-3413 217/782-7806 217/782-7806



**PROPOSAL** 

### TO THE DEPARTMENT OF TRANSPORTATION

1. Proposal of	
Taxpayer Identification Number (Mandatory)	a
for the improvement identified and advertised for bids in the Invitation for Bids as:	
Contract No. 44970 MCLEAN County Section D 5 GDRL DELIN MAINT 2008-6 Various Routes District 5 Construction Funds	

This project consists of replacing guardrail markers, bridge rail markers, barrier wall markers and terminal markers on various routes in McLean County.

2. The undersigned bidder will furnish all labor, material and equipment to complete the above described project in a good and workmanlike manner as provided in the contract documents provided by the Department of Transportation. This proposal will become part of the contract and the terms and conditions contained in the contract documents shall govern performance and payments.

- 3. ASSURANCE OF EXAMINATION AND INSPECTION/WAIVER. The undersigned further declares that he/she has carefully examined the proposal, plans, specifications, form of contract and contract bond, and special provisions, and that he/she has inspected in detail the site of the proposed work, and that he/she has familiarized themselves with all of the local conditions affecting the contract and the detailed requirements of construction, and understands that in making this proposal he/she waives all right to plead any misunderstanding regarding the same.
- 4. **EXECUTION OF CONTRACT AND CONTRACT BOND.** The undersigned further agrees to execute a contract for this work and present the same to the department within fifteen (15) days after the contract has been mailed to him/her. The undersigned further agrees that he/she and his/her surety will execute and present within fifteen (15) days after the contract has been mailed to him/her contract bond satisfactory to and in the form prescribed by the Department of Transportation, in the penal sum of the full amount of the contract, guaranteeing the faithful performance of the work in accordance with the terms of the contract.

### NUMBER 5 BELOW DOES NOT APPLY TO SMALL BUSINESS SET-ASIDES

5. PROPOSAL GUARANTY. Accompanying this proposal is either a bid bond on the department form, executed by a corporate surety company satisfactory to the department, or a proposal guaranty check consisting of a bank cashier's check or a properly certified check for not less than 5 per cent of the amount bid or for the amount specified in the following schedule:

<u>.</u>	Amount o		roposal <u>uaranty</u>		Amount o	of Bid	Proposal <u>Guaranty</u>
Up to		\$5,000	. \$150	\$2,000,000	to	\$3,000,000	\$100,000
\$5,000	to	\$10,000	. \$300	\$3,000,000	to	\$5,000,000	\$150,000
\$10,000	to	\$50,000	31,000	\$5,000,000	to	\$7,500,000	\$250,000
\$50,000	to	\$100,000 \$	3,000	\$7,500,000	to	\$10,000,000	\$400,000
\$100,000	to	\$150,000	5,000	\$10,000,000	to	\$15,000,000	\$500,000
\$150,000	to	\$250,000 \$	57,500	\$15,000,000	to	\$20,000,000	\$600,000
\$250,000	to	\$500,000 \$1	2,500	\$20,000,000	to	\$25,000,000	\$700,000
\$500,000	to	\$1,000,000 \$2	25,000	\$25,000,000	to	\$30,000,000	\$800,000
\$1,000,000	to	\$1,500,000 \$5	50,000	\$30,000,000	to	\$35,000,000	\$900,000
\$1,500,000	to	\$2,000,000 \$7	75,000	over		\$35,000,000	\$1,000,000

Bank cashier's checks or properly certified checks accompanying proposals shall be made payable to the Treasurer, State of Illinois, when the state is awarding authority; the county treasurer, when a county is the awarding authority; or the city, village, or town treasurer, when a city, village, or town is the awarding authority.

If a combination bid is submitted, the proposal guaranties which accompany the individual proposals making up the combination will be considered as also covering the combination bid.

The amount of the proposal guaranty check is \_\_\_\_\_\_\$( ). If this proposal is accepted and the undersigned shall fail to execute a contract bond as required herein, it is hereby agreed that the amount of the proposal guaranty shall become the property of the State of Illinois, and shall be considered as payment of damages due to delay and other causes suffered by the State because of the failure to execute said contract and contract bond; otherwise, the bid bond shall become void or the proposal guaranty check shall be returned to the undersigned.

undersigned.	
Attach Cashier's Check o	or Certified Check Here
In the event that one proposal guaranty check is intended to cover two or more of the proposal guaranties which would be required for each individual proposatate below where it may be found.	· · · · · · · · · · · · · · · · · · ·
The proposal guaranty check will be found in the proposal for:	Item
Sec	tion No
	County

Mark the proposal cover sheet as to the type of proposal guaranty submitted.

BD 354 (Rev. 11/2001)

6. **COMBINATION BIDS.** The undersigned further agrees that if awarded the contract for the sections contained in the following combination, he/she will perform the work in accordance with the requirements of each individual proposal comprising the combination bid specified in the schedule below, and that the combination bid shall be prorated against each section in proportion to the bid submitted for the same. If an error is found to exist in the gross sum bid for one or more of the individual sections included in a combination, the combination bid shall be corrected as provided in the specifications.

When a combination bid is submitted, the schedule below must be completed in each proposal comprising the combination.

If alternate bids are submitted for one or more of the sections comprising the combination, a combination bid must be submitted for each alternate.

### **Schedule of Combination Bids**

Combination	ition		Combination		
No.	Sections Included in Combination Dolla		Cents		

- 7. SCHEDULE OF PRICES. The undersigned bidder submits herewith, in accordance with the rules and instructions, a schedule of prices for the items of work for which bids are sought. The unit prices bid are in U.S. dollars and cents, and all extensions and summations have been made. The bidder understands that the quantities appearing in the bid schedule are approximate and are provided for the purpose of obtaining a gross sum for the comparison of bids. If there is an error in the extension of the unit prices, the unit prices shall govern. Payment to the contractor awarded the contract will be made only for actual quantities of work performed and accepted or materials furnished according to the contract. The scheduled quantities of work to be done and materials to be furnished may be increased, decreased or omitted as provided elsewhere in the contract.
- 8. **CERTIFICATE OF AUTHORITY.** The undersigned bidder, if a business organized under the laws of another State, assures the Department that it will furnish a copy of its certificate of authority to do business in the State of Illinois with the return of the executed contract and bond. Failure to furnish the certificate within the time provided for execution of an awarded contract may be cause for cancellation of the award and forfeiture of the proposal guaranty to the State.

# ILLINOIS DEPARTMENT OF TRANSPORTATION SCHEDULE OF PRICES CONTRACT NUMBER - 44970

State Job # - C-60-007-08
PPS NBR - 0-00628-0000

0-00628-0000 Project Number

Route VARIOUS

County Name - MCLEAN- - Code - 113 - -

District - 5 - -

Section Number - D5 GDRL DELIN MAINT 2008-6

Item Number	Pay Item Description	Unit of Measure	Quantity	х	Unit Price	=	Total Price
67100100	MOBILIZATION	L SUM	1.000				
78200410	GUARDRAIL MKR TYPE A	EACH	3,128.000				
78200420	GUARDRAIL MKR TYPE B	EACH	975.000				
78200530	BAR WALL MKR TYPE C	EACH	884.000				
78201000	TERMINAL MARKER - DA	EACH	452.000				
78202000	TERMINAL MARKER - PM	EACH	75.000				

CONTRACT NUMBER	44970
THIS IS THE TOTAL BID	\$

### NOTES:

- 1. Each PAY ITEM should have a UNIT PRICE and a TOTAL PRICE.
- 2. The UNIT PRICE shall govern if no TOTAL PRICE is shown or if there is a discrepancy between the product of the UNIT PRICE multiplied by the QUANTITY.
- 3. If a UNIT PRICE is omitted, the TOTAL PRICE will be divided by the QUANTITY

## STATE REQUIRED ETHICAL STANDARDS GOVERNING CONTRACT PROCUREMENT: ASSURANCES, CERTIFICATIONS AND DISCLOSURES

#### I. GENERAL

- **A.** Article 50 of the Illinois Procurement Code establishes the duty of all State chief procurement officers, State purchasing officers, and their designees to maximize the value of the expenditure of public moneys in procuring goods, services, and contracts for the State of Illinois and to act in a manner that maintains the integrity and public trust of State government. In discharging this duty, they are charged by law to use all available information, reasonable efforts, and reasonable actions to protect, safeguard, and maintain the procurement process of the State of Illinois.
- **B.** In order to comply with the provisions of Article 50 and to carry out the duty established therein, all bidders are to adhere to ethical standards established for the procurement process, and to make such assurances, disclosures and certifications required by law. By execution of the Proposal Signature Sheet, the bidder indicates that each of the mandated assurances has been read and understood, that each certification is made and understood, and that each disclosure requirement has been understood and completed.
- **C.** In addition to all other remedies provided by law, failure to comply with any assurance, failure to make any disclosure or the making of a false certification shall be grounds for termination of the contract and the suspension or debarment of the bidder.

### **II. ASSURANCES**

**A.** The assurances hereinafter made by the bidder are each a material representation of fact upon which reliance is placed should the Department enter into the contract with the bidder. The Department may terminate the contract if it is later determined that the bidder rendered a false or erroneous assurance, and the surety providing the performance bond shall be responsible for the completion of the contract.

### B. Felons

1. The Illinois Procurement Code provides:

Section 50-10. Felons. Unless otherwise provided, no person or business convicted of a felony shall do business with the State of Illinois or any state agency from the date of conviction until 5 years after the date of completion of the sentence for that felony, unless no person held responsible by a prosecutorial office for the facts upon which the conviction was based continues to have any involvement with the business.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-10.

### C. Conflicts of Interest

1. The Illinois Procurement Code provides in pertinent part:

Section 50-13. Conflicts of Interest.

- (a) Prohibition. It is unlawful for any person holding an elective office in this State, holding a seat in the General Assembly, or appointed to or employed in any of the offices or agencies of state government and who receives compensation for such employment in excess of 60% of the salary of the Governor of the State of Illinois, or who is an officer or employee of the Capital Development Board or the Illinois Toll Highway Authority, or who is the spouse or minor child of any such person to have or acquire any contract, or any direct pecuniary interest in any contract therein, whether for stationery, printing, paper, or any services, materials, or supplies, that will be wholly or partially satisfied by the payment of funds appropriated by the General Assembly of the State of Illinois or in any contract of the Capital Development Board or the Illinois Toll Highway authority.
- (b) Interests. It is unlawful for any firm, partnership, association or corporation, in which any person listed in subsection (a) is entitled to receive (i) more than 7 1/2% of the total distributable income or (ii) an amount in excess of the salary of the Governor, to have or acquire any such contract or direct pecuniary interest therein.
- (c) Combined interests. It is unlawful for any firm, partnership, association, or corporation, in which any person listed in subsection (a) together with his or her spouse or minor children is entitled to receive (i) more than 15%, in the aggregate, of the total distributable income or (ii) an amount in excess of 2 times the salary of the Governor, to have or acquire any such contract or direct pecuniary interest therein.
- (d) Securities. Nothing in this Section invalidates the provisions of any bond or other security previously offered or to be offered for sale or sold by or for the State of Illinois.
- (e) Prior interests. This Section does not affect the validity of any contract made between the State and an officer or employee of the State or member of the General Assembly, his or her spouse, minor child or any combination of those persons if that contract was in existence before his or her election or employment as an officer, member, or employee. The contract is voidable, however, if it cannot be completed within 365 days after the officer, member, or employee takes office or is employed.

The current salary of the Governor is \$150,700.00. Sixty percent of the salary is \$90,420.00.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-13, or that an effective exemption has been issued by the Board of Ethics to any individual subject to the Section 50-13 prohibitions pursuant to the provisions of Section 50-20 of the Code and Executive Order Number 3 (1998). Information concerning the exemption process is available from the Department upon request.

### D. Negotiations

1. The Illinois Procurement Code provides in pertinent part:

Section 50-15. Negotiations.

- (a) It is unlawful for any person employed in or on a continual contractual relationship with any of the offices or agencies of State government to participate in contract negotiations on behalf of that office or agency with any firm, partnership, association, or corporation with whom that person has a contract for future employment or is negotiating concerning possible future employment.
- 2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-15, and that the bidder has no knowledge of any facts relevant to the kinds of acts prohibited therein.

#### E. Inducements

1. The Illinois Procurement Code provides:

Section 50-25. Inducement. Any person who offers or pays any money or other valuable thing to any person to induce him or her not to bid for a State contract or as recompense for not having bid on a State contract is guilty of a Class 4 felony. Any person who accepts any money or other valuable thing for not bidding for a State contract or who withholds a bid in consideration of the promise for the payment of money or other valuable thing is guilty of a Class 4 felony.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-25, and that the bidder has no knowledge of any facts relevant to the kinds of acts prohibited therein.

### F. Revolving Door Prohibition

1. The Illinois Procurement Code provides:

Section 50-30. Revolving door prohibition. Chief procurement officers, associate procurement officers, State purchasing officers, their designees whose principal duties are directly related to State procurement, and executive officers confirmed by the Senate are expressly prohibited for a period of 2 years after terminating an affected position from engaging in any procurement activity relating to the State agency most recently employing them in an affected position for a period of at least 6 months. The prohibition includes, but is not limited to: lobbying the procurement process; specifying; bidding; proposing bid, proposal, or contract documents; on their own behalf or on behalf of any firm, partnership, association, or corporation. This Section applies only to persons who terminate an affected position on or after January 15, 1999.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-30, and that the bidder has no knowledge of any facts relevant to the kinds of acts prohibited therein.

### G. Reporting Anticompetitive Practices

1. The Illinois Procurement Code provides:

Section 50-40. Reporting anticompetitive practices. When, for any reason, any vendor, bidder, contractor, chief procurement officer, State purchasing officer, designee, elected official, or State employee suspects collusion or other anticompetitive practice among any bidders, offerors, contractors, proposers, or employees of the State, a notice of the relevant facts shall be transmitted to the Attorney General and the chief procurement officer.

2. The bidder assures the Department that it has not failed to report any relevant facts concerning the practices addressed in Section 50-40 which may involve the contract for which the bid is submitted.

### H. Confidentiality

1. The Illinois Procurement Code provides:

Section 50-45. Confidentiality. Any chief procurement officer, State purchasing officer, designee, or executive officer who willfully uses or allows the use of specifications, competitive bid documents, proprietary competitive information, proposals, contracts, or selection information to compromise the fairness or integrity of the procurement, bidding, or contract process shall be subject to immediate dismissal, regardless of the Personnel code, any contract, or any collective bargaining agreement, and may in addition be subject to criminal prosecution.

2. The bidder assures the Department that it has no knowledge of any fact relevant to the practices addressed in Section 50-45 which may involve the contract for which the bid is submitted.

### I. Insider Information

1. The Illinois Procurement Act provides:

Section 50-50. Insider information. It is unlawful for any current or former elected or appointed State official or State employee to knowingly use confidential information available only by virtue of that office or employment for actual or anticipated gain for themselves or another person.

2. The bidder assures the Department that it has no knowledge of any facts relevant to the practices addressed in Section 50-50 which may involve the contract for which the bid is submitted.

### **III. CERTIFICATIONS**

**A.** The certifications hereinafter made by the bidder are each a material representation of fact upon which reliance is placed should the Department enter into the contract with the bidder. The Department may terminate the contract if it is later determined that the bidder rendered a false or erroneous certification, and the surety providing the performance bond shall be responsible for completion of the contract.

#### B. Bribery

1. The Illinois Procurement Code provides:

Section 50-5. Bribery.

- (a) Prohibition. No person or business shall be awarded a contract or subcontract under this Code who:
  - (1) has been convicted under the laws of Illinois or any other state of bribery or attempting to bribe an officer or employee of the State of Illinois or any other state in that officer's or employee's official capacity; or
  - (2) has made an admission of guilt of that conduct that is a matter of record but has not been prosecuted for that conduct.
- (b) Businesses. No business shall be barred from contracting with any unit of State or local government as a result of a conviction under this Section of any employee or agent of the business if the employee or agent is no longer employed by the business and:
  - (1) the business has been finally adjudicated not guilty; or
  - (2) the business demonstrates to the governmental entity with which it seeks to contract, and that entity finds that the commission of the offense was not authorized, requested, commanded, or performed by a director, officer, or high managerial agent on behalf of the business as provided in paragraph (2) of subsection (a) of Section 5-4 of the Criminal Code of 1961.
- (c) Conduct on behalf of business. For purposes of this Section, when an official, agent, or employee of a business committed the bribery or attempted bribery on behalf of the business and in accordance with the direction or authorization of a responsible official of the business, the business shall be chargeable with the conduct.
- (d) Certification. Every bid submitted to and contract executed by the State shall contain a certification by the contractor that the contractor is not barred from being awarded a contract or subcontract under this Section. A contractor who makes a false statement, material to the certification, commits a Class 3 felony.
- 2. The bidder certifies that it is not barred from being awarded a contract under Section 50.5.

### C. Educational Loan

- 1. Section 3 of the Educational Loan Default Act provides:
- § 3. No State agency shall contract with an individual for goods or services if that individual is in default, as defined in Section 2 of this Act, on an educational loan. Any contract used by any State agency shall include a statement certifying that the individual is not in default on an educational loan as provided in this Section.
- 2. The bidder, if an individual as opposed to a corporation, partnership or other form of business organization, certifies that the bidder is not in default on an educational loan as provided in Section 3 of the Act.

### D. Bid-Rigging/Bid Rotating

1. Section 33E-11 of the Criminal Code of 1961 provides:

§ 33E-11. (a) Every bid submitted to and public contract executed pursuant to such bid by the State or a unit of local government shall contain a certification by the prime contractor that the prime contractor is not barred from contracting with any unit of State or local government as a result of a violation of either Section 33E-3 or 33E-4 of this Article. The State and units of local government shall provide the appropriate forms for such certification.

(b) A contractor who makes a false statement, material to the certification, commits a Class 3 felony.

A violation of Section 33E-3 would be represented by a conviction of the crime of bid-rigging which, in addition to Class 3 felony sentencing, provides that any person convicted of this offense or any similar offense of any state or the United States which contains the same elements as this offense shall be barred for 5 years from the date of conviction from contracting with any unit of State or local government. No corporation shall be barred from contracting with any unit of State or local government as a result of a conviction under this Section of any employee or agent of such corporation if the employee so convicted is no longer employed by the corporation and: (1) it has been finally adjudicated not guilty or (2) if it demonstrates to the governmental entity with which it seeks to contract and that entity finds that the commission of the offense was neither authorized, requested, commanded, nor performed by a director, officer or a high managerial agent in behalf of the corporation.

A violation of Section 33E-4 would be represented by a conviction of the crime of bid-rotating which, in addition to Class 2 felony sentencing, provides that any person convicted of this offense or any similar offense of any state or the United States which contains the same elements as this offense shall be permanently barred from contracting with any unit of State or local government. No corporation shall be barred from contracting with any unit of State or local government as a result of a conviction under this Section of any employee or agent of such corporation if the employee so convicted is no longer employed by the corporation and: (1) it has been finally adjudicated not guilty or (2) if it demonstrates to the governmental entity with which it seeks to contract and that entity finds that the commission of the offense was neither authorized, requested, commanded, nor performed by a director, officer or a high managerial agent in behalf of the corporation.

2. The bidder certifies that it is not barred from contracting with the Department by reason of a violation of either Section 33E-3 or Section 33E-4.

#### E. International Anti-Boycott

- 1. Section 5 of the International Anti-Boycott Certification Act provides:
- § 5. State contracts. Every contract entered into by the State of Illinois for the manufacture, furnishing, or purchasing of supplies, material, or equipment or for the furnishing of work, labor, or services, in an amount exceeding the threshold for small purchases according to the purchasing laws of this State or \$10,000.00, whichever is less, shall contain certification, as a material condition of the contract, by which the contractor agrees that neither the contractor nor any substantially-owned affiliated company is participating or shall participate in an international boycott in violation of the provisions of the U.S. Export Administration Act of 1979 or the regulations of the U.S. Department of Commerce promulgated under that Act.
- 2. The bidder makes the certification set forth in Section 5 of the Act.

### F. Drug Free Workplace

- 1. The Illinois "Drug Free Workplace Act" applies to this contract and it is necessary to comply with the provisions of the "Act" if the contractor is a corporation, partnership, or other entity (including a sole proprietorship) which has 25 or more employees.
- 2. The bidder certifies that if awarded a contract in excess of \$5,000 it will provide a drug free workplace by:
- (a) Publishing a statement notifying employees that the unlawful manufacture, distribution, dispensation, possession or use of a controlled substance, including cannabis, is prohibited in the contractor's workplace; specifying the actions that will be taken against employees for violations of such prohibition; and notifying the employee that, as a condition of employment on such contract, the employee shall abide by the terms of the statement, and notify the employer of any criminal drug statute conviction for a violation occurring in the workplace no later than five (5) days after such conviction.
- (b) Establishing a drug free awareness program to inform employees about the dangers of drug abuse in the workplace; the contractor's policy of maintaining a drug free workplace; any available drug counseling, rehabilitation, and employee assistance programs; and the penalties that may be imposed upon employees for drug violations.
- (c) Providing a copy of the statement required by subparagraph (1) to each employee engaged in the performance of the contract and to post the statement in a prominent place in the workplace.
- (d) Notifying the Department within ten (10) days after receiving notice from an employee or otherwise receiving actual notice of the conviction of an employee for a violation of any criminal drug statute occurring in the workplace.
- (e) Imposing or requiring, within 30 days after receiving notice from an employee of a conviction or actual notice of such a conviction, an appropriate personnel action, up to and including termination, or the satisfactory participation in a drug abuse assistance or rehabilitation program approved by a federal, state or local health, law enforcement or other appropriate agency.
- (f) Assisting employees in selecting a course of action in the event drug counseling, treatment, and rehabilitation is required and indicating that a trained referral team is in place.
- (g) Making a good faith effort to continue to maintain a drug free workplace through implementation of the actions and efforts stated in this certification.

### G. Debt Delinquency

1. The Illinois Procurement Code provides:

Section 50-11 and 50-12. Debt Delinquency.

The contractor or bidder certifies that it, or any affiliate, is not barred from being awarded a contract under 30 ILCS 500. Section 50-11 prohibits a person from entering into a contract with a State agency if it knows or should know that it, or any affiliate, is delinquent in the payment of any debt to the State as defined by the Debt Collection Board. Section 50-12 prohibits a person from entering into a contract with a State agency if it, or any affiliate, has failed to collect and remit Illinois Use Tax on all sales of tangible personal property into the State of Illinois in accordance with the provisions of the Illinois Use Tax Act. The contractor further acknowledges that the contracting State agency may declare the contract void if this certification is false or if the contractor, or any affiliate, is determined to be delinquent in the payment of any debt to the State during the term of the contract.

### H. Sarbanes-Oxley Act of 2002

1. The Illinois Procurement Code provides:

Section 50-60(c).

The contractor certifies in accordance with 30 ILCS 500/50-10.5 that no officer, director, partner or other managerial agent of the contracting business has been convicted of a felony under the Sarbanes-Oxley Act of 2002 or a Class 3 or Class 2 felony under the Illinois Securities Law of 1953 for a period of five years prior to the date of the bid or contract. The contractor acknowledges that the contracting agency shall declare the contract void if this certification is false.

### I. Addenda

The contractor or bidder certifies that all relevant addenda have been incorporated in to this contract. Failure to do so may cause the bid to be declared unacceptable.

#### J. Section 42 of the Environmental Protection Act

The contractor certifies in accordance with 30 ILCS 500/50-12 that the bidder or contractor is not barred from being awarded a contract under this Section which prohibits the bidding on or entering into contracts with the State of Illinois or a State agency by a person or business found by a court or the Pollution Control Board to have committed a willful or knowing violation of Section 42 of the Environmental Protection Act for a period of five years from the date of the order. The contractor acknowledges that the contracting agency may declare the contract void if this certification is false.

### K. Apprenticeship and Training Certification (Does not apply to federal aid projects)

In accordance with the provisions of Section 30-22 (6) of the Illinois Procurement Code, the bidder certifies that it is a participant, either as an individual or as part of a group program, in the approved apprenticeship and training programs applicable to each type of work or craft that the bidder will perform with its own forces. The bidder further certifies for work that will be performed by subcontract that each of its subcontractors submitted for approval either (a) is, at the time of such bid, participating in an approved, applicable apprenticeship and training program; or (b) will, prior to commencement of performance of work pursuant to this contract, begin participation in an approved apprenticeship and training program applicable to the work of the subcontract. The Department, at any time before or after award, may require the production of a copy of each applicable Certificate of Registration issued by the United States Department of Labor evidencing such participation by the contractor and any or all of its subcontractors. Applicable apprenticeship and training programs are those that have been approved and registered with the United States Department of Labor. The bidder shall list in the space below, the official name of the program sponsor holding the Certificate of Registration for all of the types of work or crafts in which the bidder is a participant and that will be performed with the bidder's forces. Types of work or craft work that will be subcontracted shall be included and listed as subcontract work. The list shall also indicate any type of work or craft job category that does not have an applicable apprenticeship or training program. The bidder is responsible for making a complete report and shall make certain that each type of work or craft job category that will be utilized on the project as reported on the Construction Employee Workforce Projection (Form BC-1256) and returned with the bid is accounted for and listed.

The requirements of this certification and disclosure are a material part of the contract, and the contractor shall require this certification provision to be included in all approved subcontracts. In order to fulfill this requirement, it shall not be necessary that an applicable program sponsor be currently taking or that it will take applications for apprenticeship, training or employment during the performance of the work of this contract.

### L. Executive Order Number 1 (2007) Regarding Lobbying on Government Procurements

The bidder hereby warrants and certifies that they have complied and will comply with the requirements set forth in this Order. The requirements of this warrant and certification are a material part of the contract, and the contractor shall require this warrant and certification provision to be included in all approved subcontracts.

## Illinois Department of Transportation Qualification and Equipment Inventory Certification Form

The undersigned authorized representative of Bidder certifies that the attached qualification information provided to the Department is true and correct, and that it is submitted with the understanding that the Department will use and rely upon the accuracy and currency of the information in the evaluation of Bidder's responsibility for award of this public contract.

Bidding Organization	
Signature	Date
Printed Name	Title
Address	
City/State	Zip Code
Telephone	Facsimile
E-mail	

Bidders that are currently prequalified by the Department are cautioned that they must complete these forms.

### PART I Business and Directory Information

(a)	Name of business (official name and assumed names):
(b)	Business headquarters:
	Address: Facsimile:
(c)	Billing address:
(d)	Type of organization (Sole Proprietor, Corporation, Partnership, etc. – should be the same as on the Taxpayer ID form Part V):
(e)	State of incorporation, State of formation or State of organization:
(f)	If a division or subsidiary of another organization provide the name and address of the parent:
(g)	Businesses are affiliates when either one directly or indirectly controls or has the power to control the other, or, when a third party or parties controls or has the power to control both. In determining whether concerns are independently owned and operated and whether affiliation exists, consideration will be given to all appropriate factors, including the use of common facilities, common ownership and management and contractual arrangements. Identify all affiliated businesses and companies:
(h)	Description of business:
(i)	Length of time in business:
(j)	Number of full-time employees (average from most recent Fiscal Year):
(k)	Total annual sales and receipts for the most recently completed Fiscal Year including any parent and all related and affiliated organizations (tax returns for the relevant year may be required for verification):
(I)	Name and title of all officers/managers:
(m)	Identify and specify the location(s) and telephone numbers of the major offices and other facilities that would relate to performance under the terms of the contract if awarded:
(n)	Identify accounting firm:

(o)	The successful business will be required to register to do business in Illinois. If already registered, provide the date of the registration to do business in Illinois and the name of the registered agent in the State:
(p)	Business web site:
(q)	Is this business currently prequalified by the Department of Transportation? If yes, list all work ratings issued:
(r)	Has this business performed contracts awarded by the Department as prime contractor? If yes, list the three most recent:
(s)	Has this business participated as a subcontractor under contracts awarded by the Department? If yes, list the three most recent identifying the prime contractor:

### PART II References

Provide references from established firms or government agencies, (four preferred; two of each type preferred) other than the Department, that can attest to your experience and ability to perform the work of the contract for which this bid is submitted. Bidders that have current work ratings issued by the Prequalification Section need only list references for this contract if more than 50% of the work as determined by the advertised quantities is not covered by an issued work rating.

(1)	Government Agency (Name):				
	Contact Person Name:				
	Address:				
	Phone: E-mail Address:				
	Types of services provided and dates provided:				
(2)	Governmental Agency (Name):				
	Contact Person Name:				
	Address:				
	Phone: E-mail Address:				
	Types of services provided and dates provided:				
(3)	Private Firm (Name):				
	Contact Person Name:				
	Address:				
	Phone: E-mail Address:				
	Types of services provided and dates provided:				
(4)	Private Firm (Name):				
	Contact Person Name:				
	Address:				
	Phone: E-mail Address:				
	Types of services provided and dates provided:				
	· · · · · · · · · · · · · · · · · · ·				

### PART III Equipment Inventory

List all the equipment that will be used to performing the services required in this contract.

CAPACITY

**COMPLETE DESCRIPTION** 

ID#

YEAR

MAKE

MODEL

inventory?  (Do not include any proposed subcontractor equipment on this form)  b. If not owned, how will the equipment be obtained within the required time in the event of award?							
inventory?  (Do not include any proposed subcontractor equipment on this form)  b. If not owned, how will the equipment be obtained within the required time in the event of award?  c. Is any of the above equipment currently committed on other contracts?							
inventory?  (Do not include any proposed subcontractor equipment on this form)  b. If not owned, how will the equipment be obtained within the required time in the event of award?  c. Is any of the above equipment currently committed on other contracts?							
inventory?  (Do not include any proposed subcontractor equipment on this form)  b. If not owned, how will the equipment be obtained within the required time in the event of award?  c. Is any of the above equipment currently committed on other contracts?							
inventory?  (Do not include any proposed subcontractor equipment on this form)  b. If not owned, how will the equipment be obtained within the required time in the event of award?  c. Is any of the above equipment currently committed on other contracts?							
inventory?							
inventory?							
inventory?							
inventory?							
inventory?							
inventory?							
inventory?							
inventory?							
inventory?							
inventory?							
inventory?							
inventory?							
inventory?							
inventory?							
inventory?  (Do not include any proposed subcontractor equipment on this form)  b. If not owned, how will the equipment be obtained within the required time in the event of award?  c. Is any of the above equipment currently committed on other contracts?							
inventory?  (Do not include any proposed subcontractor equipment on this form)  b. If not owned, how will the equipment be obtained within the required time in the event of award?  c. Is any of the above equipment currently committed on other contracts?							
inventory?  (Do not include any proposed subcontractor equipment on this form)  b. If not owned, how will the equipment be obtained within the required time in the event of award?  c. Is any of the above equipment currently committed on other contracts?							
inventory?							
inventory?  (Do not include any proposed subcontractor equipment on this form)  b. If not owned, how will the equipment be obtained within the required time in the event of award?  c. Is any of the above equipment currently committed on other contracts?							
c. Is any of the above equipment currently committed on other contracts?	a.						
c. Is any of the above equipment currently committed on other contracts?  If yes, identify which pieces and the contract	b.						the required time in the event
	C.	Is a	ny of the abo	ove equipment hich pieces ar	t currently cond the contra	ommitted on ot act.	ther contracts?

# PART IV Department of Human Rights (DHR) Public Contract Number

If the bidder has employed fifteen (15) or more full-time employees at any time during the 365-day period immediately preceding the publication of this invitation for bids, the bidder must have a current Public Contract Number or have proof of having submitted a completed application for one <u>prior</u> to the letting date. If the Department cannot confirm compliance, it will not be able to consider the bid or offer. Please complete the appropriate sections below.

Name of Company (and D/B/A):
DHR Public Contracts Number:
(Check if applicable) The number is not required because the company has employed 14 or less full-time employees during the 365-day period immediately preceding the publication of this invitation.
IF NUMBER HAS NOT YET BEEN ISSUED:
Date completed application was submitted to DHR:
Date of Expiration:

### PART V Taxpayer Identification Number

### I certify that:

- 1. The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me), **and**
- 2. I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding, **and**
- 3. I am a U.S. person (including a U.S. resident alien).

Name (Printed):				
Taxpayer Identification Number:				
Social Security Number or Employer Identification Number				
Legal Status (check one):				
☐ Individual	Governmental			
☐ Sole Proprietorship	☐ Estate or Trust			
☐ Partnership/Legal Corporation	Other			
☐ Tax-exempt				

### PART VI Information Regarding Terminations, Litigation, Suspension and Debarment

traded to serv and the of prop	the last (5) years, describe any damages or penalties or anything of valor given up by the Bidder under any of its existing or past contracts as it relatices performed that are similar to the services contemplated by this invitate contemplated Contract. If so, indicate the reason for the penalty or exchangerty or services and the estimated amount of the cost of that incident to
or Stat	the last five (5) years, describe any order, judgment or decree of any Federe authority barring, suspending or otherwise limiting the right of the Biddere in any business, practice or activity.
administ of the E or any Failure any su matter Bidder	the last five (5) years, list and summarize pending or threatened litigatistrative or regulatory proceedings, or similar matters that could affect the absolute discours and the required services. The Bidder must also state whether owners, officers, or primary partners have ever been convicted of a felow to disclose these matters may result in rejection of the bid or in termination because the contract. This is a continuing disclosure requirement. Any succommencing after submission of a bid, and with respect to the success after the execution of a contract, must be disclosed in a timely manner in statement to the Department.
	the last five (5) years, have any irregularities been discovered in any outs maintained by the Bidder on behalf of others?  describe the circumstances of irregularities or variances and disposition

### TO BE RETURNED WITH BID

#### IV. DISCLOSURES

**A.** The disclosures hereinafter made by the bidder are each a material representation of fact upon which reliance is placed should the Department enter into the contract with the bidder. The Department may terminate the contract if it is later determined that the bidder rendered a false or erroneous disclosure, and the surety providing the performance bond shall be responsible for completion of the contract.

#### B. Financial Interests and Conflicts of Interest

1. Section 50-35 of the Illinois Procurement Code provides that all bids of more than \$10,000 shall be accompanied by disclosure of the financial interests of the bidder. This disclosed information for the successful bidder, will be maintained as public information subject to release by request pursuant to the Freedom of Information Act.

The financial interests to be disclosed shall include ownership or distributive income share that is in excess of 5%, or an amount greater than 60% of the annual salary of the Governor, of the bidding entity or its parent entity, whichever is less, unless the contractor or bidder is a publicly traded entity subject to Federal 10K reporting, in which case it may submit its 10K disclosure in place of the prescribed disclosure. If a bidder is a privately held entity that is exempt from Federal 10K reporting, but has more than 400 shareholders, it may submit the information that Federal 10K companies are required to report, and list the names of any person or entity holding any ownership share that is in excess of 5%. The disclosure shall include the names, addresses, and dollar or proportionate share of ownership of each person making the disclosure, their instrument of ownership or beneficial relationship, and notice of any potential conflict of interest resulting from the current ownership or beneficial interest of each person making the disclosure having any of the relationships identified in Section 50-35 and on the disclosure form.

In addition, all disclosures shall indicate any other current or pending contracts, proposals, leases, or other ongoing procurement relationships the bidding entity has with any other unit of state government and shall clearly identify the unit and the contract, proposal, lease, or other relationship.

2. <u>Disclosure Forms</u>. Disclosure Form A is attached for use concerning the individuals meeting the above ownership or distributive share requirements. Subject individuals should be covered each by one form. In addition, a second form (Disclosure Form B) provides for the disclosure of current or pending procurement relationships with other (non-IDOT) state agencies. **The forms must be included with each bid or incorporated by reference.** 

### C. <u>Disclosure Form Instructions</u>

### Form A: For bidders that have previously submitted the information requested in Form A

The Department has retained the Form A disclosures submitted by all bidders responding to these requirements for the April 24, 1998 or any subsequent letting conducted by the Department. The bidder has the option of submitting the information again or the bidder may sign the following certification statement indicating that the information previously submitted by the bidder is, as of the date of signature, current and accurate. The Certification must be signed and dated by a person who is authorized to execute contracts for the bidding company. Before signing this certification, the bidder should carefully review its prior submissions to ensure the Certification is correct. If the Bidder signs the Certification, the Bidder should proceed to Form B instructions.

### **CERTIFICATION STATEMENT**

ac	curate, and all forms a	re determined that the Form A disclosure information previously submitted is current and urate, and all forms are hereby incorporated by reference in this bid. Any necessary additions or amendments to previously submitted forms are attached to this bid.		
Name of Authorized Representative (type or print)			Company)	
			Title of Authorized Repre	esentative (type or print)
		Signature of Author	prized Representative	Date

### Form A: For bidders who have NOT previously submitted the information requested in Form A

D.

If the bidder is a publicly traded entity subject to Federal 10K reporting, the 10K Report may be submitted to meet the requirements of Form A. If a bidder is a privately held entity that is exempt from Federal 10K reporting, but has more than 400 shareholders, it may submit the information that Federal 10K companies are required to report, and list the names of any person or entity holding any ownership share that is in excess of 5%. If a bidder is not subject to Federal 10K reporting, the bidder must determine if any individuals are required by law to complete a financial disclosure form. To do this, the bidder should answer each of the following questions. A "YES" answer indicates Form A must be completed. If the answer to each of the following questions is "NO", then the NOT APPLICABLE STATEMENT on the second page of Form A must be signed and dated by a person that is authorized to execute contracts for the bidding company. Note: These questions are for assistance only and are not required to be completed.

1.	Does anyone in your organization have a direct or beneficial ownership share of greater than 5% of the bidding entity or parent entity? YES NO
2.	Does anyone in your organization have a direct or beneficial ownership share of less than 5%, but which has a value greater than \$90,420.00? YES NO
3.	Does anyone in your organization receive more than \$90,420.00 of the bidding entity's or parent entity's distributive income? (Note: Distributive income is, for these purposes, any type of distribution of profits. An annual salary is not distributive income.) YES NO
4.	Does anyone in your organization receive greater than 5% of the bidding entity's or parent entity's total distributive income, but which is less than \$90,420.00? YES NO
	(Note: Only one set of forms needs to be completed <u>per person per bid</u> even if a specific individual would require a yes answer to more than one question.)
bidding e authorize	answer to any of these questions requires the completion of Form A. The bidder must determine each individual in the bidding entity or the entity's parent company that would cause the questions to be answered "Yes". Each form must be signed and dated by a person that is ed to execute contracts for your organization. <b>Photocopied or stamped signatures are not acceptable</b> . The person signing can be, but have to be, the person for which the form is being completed. The bidder is responsible for the accuracy of any information provided.
	swer to each of the above questions is "NO", then the <u>NOT APPLICABLE STATEMENT</u> on page 2 of Form A must be signed and dated by that is authorized to execute contracts for your company.
bidding e	Identifying Other Contracts & Procurement Related Information Disclosure Form B must be completed for each bid submitted by the entity. It must be signed by an individual who is authorized to execute contracts for the bidding entity. Note: Signing the NOT ABLE STATEMENT on Form A does not allow the bidder to ignore Form B. Form B must be completed, signed and dated or the bidder considered nonresponsive and the bid will not be accepted.
ongoing	ler shall identify, by checking Yes or No on Form B, whether it has any pending contracts (including leases), bids, proposals, or other procurement relationship with any other (non-IDOT) State of Illinois agency. If "No" is checked, the bidder only needs to complete the box on the bottom of Form B. If "Yes" is checked, the bidder must do one of the following:
agency p attached and are r	If the bidder did not submit an Affidavit of Availability to obtain authorization to bid, the bidder must list all non-IDOT State of Illinois pending contracts, leases, bids, proposals, and other ongoing procurement relationships. These items may be listed on Form B or on an sheet(s). Do not include IDOT contracts. Contracts with cities, counties, villages, etc. are not considered State of Illinois agency contracts not to be included. Contracts with other State of Illinois agencies such as the Department of Natural Resources or the Capital Development ust be included. Bidders who submit Affidavits of Availability are suggested to use Option II.
"See Affi	If the bidder is required and has submitted an Affidavit of Availability in order to obtain authorization to bid, the bidder may write or type davit of Availability" which indicates that the Affidavit of Availability is incorporated by reference and includes all non-IDOT State of Illinois lending contracts, leases, bids, proposals, and other ongoing procurement relationships. For any contracts that are not covered by the of Availability, the bidder must identify them on Form B or on an attached sheet(s). These might be such things as leases.
Bidders	Submitting More Than One Bid
	submitting multiple bids may submit one set of forms consisting of all required Form A disclosures and one Form B for use with all bids. Indicate in the space provided below the bid item that contains the original disclosure forms and the bid items which incorporate the forms note.
	ne bid submitted for letting item contains the Form A disclosures or Certification Statement and the Form B sclosures. The following letting items incorporate the said forms by reference:

### ILLINOIS DEPARTMENT OF TRANSPORTATION

# Form A Financial Information & Potential Conflicts of Interest Disclosure

Contractor Name		
Legal Address		
City, State, Zip		
Telephone Number	Email Address	Fax Number (if available)
(30 ILCS 500). Vendors desiring to enternance and potential conflict of interest information the publicly available contract file. This ended contracts. A publicly traded contraction of the requirements set for	er into a contract with the State ion as specified in this Disclos s Form A must be completed company may submit a 10	<del>-</del>
terms of ownership or distributive incom	ne share in excess of 5%, or a ary as of 7/1/01). (Make copic n individual meeting these re	ow has an interest in the BIDDER (or its parent) in interest which has a value of more than es of this form as necessary and attach a equirements)
ADDRESS		
Type of ownership/distributable i	ncome share:	
stock sole proprietor % or \$ value of ownership/distributa		other: (explain on separate sheet):
		No" to indicate which, if any, of the following question is "Yes", please attach additional page:
		ding contractual employment of services.  YesNo
If your answer is yes, please ar	nswer each of the following qu	estions.
<ol> <li>Are you currently an of Highway Authority?</li> </ol>	ficer or employee of either the	Capitol Development Board or the Illinois Toll YesNo
currently appointed to	or employed by any agency of	agency of the State of Illinois? If you are the State of Illinois, and your annual salary as of 7/1/01) provide the name the State

agency for which you are employed and your annual salary.

	3.	If you are currently appointed to or employed by any agency of the S salary exceeds \$90,420.00, (60% of the Governor's salary as of 7/1 (i) more than 7 1/2% of the total distributable income of your firm, corporation, or (ii) an amount in excess of the salary of the Governor	/01) are you entitled to receive partnership, association or
	4.	If you are currently appointed to or employed by any agency of the Salary exceeds \$90,420.00, (60% of the Governor's salary as of 7/1 or minor children entitled to receive (i) more than 15 % in the aggreincome of your firm, partnership, association or corporation, or (ii) are the salary of the Governor?	/01) are you and your spouse egate of the total distributable
(b)		oyment of spouse, father, mother, son, or daughter, including contractions 2 years.	tual employment services
	If your answ	wer is yes, please answer each of the following questions.	YesNo
	1.	Is your spouse or any minor children currently an officer or employee Board or the Illinois Toll Highway Authority?	of the Capitol Development YesNo
	2.	Is your spouse or any minor children currently appointed to or employ of Illinois? If your spouse or minor children is/are currently appagency of the State of Illinois, and his/her annual salary exceed Governor's salary as of 7/1/01) provide the name of your spouse are of the State agency for which he/she is employed and his/her annual	pointed to or employed by any ls \$90,420.00, (60 % of the nd/or minor children, the name
	3.	If your spouse or any minor children is/are currently appointed to or State of Illinois, and his/her annual salary exceeds \$90,420.00, (60% as of 7/1/01) are you entitled to receive (i) more then 71/2% of the tof firm, partnership, association or corporation, or (ii) an amount in Governor?	6 of the salary of the Governor tal distributable income of your
	4.	If your spouse or any minor children are currently appointed to or er State of Illinois, and his/her annual salary exceeds \$90,420.00, (60% 7/1/01) are you and your spouse or minor children entitled to rece aggregate of the total distributable income of your firm, partnership, (ii) an amount in excess of 2 times the salary of the Governor?	of the Governor's salary as of eive (i) more than 15 % in the association or corporation, or
			YesNo
	unit of	re status; the holding of elective office of the State of Illinois, the gover local government authorized by the Constitution of the State of Illinois currently or in the previous 3 years.	
		onship to anyone holding elective office currently or in the previous 2 yr daughter.	rears; spouse, father, mother, YesNo
	Americ of the	ntive office; the holding of any appointive government office of the States, or any unit of local government authorized by the Constitution of the State of Illinois, which office entitles the holder to compensation in except of that office currently or in the previous 3 years.	ne State of Illinois or the statutes
	` '	nship to anyone holding appointive office currently or in the previous 2 daughter.	years; spouse, father, mother, YesNo
	(g) Emplo	yment, currently or in the previous 3 years, as or by any registered lob	obyist of the State government. YesNo

(h) Relationship to a son, or daughter.	n) Relationship to anyone who is or was a registered lobbyist in the previous 2 years; spouse, father, mother, son, or daughter.  YesNo				
committee regist	ployment, currently or in the previous 3 years, by any registered ele- ered with the Secretary of State or any county clerk of the State of Illin- registered with either the Secretary of State or the Federal Board of Ele- Yes N	ois, or any political ections.			
last 2 years by ar county clerk of the	nyone; spouse, father, mother, son, or daughter; who was a compensa by registered election or re-election committee registered with the Secre e State of Illinois, or any political action committee registered with eith eral Board of Elections.  Yes N	etary of State or any er the Secretary of			
	APPLICABLE STATEMENT				
This Disclosure Fo	rm A is submitted on behalf of the INDIVIDUAL named on previous	s page.			
	·				
Completed by:	Name of Authorized Representative (type or print)				
Completed by:	Name of Authorized Representative (type of printy				
Completed by:	Title of Authorized Representative (type or print)				
Completed by:					
	Signature of Individual or Authorized Representative	Date			
	NOT APPLICABLE STATEMENT				
	that no individuals associated with this organization meet the crite tion of this Form A.	eria that would			
This Disclosure Fo	rm A is submitted on behalf of the CONTRACTOR listed on the pre	evious page.			
	Name of Authorized Representative (type or print)				
	Title of Authorized Representative (type or print)				
	Signature of Authorized Representative	Date			

### ILLINOIS DEPARTMENT OF TRANSPORTATION

# Form B Other Contracts & Procurement Related Information Disclosure

			Diodiodal	
Contractor Name				
Legal Address				
City, State, Zip				
Telephone Number		Email Address	Fax Number (i	f available)
	ation shall become p	art of the publicly availa		Illinois Procurement Act (3) rm B must be completed fo
DISCLOS	URE OF OTHER CO	ONTRACTS AND PRO	CUREMENT RELATED I	NFORMATION
pending contracts (incl of Illinois agency: Y	uding leases), bids, es No	proposals, or other ong	ation. The BIDDER shall id oing procurement relation are box on the bottom of the statement relation.	nship with any other State
	such as bid or proje		g State of Illinois agency ional pages as necessary	
	THE FOL	LOWING STATEMENT	MUST BE SIGNED	
	Na	ame of Authorized Representa	tive (type or print)	
	Т	itle of Authorized Representat	ive (type or print)	
		Signature of Authorized Re	epresentative	Date

### **SPECIAL NOTICE TO CONTRACTORS**

The following requirements of the Illinois Department of Human Rights' Rules and Regulations are applicable to bidders on all construction contracts advertised by the Illinois Department of Transportation:

### **CONSTRUCTION EMPLOYEE UTILIZATION PROJECTION**

- (a) All bidders on construction contracts shall complete and submit, along with and as part of their bids, a Bidder's Employee Utilization Form (Form BC-1256) setting forth a projection and breakdown of the total workforce intended to be hired and/or allocated to such contract work by the bidder including a projection of minority and female employee utilization in all job classifications on the contract project.
- (b) The Department of Transportation shall review the Employee Utilization Form, and workforce projections contained therein, of the contract awardee to determine if such projections reflect an underutilization of minority persons and/or women in any job classification in accordance with the Equal Employment Opportunity Clause and Section 7.2 of the Illinois Department of Human Rights' Rules and Regulations for Public Contracts adopted as amended on September 17, 1980. If it is determined that the contract awardee's projections reflect an underutilization of minority persons and/or women in any job classification, it shall be advised in writing of the manner in which it is underutilizing and such awardee shall be considered to be in breach of the contract unless, prior to commencement of work on the contract project, it submits revised satisfactory projections or an acceptable written affirmative action plan to correct such underutilization including a specific timetable geared to the completion stages of the contract.
- (c) The Department of Transportation shall provide to the Department of Human Rights a copy of the contract awardee's Employee Utilization Form, a copy of any required written affirmative action plan, and any written correspondence related thereto. The Department of Human Rights may review and revise any action taken by the Department of Transportation with respect to these requirements.



Contract No. 44970
MCLEAN County
Section D 5 GDRL DELIN MAINT 2008-6
Various Routes
District 5 Construction Funds

									Distr	ict 5	Cons	truction	ո Fund	ds			
PART I. IDENTIFIC	ATION																
Dept. Human Rights	s #						_ Dur	ation o	f Proje	ect: _							
Name of Bidder:																	
A. The undersigned which this contract wo projection including a	bidder hark is to be	as analyz perform for mino	ed mir ed, an rity an	d for the d fema TAI	ne locati ale empl BLE A	ons fro oyee u	m which tilizatio	the b n in all	idder re	cruits	employe	es, and he	reby sul	omits the fol cated to this TABL	lowir con E B	ng workfo tract:	orce
		TOTA	AL Wo	rkforce	Projec	tion for	Contra	ıct	1					CURREN'			ES
				MIN	ORITY I	EMPLC	YEES			TR	AINEES					RACT	
JOB CATEGORIES		TAL OYEES	BL	ACK	HISP			HER IOR.	APPI TIC	REN- CES		HE JOB INEES		TOTAL		MINC	ORITY OYEES
	М	F	М	F	М	F	М	F	М	F	М	F	М	F		М	F
OFFICIALS (MANAGERS)																	
SUPERVISORS																	
FOREMEN																	
CLERICAL																	
EQUIPMENT OPERATORS																	
MECHANICS																	
TRUCK DRIVERS																	
IRONWORKERS															_		
CARPENTERS																	
CEMENT MASONS																	
ELECTRICIANS																	
PIPEFITTERS, PLUMBERS																	
PAINTERS																	
LABORERS, SEMI-SKILLED																	
LABORERS, UNSKILLED																	
TOTAL																	
		BLE C									F	OR DEPA	RTMF	NT USE O	NI Y	,	
	OTAL Tra		ojectio	n for C	ontract						•	> /		552 0	'		
EMPLOYEES		TAL	D:	۸ ۵۱۷	1,1105			THER									
IN TRAINING	EMPLO M	OYEES F	BL/ M	ACK F	HISP M	ANIC F	MII	NOR. F	4								
APPRENTICES	IVI		IVI		IVI	Г	IVI	Г	+								
7.1. 1. INC. 111110E0																	

ON THE JOB TRAINEES

Please specify race of each employee shown in Other Minorities column.

Note: See instructions on the next page

BC 1256 - Pg 1 (Rev. 3/98) IL 494-0454

<sup>\*</sup>Other minorities are defined as Asians (A) or Native Americans (N).

Contract No. 44970
MCLEAN County
Section D 5 GDRL DELIN MAINT 2008-6
Various Routes
District 5 Construction Funds

### PART II. WORKFORCE PROJECTION - continued

B.		led in "Tot the unders							al num	ber c	of <b>new</b>	hire	<b>s</b> tha	at wou	ld b	e em	oloyed	in the	!
	be i	ndersigne recruited	from	the	area	t: (num in w _ new l	hich	the	contr	act	proje	ct is	s I		;	and/o	r (nı	umber)	)
	office	or base of	operatio	on is lo	ocated.														
C.		led in "Tota signed bid																by the	!
	be dir	ndersigned ectly employed by sul	oyed by	the p	ates tha	at (num Intractor	ber) _ r and f	that (r	umber	)						pe	persons	ons will will be	;
PART	III. AFF	IRMATIVE	E ACTIO	N PL	AN														
A.	utiliza in any comm (geare utiliza	indersigner tion project in job categor tencement and to the tion are compartment	tion inclugory, and of work completion of the co	uded of the contract of the co	under <b>P</b> ne even velop an tages o h Affirm	ART II that the subroif the c	is detended in the contract in	ermine dersig writte t) wh	ed to be ned bion n Affirm ereby	e an u Ider i native defici	underu s awa e Actic encies	tilizat rded on Pla in n	ion o this an ir ninoi	of mino contra- ncludin rity and	rity   ct, h g a d/or	perso e/she spec fema	ns or v will, p ific tim lle em	women orior to netable ployee	)
B.	submi	indersigne itted hereir part of the	n, and th	e goa	als and	timetab													
Comp	any							<del></del>	٦	ГеІер	hone N	Numb	er _						
Addre	 ess																		
Ī						NOTIC	EREG	ARDI	NG SIG	NATU	JRE								
		der's signat be comple						vill con	stitute t	he sig	ning of	this fo	orm.	The fo	llowi	ng sig	nature	block	
	Signatu	re:						. 1	itle:					Dat	e: _				
Instruct	tions:	All tables m	nust include	e subco	ontractor p	personnel	l in addi	tion to p	orime cor	ntracto	r person	nel.							
Table A	۱ -	Include bot (Table B) the should include	nat will be	allocate	ed to con	tract work	k, and ir	nclude a	all apprei	ntices	and on-	the-job	train	ees. Th	e "To	tal Em	ployees'	' column	
Table E	)																	trainage	;
	o -	Include all e currently en		curren	tly emplo	yed that v	will be a	llocated	to the c	ontrac	t work ir	ncludin	g any	apprent	ices	and on	-the-job	lialliees	

Contract No. 44970
MCLEAN County
Section D 5 GDRL DELIN MAINT 2008-6
Various Routes
District 5 Construction Funds

### PROPOSAL SIGNATURE SHEET

The undersigned bidder hereby makes and submits this bid on the subject Proposal, thereby assuring the Department that all requirements of the Invitation for Bids and rules of the Department have been met, that there is no misunderstanding of the requirements of paragraph 3 of this Proposal, and that the contract will be executed in accordance with the rules of the Department if an award is made on this bid.

	Firm Name	
(IF AN INDIVIDUAL)		
	Firm Name	
(IF A CO-PARTNERSHIP)		
,		
		Name and Address of All Members of the Firm:
_		
<del>-</del>		
	Corporate Name	
	Ву	Signature of Authorized Representative
		Typed or printed name and title of Authorized Representative
(IF A CORPORATION)		
(IF A JOINT VENTURE, USE THIS SECTION	Attest	Signature
FOR THE MANAGING PARTY AND THE SECOND PARTY SHOULD SIGN BELOW)		Signature
observation of our street,	Ducinious / tudious	
	Corporate Name	
	Ву	
		Signature of Authorized Representative
		Typed or printed name and title of Authorized Representative
(IF A JOINT VENTURE)	Δttast	
	711001	Signature
	Business Address	
If more than two parties are in the joint venture	nlease attach an ac	Iditional signature sheet

### THE PROPOSAL BID BOND IS NOT APPLICABLE TO SMALL BUSINESS SET-ASIDES



Electronic Bid Bond ID#

Company/Bidder Name

### **Division of Highways Proposal Bid Bond**(Effective November 1, 1992)

	Item No.
	Letting Date
KNOW ALL MEN BY THESE PRESENTS, That We	
KNOW ALL MEN DI MESETRESENTS, Mat We	
as PRINCIPAL, and	
	as SURETY, are
Article 102.09 of the "Standard Specifications for Road and Bridge	OIS in the penal sum of 5 percent of the total bid price, or for the amount specified in Construction" in effect on the date of invitation for bids, whichever is the lesser sum, well nt of which we bind ourselves, our heirs, executors, administrators, successors and assigns.
	S SUCH, That Whereas, the PRINCIPAL has submitted a bid proposal to the STATE OF e improvement designated by the Transportation Bulletin Item Number and Letting Date
the bidding and contract documents, submit a DBE Utilization Plan PRINCIPAL shall enter into a contract in accordance with the terms coverages and providing such bond as specified with good and suff labor and material furnished in the prosecution thereof; or if, in the into such contract and to give the specified bond, the PRINCIPAL properties of the p	proposal of the PRINCIPAL; and if the PRINCIPAL shall, within the time and as specified in that is accepted and approved by the Department; and if, after award by the Department, the sof the bidding and contract documents including evidence of the required insurance icient surety for the faithful performance of such contract and for the prompt payment of event of the failure of the PRINCIPAL to make the required DBE submission or to enter pays to the Department the difference not to exceed the penalty hereof between the amount Department may contract with another party to perform the work covered by said bid hall remain in full force and effect.
paragraph, then Surety shall pay the penal sum to the Depart	SINCIPAL has failed to comply with any requirement as set forth in the preceding ment within fifteen (15) days of written demand therefor. If Surety does not make oring an action to collect the amount owed. Surety is liable to the Department for ation in which it prevails either in whole or in part.
In TESTIMONY WHEREOF, the said PRINCIPAL a	and the said SURETY have caused this instrument to be signed by their respective
officers this day of	A.D.,
PRINCIPAL	SURETY
(Company Name)	(Company Name)
By:	By:
(Signature & Title)	(Signature of Attorney-in-Fact)
Notary	Certification for Principal and Surety
STATE OF ILLINOIS, COUNTY OF	Certification for 11 methat and Survey
I,	, a Notary Public in and for said County, do hereby certify that
and	
(Insert names of individual	s signing on behalf of PRINCIPAL & SURETY)
	ns whose names are subscribed to the foregoing instrument on behalf of erson and acknowledged respectively, that they signed and delivered said rposes therein set forth.
Given under my hand and notarial seal this day	of, A.D
My commission expires	
	Notary Public
	orm, the Principal may file an Electronic Bid Bond. By signing below the Principal and the Principal and Surety are firmly bound unto the State of Illinois under the

Signature and Title

### PROPOSAL ENVELOPE



### **PROPOSALS**

for construction work advertised for bids by the Illinois Department of Transportation

Item No.	Item No.

### Submitted By:

Name:
Address:
Phone No.

Bidders should use an IDOT proposal envelope or affix this form to the front of a 10" x 13" envelope for the submittal of bids. If proposals are mailed, they should be enclosed in a second or outer envelope addressed to:

Engineer of Design and Environment - Room 326 Illinois Department of Transportation 2300 South Dirksen Parkway Springfield, Illinois 62764

### **NOTICE**

Individual bids, including Bid Bond and/or supplemental information if required, should be securely stapled.

# CONTRACTOR OFFICE COPY OF CONTRACT SPECIFICATIONS

### NOTICE

None of the following material needs to be returned with the bid package unless the special provisions require documentation and/or other information to be submitted.

Contract No. 44970
MCLEAN County
Section D 5 GDRL DELIN MAINT 2008-6
Various Routes
District 5 Construction Funds



# Illinois Department of Transportation

### NOTICE TO BIDDERS

- 1. TIME AND PLACE OF OPENING BIDS. Sealed proposals for the improvement described herein will be received by the Department of Transportation at the Harry R. Hanley Building, 2300 South Dirksen Parkway, in Springfield, Illinois until 10:00 o'clock a.m., August 3, 2007. All bids will be gathered, sorted, publicly opened and read in the auditorium at the Department of Transportation's Harry R. Hanley Building shortly after the 10:00 a.m. cut off time.
- **2. DESCRIPTION OF WORK**. The proposed improvement is identified and advertised for bids in the Invitation for Bids as:

Contract No. 44970
MCLEAN County
Section D 5 GDRL DELIN MAINT 2008-6
Various Routes
District 5 Construction Funds

This project consists of replacing guardrail markers, bridge rail markers, barrier wall markers and terminal markers on various routes in McLean County.

- 3. INSTRUCTIONS TO BIDDERS. (a) This Notice, the invitation for bids, proposal and letter of award shall, together with all other documents in accordance with Article 101.09 of the Standard Specifications for Road and Bridge Construction, become part of the contract. Bidders are cautioned to read and examine carefully all documents, to make all required inspections, and to inquire or seek explanation of the same prior to submission of a bid.
  - (b) State law, and, if the work is to be paid wholly or in part with Federal-aid funds, Federal law requires the bidder to make various certifications as a part of the proposal and contract. By execution and submission of the proposal, the bidder makes the certification contained therein. A false or fraudulent certification shall, in addition to all other remedies provided by law, be a breach of contract and may result in termination of the contract.
- 4. AWARD CRITERIA AND REJECTION OF BIDS. This contract will be awarded to the lowest responsive and responsible bidder considering conformity with the terms and conditions established by the Department in the rules, Invitation for Bids and contract documents. The issuance of plans and proposal forms for bidding based upon a prequalification rating shall not be the sole determinant of responsibility. The Department reserves the right to determine responsibility at the time of award, to reject any or all proposals, to readvertise the proposed improvement, and to waive technicalities.

By Order of the Illinois Department of Transportation

Milton R. Sees, Acting Secretary

BD 351 (Rev. 01/2003)

Various Routes Section D5 GDRL DELIN MAINT 2008-6 McLean County Contract 44970

## INDEX FOR SUPPLEMENTAL SPECIFICATIONS AND RECURRING SPECIAL PROVISIONS

Adopted January 1, 2007

This index contains a listing of SUPPLEMENTAL SPECIFICATIONS and frequently used RECURRING SPECIAL PROVISIONS.

### SUPPLEMENTAL SPECIFICATIONS

Std. Spec. Sec. Page No.

No Supplemental Specifications this year.

#### **RECURRING SPECIAL PROVISIONS**

The following RECURRING SPECIAL PROVISIONS indicated by an "X" are applicable to this contract and are included by reference:

CHE	CK S		PAGE NO.
1		Additional State Requirements For Federal-Aid Construction Contracts	
		(Eff. 2-1-69) (Rev. 1-1-07)	1
2		Subletting of Contracts (Federal-Aid Contracts) (Eff. 1-1-88) (Rev. 5-1-93)	3
3		EEO (Eff. 7-21-78) (Rev. 11-18-80)	4
4	Χ	Specific Equal Employment Opportunity Responsibilities	
		Non Federal-Aid Contracts (Eff. 3-20-69) (Rev. 1-1-94)	14
5	Χ	Required Provisions - State Contracts (Eff. 4-1-65) (Rev. 1-1-07)	19
6		Reserved	24
7		National Pollutant Discharge Elimination System Permit (Eff. 7-1-94) (Rev. 1-1-03)	25
8		Haul Road Stream Crossings, Other Temporary Stream Crossings, and	
		In-Stream Work Pads (Eff. 1-2-92) (Rev. 1-1-98)	26
9		Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-07)	27
10		Construction Layout Stakes (Eff. 5-1-93) (Rev. 1-1-07)	
11		Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-07)	33
12		Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 1-1-07)	35
13		Hot-Mix Asphalt Surface Removal (Cold Milling) (Eff. 11-1-87) (Rev. 1-1-07)	39
14		Pavement and Shoulder Resurfacing (Eff. 2-1-00) (Rev. 1-1-07)	41
15		PCC Partial Depth Hot-Mix Asphalt Patching (Eff. 1-1-98) (Rev. 1-1-07)	42
16		Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07)	44
17		Polymer Concrete (Eff. 8-1-95) (Rev. 3-1-05)	45
18		PVC Pipeliner (Eff. 4-1-04) (Rev. 1-1-07)	47
19		Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07)	48
20	Χ	Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)	49
21		Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07)	53
22		Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07)	55
23		Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07)	57
24		Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07)	59
25		Night Time Inspection of Roadway Lighting (Eff. 5-1-96)	60
26		English Substitution of Metric Bolts (Eff. 7-1-96)	61
27		English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)	62
28		Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01)	63
29		Quality Control of Concrete Mixtures at the Plant-Single A (Eff. 8-1-00) (Rev. 1-1-04)	
30		Quality Control of Concrete Mixtures at the Plant-Double A (Eff. 8-1-00) (Rev. 1-1-04)	
31		Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-07)	

#### **TABLE OF CONTENTS**

LOCATION OF WORK	1
DURATION OF CONTRACT	1
DESCRIPTION OF IMPROVEMENTS	1
TRAFFIC CONTROL PLAN	1
QUANTITIES	2
WORK ORDERS	
FAILURE TO COMPLETE A WORK ORDER ON TIME	2
GUARDRAIL AND BARRIER WALL DELINEATION	3
FINAL CLEAN-UP	3
FINAL INSPECTION AND PAYMENT	3
ERRATA FOR THE 2007 STANDARD SPECIFICATIONS (BDE)	3
LEGAL REQUIREMENTS TO BE OBSERVED (BDE)	6
PAYMENTS TO SUBCONTRACTORS (BDE)	6
REFLECTIVE SHEETING ON CHANNELIZING DEVICES (BDE)	7
RETROREFLECTIVE SHEETING, NONREFLECTIVE SHEETING, AND TRANSLUCENT	
FILM FOR HIGHWAY SIGNS (BDE)	8
SUBCONTRACTOR MOBILIZATION PAYMENTS (BDE)	14
EQUIPMENT RENTAL RATES (BDE)	14

#### **SPECIAL PROVISIONS**

#### **STATE OF ILLINOIS**

The following Special Provisions supplement the "Standard Specifications for Road and Bridge Construction" adopted January 1, 2007, the latest edition of the "Illinois Manual on Uniform Traffic Control Devices for Streets and Highways" in effect on the date of invitation for bids and the "Supplemental Specifications and Recurring Special Provisions" indicated on the Check Sheet included herein which apply to and govern the construction requirements of the District 5 Guardrail Delineation Maintenance 2008-6 Contract; and, in case of conflict with any part or parts of said Specifications, the said Special Provisions shall take precedence and shall govern.

#### **LOCATION OF WORK**

The work to be done under this contract will be performed on various highways throughout McLean County and as directed by the Engineer.

#### **DURATION OF CONTRACT**

The contract shall become effective following the execution and acceptance of the contract and will continue in effect until **June 30**, **2008**.

#### **DESCRIPTION OF IMPROVEMENTS**

The work to be accomplished under this contract shall consist of replacing reflectorized guardrail markers, bridge rail markers, barrier wall markers and terminal markers within the limits specified on each individual work order.

#### TRAFFIC CONTROL PLAN

Effective: September 30, 1985 Revised: July 1, 1994

Traffic control shall be in accordance with the applicable sections of the Standard Specifications, the Supplemental Specifications, the "Illinois Manual on Uniform Traffic Control Devices for Streets and Highways", any special details and Highway Standards contained in the plans, the Traffic Specifications and the Special Provisions contained herein.

Special attention is called to Article 107.09 and Section 701 of the Standard Specifications and the following Highway Standards, Details Quality Standard for Work Zone Traffic Control Devices, Recurring Special Provisions and Special Provisions contained herein, relating to traffic control.

#### Standards:

702001, 701006, 701011, 701101, 701201, 701301, 701426

#### **Special Provisions:**

Traffic Control Deficiency Deduction

Conformance to these traffic control and protection standards will not be paid for as a separate item, but will be considered incidental to the various contract items and no additional compensation will be allowed.

#### **QUANTITIES**

The quantities specified in this contract indicate the estimated amount of reflectorized guardrail markers, bridge rail markers, barrier wall markers and terminal markers required for the duration of the contract. This is merely an estimate to allow Contractors to establish a unit price and permit the Department to determine the low bidder. It shall be understood that the unit price of this contract shall prevail throughout the period of this contract regardless of the quantity.

#### **WORK ORDERS**

No reflectorized guardrail markers or terminal markers are to be installed by the Contractor unless a work order authorizing the work, has been issued by the Engineer. A work order will show the date of issue, job number, location, code number, quantity of such pay item, the color of reflectorized guardrail markers to be installed and whether the marker is mono-directional or bi-directional. Only the quantity of reflectorized guardrail markers and terminal markers shown on the work order is to be installed by the Contractor. If at the time, the markers are being installed, it appears that additional markers are needed; a revised work order must be obtained. The Contractor shall coordinate the installation of the markers with the Engineer before beginning any work in the field.

The Contractor shall complete all work on a work order within **45 days**, excluding Saturdays, Sundays and holidays unless otherwise extended in the work order or agreed to in writing between the Contractor and Engineer.

Each work order may involve several locations within the district.

#### FAILURE TO COMPLETE A WORK ORDER ON TIME

Should the Contractor fail to complete the work order within the working days stipulated, or within such extended time as may have been allowed by the Department, the Contractor shall be liable and pay to the Department not as a penalty but as liquidated damages in the amount of \$75.00 per calendar day of overrun per work order, rather than the amount indicated, in Article 108.09, of the Standard Specifications for Road and Bridge Construction.

A calendar day shall be defined as any day on the calendar. No calendar day will be counted under the following conditions:

(a) When adverse weather at the field work site prevents work on the controlling item of a work order.

(b) When job conditions at the field work site due to recent weather conditions prevent work on the controlling item of a work order.

(c) When work on the controlling item has been suspended by an act or omission of the Department or Engineer.

#### **GUARDRAIL AND BARRIER WALL DELINEATION**

The Special Provision for "Guardrail and Barrier Wall Delineation" shall be revised in part as follows:

The cost of furnishing and installing guardrail and barrier wall delineation shall include the removal and the disposal of any remaining evidence of the existing deteriorated marker as directed by the Engineer.

The cost of furnishing and installing the "Post Mounted Reflectorized Terminal Marker" shall include furnishing and installing the terminal marker post. The length of the terminal marker post shall be determined by the Engineer and will be indicated on the work order. Also, included in this cost shall be the removal of the existing deteriorated terminal marker and/or terminal marker and terminal marker post.

The cost of furnishing and installing the "Direct Applied Reflectorized Terminal Marker" shall include the removal and disposal of any remaining evidence of the existing deteriorated terminal marker as directed by the Engineer.

#### **FINAL CLEAN-UP**

The final cleaning up shall conform to the requirements set forth in Article 104.06. Each time the Contractor accomplishes work at any location, he will be required to clean up the work area before payment for that work will be made. All costs due to compliance with this Special Provision will be incidental to the contract and no additional compensation will be allowed.

#### FINAL INSPECTION AND PAYMENT

No payment will be made for work completed until it is inspected and approved in writing by the Engineer.

#### **ERRATA FOR THE 2007 STANDARD SPECIFICATIONS (BDE)**

Effective: January 1, 2007 Revised: August 1, 2007

Page 60 Article 109.07(a). In the second line of the first paragraph change "amount" to "quantity".

- Page 154 Article 312.05. In the second line of the fifth paragraph change "180 °C" to "175 °C".
- Page 207 Article 406.14. In the second line of the second paragraph change "MIXTURE FOR CRACKS, JOINTS, AND FLANGEWAYS, of the mixture composition specified;" to "MIXTURE FOR CRACKS, JOINTS, AND FLANGEWAYS;".
- Page 237 Article 420.18. In the second line of the first paragraph change "October 15" to "November 1".
- Page 345 Article 505.08(I). In the third line of the first paragraph change "1/8 mm" to "1/8 in.".
- Page 345 Article 505.08(I). In the nineteenth line of the first paragraph change "is" to "in".
- Page 379 Article 512.15. In the first and sixth lines of the third paragraph change "50 percent" to "ten percent".
- Page 383 Article 516.04(b)(1). In the fifth line of the first paragraph change "drillingpouring" to "pouring".
- Page 390 Article 520.02(h). Change "1027.021" to "1027.01".
- Page 398 Article 540.07(b). Add the following two paragraphs after the third paragraph:

"Excavation in rock will be measured for payment according to Article 502.12.

Removal and disposal of unstable and/or unsuitable material below plan bedding grade will be measured for payment according to Article 202.07."

Page 398 Article 540.08. Add the following two paragraphs after the fifth paragraph:

"Excavation in rock will be paid for according to Article 502.13.

Removal and disposal of unstable and/or unsuitable material below plan bedding grade will be paid for according to Article 202.08."

- Page 435 Article 542.04(b). Delete the last sentence of the last paragraph.
- Page 465 Article 551.06. In the second line of the first paragraph change "or" to "and/or".
- Page 585 Article 701.19(a). Add "701400" to the second line of the first paragraph.
- Page 586 Article 701.19(c). Delete "701400" from the second line of the first paragraph.
- Page 586 Article 701.19. Add the following subparagraph to this Article:

- "(f) Removal of existing pavement markings and raised reflective pavement markers will be measured for payment according to Article 783.05."
- Page 587 Article 701.20(b). Delete "TRAFFIC CONTROL AND PROTECTION STANDARD 701400;" from the first paragraph.
- Page 588 Article 701.20. Add the following subparagraph to this Article.
  - "(j) Removal of existing pavement markings and raised reflective pavement markers will be paid for according to Article 783.06."
- Page 639 Article 805.04. In the first line of the second paragraph change "changes" to "charges".
- Page 762 Article 1020.04. In Table 1 Classes of Portland Cement Concrete and Mix Design Criteria, add to the minimum cement factor for Class PC Concrete "5.65 (TY III)", and add to the maximum cement factor for Class PC Concrete "7.05 (TY III)".
- Page 765 Article 1020.04. In Table 1 Classes of Portland Cement Concrete and Mix Design Criteria (metric), add to the minimum cement factor for Class PC Concrete "335 (TY III)", and add to the maximum cement factor for Class PC Concrete "418 (TY III)".
- Page 800 Article 1030.05(a)(12). Revise "Dust Collection Factor" to "Dust Correction Factor".
- Page 800 Article 1030.05(a)(14). Revise the first occurrence of Article 1030.05(a)(14) to Article 1030.05(a)(13).
- Page 800 Article 1030.05(a). Add to the list of QC/QA documents "(16) Calibration of Equipment for Asphalt Content Determination".
- Page 809 Article 1030.05. Revise the subparagraph "(a) Quality Assurance by the Engineer." to read "(e) Quality Assurance by the Engineer.".
- Page 889 Article 1069.02(a)(2). In the third line of the first paragraph add "stainless steel" in front of "screws".
- Page 889 Article 1069.02(b). Delete the third paragraph.
- Page 890 Article 1069.02(c). Delete subparagraph (c).
- Page 946 Article 1080.03(a)(1). In the third line of the first paragraph revise "(300  $\mu$ m)" to "(600  $\mu$ m)".
- Page 963 Article 1083.02(b). In the second line of the first paragraph revise "ASTM D 4894" to "ASTM D 4895".

Page 1076 In the Index of Pay Items delete the pay item "BITUMINOUS SURFACE REMOVAL – BUTT JOINT".

#### LEGAL REQUIREMENTS TO BE OBSERVED (BDE)

Effective: August 1, 2007

Revise Article 107.01 of the Standard Specifications to read:

"107.01 Legal Requirements to be Observed. The Contractor warrants that it is, and that it shall keep fully informed of all legal requirements found in Federal, State, and local laws, ordinances, rules and regulations, and all orders, decrees, notices of violation or enforcement actions issued by any judicial or administrative body, board, agency, or tribunal having any jurisdiction or authority, that in any manner affect those engaged or employed to perform the work of the contract, or that affect the performance and conduct of the work of the contract. Unless otherwise provided in the contract, the Contractor shall obtain and keep current all permits and licenses, and give all notices required for the performance of the work of the contract that may be required by all such laws, ordinances, rules, regulations, orders, decrees, notices, and actions. The Contractor shall observe and obey all such laws, ordinances, rules, regulations, orders, decrees, notices, and actions; and shall indemnify and save harmless the State, the Department and all of its officers, agents, employees, and servants against any claim, liability, fine, or monetary assessment arising from the breach of this article or the violation of any such law, ordinance, rule, regulation, order, decree, notice or action, whether by the Contractor, a subcontractor, a supplier of material or service, others engaged by the Contractor, or the employees of any of them. Except as expressly mandated by law or regulation, or otherwise provided in the contract, the Department shall not be responsible for monitoring the Contractor's compliance with any law, ordinance, rule, regulation, order, decree, notice, or action. However, on noticing any violation of a legal requirement, the Department will notify the Contractor and the agency responsible for enforcement. The Department will cooperate with other agencies in their efforts to enforce legal requirements and may assist any such agency's effort to obtain Contractor compliance. The Contractor shall comply fully with any and all requests made by the Department within the time specified. The obligations of the Contractor under this article shall not be released or diminished by the issuance of any notice of violation or enforcement action to or in the name of the Department."

#### PAYMENTS TO SUBCONTRACTORS (BDE)

Effective: June 1, 2000 Revised: January 1, 2006

Federal regulations found at 49 CFR §26.29 mandate the Department to establish a contract clause to require Contractors to pay subcontractors for satisfactory performance of their subcontracts and to set the time for such payments.

State law also addresses the timing of payments to be made to subcontractors and material suppliers. Section 7 of the Prompt Payment Act, 30 ILCS 540/7, requires that when a Contractor receives any payment from the Department, the Contractor shall make corresponding, proportional payments to each subcontractor and material supplier performing

work or supplying material within 15 calendar days after receipt of the Department payment. Section 7 of the Act further provides that interest in the amount of two percent per month, in addition to the payment due, shall be paid to any subcontractor or material supplier by the Contractor if the payment required by the Act is withheld or delayed without reasonable cause. The Act also provides that the time for payment required and the calculation of any interest due applies to transactions between subcontractors and lower-tier subcontractors and material suppliers throughout the contracting chain.

This Special Provision establishes the required federal contract clause, and adopts the 15 calendar day requirement of the State Prompt Payment Act for purposes of compliance with the federal regulation regarding payments to subcontractors. This contract is subject to the following payment obligations.

When progress payments are made to the Contractor according to Article 109.07 of the Standard Specifications, the Contractor shall make a corresponding payment to each subcontractor and material supplier in proportion to the work satisfactorily completed by each subcontractor and for the material supplied to perform any work of the contract. The proportionate amount of partial payment due to each subcontractor and material supplier throughout the contracting chain shall be determined by the quantities measured or otherwise determined as eligible for payment by the Department and included in the progress payment to the Contractor. Subcontractors and material suppliers shall be paid by the Contractor within 15 calendar days after the receipt of payment from the Department. The Contractor shall not hold retainage from the subcontractors. These obligations shall also apply to any payments made by subcontractors and material suppliers to their subcontractors and material suppliers; and to all payments made to lower tier subcontractors and material suppliers throughout the contracting chain. Any payment or portion of a payment subject to this provision may only be withheld from the subcontractor or material supplier to whom it is due for reasonable cause.

This Special Provision does not create any rights in favor of any subcontractor or material supplier against the State or authorize any cause of action against the State on account of any payment, nonpayment, delayed payment, or interest claimed by application of the State Prompt Payment Act. The Department will not approve any delay or postponement of the 15 day requirement except for reasonable cause shown after notice and hearing pursuant to Section 7(b) of the State Prompt Payment Act. State law creates other and additional remedies available to any subcontractor or material supplier, regardless of tier, who has not been paid for work properly performed or material furnished. These remedies are a lien against public funds set forth in Section 23(c) of the Mechanics Lien Act, 770 ILCS 60/23(c), and a recovery on the Contractor's payment bond according to the Public Construction Bond Act, 30 ILCS 550.

#### REFLECTIVE SHEETING ON CHANNELIZING DEVICES (BDE)

Effective: April 1, 2007

Revise the seventh paragraph of Article 1106.02 of the Standard Specifications to read:

"At the time of manufacturing, the retroreflective prismatic sheeting used on channelizing devices shall meet or exceed the initial minimum coefficient of retroreflection as specified in the

following table. Measurements shall be conducted according to ASTM E 810, without averaging. Sheeting used on cones, drums and flexible delineators shall be reboundable as tested according to ASTM D 4956. Prestriped sheeting for rigid substrates on barricades shall be white and orange.

Initial Minimum Coefficient of Retroreflection candelas/foot candle/sq ft (candelas/lux/sq m) of material							
		andelas/lux	/sq m) or mar				
Observation	Entrance Angle			Fluorescent			
Angle (deg.)	(deg.)	White	Orange	Orange			
0.2	-4	365	160	150			
0.2	+30	175	80	70			
0.5	-4	245	100	95			
0.5	+30	100	50	40"			

Revise the first sentence of the first paragraph of Article 1106.02(c) of the Standard Specifications to read:

"Barricades and vertical panels shall have alternating white and orange stripes sloping downward at 45 degrees toward the side on which traffic will pass."

Revise the third sentence of the first paragraph of Article 1106.02(d) of the Standard Specifications to read:

"The bottom panels shall be 8 x 24 in. (200 x 600 mm) with alternating white and orange stripes sloping downward at 45 degrees toward the side on which traffic will pass."

### RETROREFLECTIVE SHEETING, NONREFLECTIVE SHEETING, AND TRANSLUCENT OVERLAY FILM FOR HIGHWAY SIGNS (BDE)

Effective: April 1, 2007

<u>General</u>. This special provision covers retroreflective sheeting and translucent overlay films intended for application on new or refurbished aluminum. The sheeting serves as the reflectorized background for sign messages and as cutout legends and symbols applied to the reflectorized background. Messages may be applied in opaque black or transparent colors.

This special provision also covers nonreflective sheeting for application on new or refurbished aluminum, and as material for cutout legends and symbols applied to the reflectorized background.

All material furnished under this specification shall have been manufactured within 18 months of the delivery date. All material shall be supplied by the same manufacturer.

<u>Retroreflective Sheeting Properties</u>. Retroreflective sheeting shall consist of a flexible, colored, prismatic, or glass lens elements adhered to a synthetic resin, encapsulated by a flexible, transparent plastic having a smooth outer surface and shall meet the following requirements.

Only suppliers whose products have been tested and approved in the Department's periodic Sheeting Study will be eligible to supply material. All individual batches and or lots of material shall be tested and approved by the Department. The Department reserves the right to sample and test delivered materials according to Federal Specification LS-300.

- (a) Adhesive. The sheeting shall have a Class 1, pre-coated, pressure sensitive adhesive according to ASTM D 4956. The adhesive shall have a protective liner that is easily removed when tested according to ASTM D 4956. The adhesive shall be capable of being applied to new or refurbished aluminum and reflectorized backgrounds without additional adhesive.
- (b) Color. The sheeting shall be uniform in color and devoid of streaks throughout the length of each roll. The color shall conform to the latest appropriate standard color tolerance chart issued by the U.S. Department of Transportation, Federal Highway Administration and to the daytime and nighttime color requirements of ASTM D 4956. Sheeting used for side by side overlay applications shall have a Hunter Lab Delta E of less than 3.
- (c) Coefficient of Retroreflection. When tested according to ASTM E 810, without averaging, the sheeting shall have a minimum coefficient of retroreflection as shown in the following tables. The brightness of the sheeting when totally wet shall be a minimum of 90 percent of the values shown when tested according to the standard rainfall test specified in Section 7.10.1 of AASHTO M 268-84.

## Type A Sheeting Minimum Coefficient of Retroreflection candelas/foot candle/sq ft (candelas/lux/sq m) of material

Type A

1,700,71								
Observation	Entrance							
Angle (deg.)	Angle (deg.)	White	Yellow	Orange	Red	Green	Blue	Brown
0.2	-4	250	170	100	45	45	20	12
0.2	+30	150	100	60	25	25	12	8.5
0.5	-4	95	65	30	15	15	8	5
0.5	+30	75	50	25	10	10	5	3.5

## Type AA Sheeting Minimum Coefficient of Retroreflection candelas/foot candle/sq ft (candelas/lux/sq m) of material

Type AA (0 and 90 degree rotation)

Observation	Entrance						
Angle (deg.)	Angle (deg.)	White	Yellow	Red	Green	Blue	FO
0.2	-4	800	660	215	80	43	200
0.2	+30	400	340	100	35	20	120
0.5	-4	200	160	45	20	9.8	80
0.5	+30	100	85	26	10	5.0	50

Type AA (45 degree rotation)

Observation	Entrance		
Angle (deg.)	Angle (deg.)	Yellow	FO
0.2	-4	550	165
0.2	+30	130	45
0.5	-4	145	70
0.5	+30	70	40

## Type AP Sheeting Minimum Coefficient of Retroreflection candelas/foot candle/sq ft (candelas/lux/sq m) of material

Type AP

1 4 5 6 7 11								
Observation	Entrance							
Angle (deg.)	Angle (deg.)	White	Yellow	Red	Green	Blue	Brown	FO
0.2	-4	550	425	100	75	50	30	275
0.2	+30	200	150	40	35	25	15	90
0.5	-4	300	250	60	35	25	20	150
0.5	+30	100	70	20	20	10	5	50

## Type AZ Sheeting Minimum Coefficient of Retroreflection candelas/foot candle/sq ft (candelas/lux/sq m) of material

Type AZ (0 degree rotation)

Observation	Entrance		, ,					
Angle (deg.)	Angle (deg.)	White	Yellow	Red	Green	Blue	FYG	FY
0.2	-4	430	350	110	45	20	325	240
0.2	+30	235	140	60	24	11	200	150
0.5	-4	250	200	60	25	10	235	165
0.5	+30	170	135	40	19	7	105	75
1.0	-4	70	45	10	10	4	70	30
1.0	+30	30	20	7	5	2.5	45	15

Type AZ (90 degree rotation)

Type Az (30 degree rotation)								
Observation	Entrance							
Angle (deg.)	Angle (deg.)	White	Yellow	Red	Green	Blue	FYG	FY
0.2	-4	320	250	100	45	20	300	220
0.2	+30	235	140	40	24	11	200	150
0.5	-4	240	200	60	25	10	235	165
0.5	+30	100	85	20	10	7	80	75
1.0	-4	30	30	7	5	4	65	20
1.0	+30	15	15	5	2	2	30	10

- (d) Gloss. The sheeting surface shall exhibit a minimum 85 degree gloss-meter rating of 50 when tested according to ASTM D 523.
- (e) Durability. When processed and applied, the sheeting shall be weather resistant.

Accelerated weathering testing will be performed for 1000 hours (300 hours for orange/FO) according to ASTM G 151. The testing cycle will consist of 8 hours of light at 140 °F (60 °C), followed by 4 hours of condensation at 104 °F (40 °C). Following accelerated weathering, the sheeting shall exhibit a minimum of 80 percent of its initial minimum coefficient of retroreflection as listed in the previous tables.

Outdoor weathering will entail an annual evaluation of material placed in an outdoor rack with a 45 degree angle and a southern sun exposure. The sheeting will be evaluated for five years. Following weathering, the test specimens will be cleaned by immersing them in a five percent hydrochloric acid solution for 45 seconds, then rinsed with water and blotted dry with a soft clean cloth. Following cleaning, the applied sheeting shall show no appreciable discoloration, cracking, streaking, crazing, blistering, or dimensional change. The sheeting shall exhibit a Hunter Lab Delta E of 5 or less when compared to the original.

- (f) Shrinkage. When tested according to ASTM D 4956, the sheeting shall not shrink in any dimension more than 1/32 in. (0.8 mm) in ten minutes and not more than 1/8 in. (3 mm) in 24 hours.
- (g) Workability. The sheeting shall show no cracking, scaling, pitting, blistering, edge lifting, inter-film splitting, curling, or discoloration when processed and applied using mutually acceptable processing and application procedures.
- (h) Splices. A single roll of sheeting shall contain a maximum of four splices per 50 yd (45 m) length. The sheeting shall be overlapped a minimum of 3/16 in. (5 mm) at each splice.
- (i) Adhesive Bond. The sheeting shall form a durable bond to smooth, corrosion and weather-resistant surfaces and adhere securely when tested according to ASTM D 4956.
- (j) Positionability. Sheeting, with ASTM D 4956 Class 3 adhesive, used for manufacturing cutout legends and borders shall provide sufficient positionability during the fabrication process to permit removal and reapplication without damage to either the legend or sign background and shall have a plastic liner suitable for use on bed cutting machines. Thereafter, all other adhesive and bond requirements contained in the specification shall apply.

Positionablility shall be verified by cutting 4 in. (100 mm) letters E, I, K, M, S, W, and Y out of the positionable material. The letters shall then be applied to a sheeted aluminum blank using a single pass of a two pound roller. The letters shall sit for five minutes and then a putty knife shall be used to lift a corner. The thumb and fore finger shall be used to slowly pull the lifted corner to lift letters away from the sheeted aluminum. The letters shall not tear or distort when removed.

- (k) Thickness. The thickness of the sheeting without the protective liner shall be less than or equal to 0.015 in. (0.4 mm), or 0.025 in. (0.6 mm) for prismatic material.
- (I) Processing. The sheeting shall permit cutting and color processing according to the sheeting manufacturer's specifications at temperatures of 60 to 100 °F (15 to 38 °C) and within a relative humidity range of 20 to 80 percent. The sheeting shall be heat resistant and permit forced curing without staining the applied or unapplied sheeting at temperatures recommended by the manufacturer. The sheeting shall be solvent resistant and capable of being cleaned with VM&P naptha, mineral spirits, and turpentine.

Transparent color and opaque black inks shall be single component and low odor. The inks shall dry within eight hours and not require clear coating. After color processing on white sheeting, the sheeting shall show no appreciable discoloration, cracking, streaking, crazing, blistering, or dimensional change when tested for durability (e). The ink on the weathered, prepared panel shall exhibit a Hunter Lab Delta E of 5 or less when compared to the original.

Transparent color electronic cutting films shall be acrylic. After application to white sheeting, the films shall show no appreciable discoloration, cracking, streaking, crazing, blistering, or dimensional change when tested for durability (e). The films on the weathered, prepared panel shall exhibit a Hunter Lab Delta E of 5 or less when compared to the original.

Transparent colors screened, or transparent acrylic electronic cutting films, on white sheeting, shall have a minimum initial coefficient of retroreflection values of 50 percent for yellow and red, and a minimum 70 percent for green, blue, and brown of the 0.2 degree observation angle/-4.0 degree entrance angle values as listed in the previous tables for the color being applied. After durability testing, the colors shall retain a minimum 80 percent of the initial coefficient of retroreflection.

- (m) Identification. The sheeting shall have a distinctive overall pattern in the sheeting unique to the manufacturer. If material orientation is required for optimum retroreflectivity, permanent orientation marks shall be incorporated into the face of the sheeting. Neither the overall pattern nor the orientation marks shall interfere with the reflectivity of the sheeting.
- (n) Packaging. Both ends of each box shall be clearly labeled with the sheeting type, color, adhesive type, manufacturer's lot number, date of manufacture, and supplier's name. Material Safety Data Sheets and technical bulletins for all materials shall be furnished to the Department with each shipment.

<u>Nonreflective Sheeting Properties</u>. Nonreflective sheeting shall consist of a flexible, pigmented cast vinyl film having a smooth, flat outer surface and shall meet the following requirements.

The Department reserves the right to sample and test delivered materials according to Federal Specification LS-300.

- (a) Adhesive. The sheeting shall have a Class 1, pre-coated, pressure sensitive adhesive according to ASTM D 4956. The adhesive shall have a protective liner that is easily removed when tested according to ASTM D 4956. The adhesive shall be capable of being applied to new or refurbished aluminum and reflectorized backgrounds without additional adhesive.
- (b) Color. The sheeting shall be uniform in color and devoid of streaks throughout the length of each roll.
- (c) Gloss. The sheeting shall exhibit a minimum 85 degree gloss-meter rating of 40 when tested according to ASTM D 523.
- (d) Durability. Applied sheeting that has been vertically exposed to the elements for seven years shall show no appreciable discoloration, cracking, crazing, blistering, delamination, or loss of adhesion. A slight amount of chalking is permitted but the sheeting shall not support fungus growth.
- (e) Testing. Test panels shall be prepared by applying the sheeting to 6 1/2 x 6 1/2 in. (165 x 165 mm) pieces of aluminum according to the manufacturer's specifications. The edges of the panel shall be trimmed evenly and aged 48 hours at 70 to 90 °F (21 to 32 °C). Shrinkage and immersion testing shall be as follows.
  - (1) Shrinkage. The sheeting shall not shrink more then 1/64 in. (0.4 mm) from any panel edge when subjected to a temperature of 150 °F (66 °C) for 48 hours and shall be sufficiently heat resistant to retain adhesion after one week at 150 °F (66 °C).
  - (2) Immersion Testing. The sheeting shall show no appreciable decrease in adhesion, color, or general appearance when examined one hour after being immersed to a depth of 2 or 3 in. (50 or 75 mm) in the following solutions at 70 to 90 °F (21 to 32 °C) for specified times.

Solution	Immersion Time (hours)
Reference Fuel (M I L-F-8799A) (15 parts xylol and 85 parts mineral spirits by weight)	1
Distilled Water	24
SAE No. 20 Motor Oil	24
Antifreeze (1/2 ethylene glycol, 1/2 distilled water)	24

(f) Adhesive Bond: The sheeting shall form a durable bond to smooth, corrosion and weather-resistant surfaces and adhere securely when tested according to ASTM D 4956.

- (g) Thickness. The thickness of the sheeting without the protective liner shall be a maximum of 0.005 in. (0.13 mm).
- (h) Cutting. Material used on bed cutting machines shall have a smooth plastic liner.
- (i) Identification. The sheeting shall have a distinctive overall pattern in the sheeting unique to the manufacturer. If material orientation is required for optimum retroreflectivity, permanent orientation marks shall be incorporated into the face of the sheeting. Neither the overall pattern nor the orientation marks shall interfere with the reflectivity of the sheeting.
- (j) Packaging. Both ends of each box shall be clearly labeled with the sheeting type, color, adhesive type, manufacturer's lot number, date of manufacture, and supplier's name. Material Safety Data Sheets and technical bulletins for all materials shall be furnished to the Department with each shipment.

#### SUBCONTRACTOR MOBILIZATION PAYMENTS (BDE)

Effective: April 2, 2005

To account for the preparatory work and operations necessary for the movement of subcontractor personnel, equipment, supplies, and incidentals to the project site and for all other work or operations that must be performed or costs incurred when beginning work approved for subcontracting in accordance with Article 108.01 of the Standard Specifications, the Contractor shall make a mobilization payment to each subcontractor.

This mobilization payment shall be made at least 14 days prior to the subcontractor starting work. The amount paid shall be equal to 3 percent of the amount of the subcontract reported on form BC 260A submitted for the approval of the subcontractor's work.

This provision shall be incorporated directly or by reference into each subcontract approved by the Department.

#### **EQUIPMENT RENTAL RATES (BDE)**

Effective: August 2, 2007

Replace the second and third paragraphs of Article 105.07(b)(4)a. of the Standard Specifications with the following:

"Equipment idled which cannot be used on other work, and which is authorized to standby on the project site by the Engineer, will be paid for according to Article 109.04(b)(4)."

Replace Article 109.04(b)(4) of the Standard Specifications with the following:

- "(4) Equipment. Equipment used for extra work shall be authorized by the Engineer. The equipment shall be specifically described, be of suitable size and capacity for the work to be performed, and be in good operating condition. For such equipment, the Contractor will be paid as follows.
  - a. Contractor Owned Equipment. Contractor owned equipment will be paid for by the hour using the applicable rate from the "Equipment Watch Rental Rate Blue Book" (Blue Book). The applicable hourly rate is defined as the FHWA hourly rate, from the time period the force account work begins, adjusted for both the model year of the equipment and the Illinois region. The time allowed will be the actual time the equipment is operating on the extra work. For the time required to move the equipment to and from the site of the extra work and any authorized idle (standby) time, payment will be made according to: 0.5 x (AHR EOC).

Where: AHR = Applicable Hourly Rate (defined above)

EOC = Estimated Operating Costs per hour (from the Blue Book)

All time allowed shall fall within the working hours authorized for the extra work.

The rates above include the cost of fuel, oil, lubrication, supplies, small tools, necessary attachments, repairs, overhaul and maintenance of any kind, depreciation, storage, overhead, profits, insurance, and all incidentals. The rates do not include labor.

The Contractor shall submit to the Engineer sufficient information for each piece of equipment and its attachments to enable the Engineer to determine the proper equipment category. If a rate is not established in the Blue Book for a particular piece of equipment, the Engineer will establish a rate for that piece of equipment that is consistent with its cost and use in the industry.

b. Rented Equipment. Whenever it is necessary for the Contractor to rent equipment to perform extra work, the rental and transportation costs of the equipment plus five percent for overhead will be paid. In no case shall the rental rates exceed those of established distributors or equipment rental agencies.

All prices shall be agreed to in writing before the equipment is used."

Various Routes D 5 GDRL DELIN MAINT 2008-6 McLean County Sheet 1 of11 Contract No. 44970

# STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION D 5 GDRL DELIN MAINT 2008-6 C-60-007-08

#### Index of Sheets

- 1 Cover Sheet
- 2 Summary of Quantities
- 3 4 Typical Work Order Form
- 5-11 Typical Delineation Locations

#### **Highway Standards**

635006-02	635011-01
701006-02	701011-01
<b>7</b> 01101-01	701201-02
701301-02	701400-02
701406-04	702001-06

Contract No. 44970

Various Routes D 5 GDRL DELIN MAINT 2008-6 McLean County Sheet 2 of11 Contract No. 44970

#### **SUMMARY OF QUANTITIES**

CODE NUMBER	ITEM	<u>UNIT</u>	100% STATE SFTY-1D <u>QUANTITY</u>
67100100	MOBILIZATION	LSUM	1
78200410	GUARDRAIL MARKERS, TYPE A	EACH	3,128
78200420	GUARDRAIL MARKERS, TYPE B	EACH	975
78200530	BARRIER WALL MARKERS, TYPE C	EACH	884
78201000 7	ERMINAL MARKER - DIRECT APPLIED	EACH	452
78202000 7	ERMINAL MARKER - POST MOUNTED	EACH	75

#### GENERAL NOTE

ALL TERMINAL END MARKERS SHALL BE FABRICATED USING TYPE AP YELLOW REFLECTIVE SHEETING.

AN ESTIMATED BREAKDOWN BY INSTALLATION TYPE IS PROVIDED FOR THE CONVENIENCE OF THE CONTRACTOR IN BIDDING. THE BREAKDOWN SHALL NOT GUARANTEE ACTUAL QUANTITIES NEEDED FOR THE CONTRACT.

GUARDRAIL MARKERS TYPE A: 87% OF THE MARKERS SHALL BE WHITE. 13% OF THE MARKERS SHALL BE YELLOW.

GUARDRAIL MARKERS TYPE B: 3% OF THE MARKERS SHALL BE WHITE. 97% OF THE MARKERS SHALL BE YELLOW.

BARRIER WALL MARKERS TYPE C: 46% OF THE MARKERS SHALL BE WHITE, 54% OF THE MARKERS SHALL BE YELLOW.

TERMINAL MARKERS – DIRECT APPLIED: 42% OF THE MARKERS BE LEFT SIDE. 58% OF THE MARKERS BE RIGHT SIDE.

TERMINAL MARKERS – POST MOUNTED; 50% OF THE MARKERS BE LEFT SIDE. 50% OF THE MARKERS BE RIGHT SIDE.

Various Routes D 5 GDRL DELIN MAINT 2008-6 McLean County Sheet 3 of 11 Contract No. 44970

### **WORK ORDER**

District 5 Guardrail Delineation Maintenance 2008-6

WORK OR	DER NO DATE	OF ISSUE	[ *	_ROUTE:	
LOCATION	DESCRIPTION:				
LOOKIION	DESO(III) NON.		. ,,		
				. <u> </u>	<del></del>
CONTRACT	NO. <u>44970</u>				
CODE	ITEM	UNIT	QUANTITY	UNIT	ITEM COS
NUMBER				PRICE	
78200410	GUARDRAIL MKR TYPE A	EACH			
78200420	GUARDRAIL MKR TYPE B	EACH	··		
78200530	BARRIER WALL MKR TY C	EACH			
78201000	TERMINAL MARKER - DA	EACH			
78202000	TERMINAL MARKER – PM	EACH	·		
		1			
					<u> </u>
	*-				
					<del></del>
			<del></del>	]	
			<del></del>	- <del></del>	ļ
			Т	OTAL COST	
NAME:		Ø1 tokar	TTED BY:		
NAME:	District Contact	SUBMI		r Divostor of U	farlessen en
	District Cornact			y Director of H Regional Engir	
			'	esional Engli	
TELEPHONE	NO.;	DATE:			
AEL 52.6.	110 -	-			
CELL PHON	E NO.;				

Various Routes
D 5 GDRL DELIN MAINT 2008-6
McLean County
Sheet 4 of 11
Contract No. 44970

Towning End	ا د	w White Yellow D.A P.M.	<u> </u>							-		-								
	;	White Yellow	MICHO MICHO														 			
ON SUM		Yelfow	ā																	
IAIL OR BARRIER WALL DELINEATION SUMMARY	lype B	Yellow White	MOTO																	.,
R WALL			OLIOM	, ,	72 4 <del>- 2</del>		<u> </u>								<del></del> .	-				
S BARRIE	-	<u>&gt;</u>	ž					•												
DRAIL OF	<b>ለ</b> ኒ 🗠	ow White				_							-							 _
GUARDH	lype																			
		Location												The state of the s						TOTALS

d5gdrlmaintwo08pl

Various Routes
D 5 GDRL DELIN MAINT 2008-6
McLean County
Sheet 5 of 11

					000000		9010001		d File Cook		00070000	;	2000000	
			78200410		0260028/		78200530		DLC0028/		00010287		ישבטבואוי	
			GRD MKR	TYPEA	GRD MKR	TYPEB	BAH WALL	MKR TYC	BAR WALL	MKRTYA	TERMINAL	MKR DA	TERMINAL	MKR PM
el	ele allor		White	Yellow	White	Yellow	White	Yellow	White	Yellow	Left	Hight	Left	Right
noy	Mile	Description	⊢	į–	⊢	⊢	Ŀ	ı	T	Τ	Ţ	Ţ	Ţ	Ť
N6E-1	10.01	SN 057-0215 over L55	4	1	0	0	2	0	0	0	0	0	0	Q
1.39N	0,52	0.52 SN 057-0217 0.5 miles N of I-55		9	o	-	τώ	٥	Đ	0	0	0	0	ũ
1.39N	1.21	1.21 Sign Truss just south of US 51	ę	0	٥	. 0	O	Q.	Ð	0	0	0	0	ũ
Nee-i	2.00	2.00(Sign Truss N of US 51 N interchange	ဇာ	0	0	c	ō	0	0	0	0	0	0	Q
N6E-1	3.72	3.72[SN 057-0211 0.5 mi S of Hudson Exit 5	12	7	0	o.	Ţ	1	0	0	1	0	٥	0.
N66-1	3.91	SN 057-0209 0.5 mi S of Hudson Exit 5	12	80	0	ē	Ţ	8	O	0	0	**	0	Q.
N66-1	4,63	4.63 Guardral at on ramp from Hudson to SB 1-39	0	9	0	U	0	0	Ū	0	0	0	0	û
1-39N	8.23	8.23 Barrier wall in median from Co. Line to Exit 8	0	0	0	O.	0	107	0	0	0	0	0	0.
Nee-	8.63	8.63 SN 057-0203 over Mackinaw River	6	0	0	Û	7	0	0	0	0	<b>,</b>	0	0
1,885	0.53	0.53 SN 057-0216 0.6 mi S of US 51N over 1-55	o	0	0	O	0	0	0	0	0	0	0	ũ
S66-1	1.20	1.20 Sign Truss S of US 51N interchange	60	٥	Đ	0	0	0	Ģ	Đ	0	0	0	0
1-395	1,20	1.20 No Structure in ramp from US 51N to SB I-39	4	8	o	0	Ď	0	o	-	0	0	0	Q
1-395	1.90	1.90 Sign Truss N of US 51 N interchange	-	0	0		D	٥	٥	°	0	1	0	Q
1.395	3.71	3.71 SN 057-0210 0.5 mi S of Exit 5	2	9	0	0	0	1	0	0	0	1	0	0
SEC-1	3.92	3.92 SN 057-0206 along ramp to SB I-39 Exit 5	1	10	0	o.	1	2	0	0	0	1	D	O
See-1	4.56	4.65 SN 057-0205 Exit 5 Hudson CH 12	16	4	0	0	2	2	0	0	<b>*</b>	0	0	Q.
SEET	B.63	8.63 SN 057-0203 over Mackinaw River	10	0	O	0	0	11	0	0	0	0	D	Ω
S62-1	8.63	8.63 SN 057-0203 over Mackinaw River SPBGR	0	11	0	0	0	0	0	0	0	0	0	Q.
N-SEN	144.77	144.77 SN 057-0155 over US 136	83	1	0	0	4	4	ů	0	<b>7</b>	-	0	٥
1-55N	147.00	147.00 No Structure SPBGR to protect ditch	19	0	0	0	0	0	0	0	0	-	0	O.
1-55N	149.10	149.10 Sign Truss Rest Area Exit	2	0	0	0	0	0	0	0	0	-	0	Ω
N:55-E	149.54	149.54 SN 057-0158	11	Ż	0	0	15	14	0	0		-	0	Ω
N59-1	150.39	150.39 SN 057-0160	4	Þ	0	0	4	4	0	0	<b>-</b>	_	ū	Ω
NSS-I	156.25	156.25 Overhead Sign Truss 109/601 Exit 157	0	9	0	0	0	0	0	0	-	0	0	Ω
1-55N	156.53	156.53 SN 057-0004	10	14	0	0	0	3	0	0	-	1	0	Q
I-SSN	156.85	156.85 SN 057-0005	35	23	0	0	. 2	5	0	0	0	0	0	0.
N99-1	157.48	157.48 SN 057-0007	13	7	0	0	4	o	0	Û	1	1	0	Q
1-55N	157.93	157.93(SN 057-9008	43	0	0	0	2	7	0	Đ	٥	0	0	0
NES-1	158.50	158.50 SN 057-0111	7	0	O	0	0	6	0	0	0	1	0	o.
1-55N	158.81	158.81 SN 057-0011	82	0	G	0	L	0	0	0	0	1	0	۵
1-55N	159.12	159.12 Sign Truss 113/S5	¥5	0	ф С	0	0	0	0	Ð	] 0	0	0	0.
N22-1	159.40	159.40 SN 057-0016	-11	0	٥	°	157	7	0	0	0	0	0	O.
N-55N	159,60	159,60 IL 9 over 1-55	10	0	٥	0	Đ	3	0	0	0	1	0	0.
NSS-1	159.62	159.62 Sign Truss 114/S4	83	0	0	0	0	0	0	0	û	0	0	Q
I-55N	161.05	161.05 SN 057-0018	38	0	0	0	6	72	0	0	0	+	0	Ω
1-55N	161.48	161.48 SN 057-0233	6	0	0	0	EN.	2	0	0	0	0	0	0
1-55N	162.20	162.20 Sign Truss 116/S15	Ð	0	0	0	0	33	0	0	0	+	0	Q
1-55N	163.30	163.30 Sign Truss 117/S19	0	0	0	0	0	45	0	0	0		0	Ω
		SUBTOTALS	414	191	O	0	74	332	0	0	8	18	O.	Û

Various Routes
D 5 GDRL DELIN MAINT 2008-6
McLean County
Sheet 6 of 11
Contract No. 44970

		-	A PARAMETER		444		2000000		47140400		444	3	Contract No.	0/644.
			/8200410		78200420		0850028/		78200510		78201000		0002028/	
			GRD MKR	TYPEA	GRD MKR	TYPEB	BAR WALL	MKRTYC	BAR WALL	MKR TY A	TERMINAL	MKB DA	TERMINAL	MKR PM
ajr	ale alio		PILIM	Yellow	White	Yellow	Mille	Yellow	White	Yellow	l laft	Right	Left	Right
ЮЯ	POP Wije	Description	1 1	1	ı	Ţ	Ŧ	Ť	<u>,</u>	1-	<u>-</u>	<u> </u>	⊢	⊢
1-55N	185.60	0 SN 057-0028	14	Ħ	0	0	0	0	0	0	1	0	Đ	0
N55-1	186.30	166,30 Sign Truss 119/S-1	E	0	Đ	0	0	0	0	0	0	1	0	0
I-SEN	166.62	168.62 SN 057-0118	9	0	0	0	0	0	Q	Ö	Ω	1	0	0
-55 N35	167.44	167.44 SN 057-0237	17	2	0	٥	sţ+	7	٥	٥	-	-		
1-55.N	172.26	172.26 SN 057-0164	2	3	°	٥	*	9	٥			-	0	0
1-55N	177.25	177.29 SN 057-0168 1-55 over Mackinaw River	-	8	0	o	9	හ	٥	0	1	1	0	0
N55-1	177.67	177.67 SN 057-0170	2	3	o	0	9	5	0	o.	1	1	0	0
1-55N	179.63	179.63 SN 057-0183	-2	3	0	0	Ź	4	0	0	1	1	0	0
1-55N	180.95	180.95 SN 057-0174	9	3	0	0	3	3	0	0	1	-	0	0
NSS-1	185.68	TBG.BB SN 057-0153	44	3	0	0	Þ	4	0	0	1	1	0	0
N25-1	186.91	186.91 SN 057-0179	18	0	o	0	Ý	4	0	0	1	0	0	0
2855 2855 2855 2855 2855 2855 2855 2855	144.70	144.70 Guardraf attached to S end of SN 057-0154	9	0	o	0	0	0	0	6	0	0	0	0
555	144.76	144.76 SN 057-0154 over US 136 Exit 145	ħ	3	0	o	4	4	0	-	-	-	0	0.
1-555	149,30	149,30 Sign Truss L149.3 Just N of Rest Area	,	0	0	0	0	c	0	0	0	1	: 0	0
S85-1	149.53	149.53 SN 057-0157 0.1 mi N of Rest Area	7	န	0	0	9	9	0	e	1	, -	0	0
-555	150,32	150.32 Guardrail attached to S end of STR 057-0159	7	٥	o	0	O	0	0	0	0	0	0	0
1-555	150.40	150.40 SN 057-0159 1.2 ml N of Rest Area	9	4	0	Q	<b>7</b>	4	0	0	+	1	0	0
1-555	153.30	153.30 Guardrall attached to S end of STR 0009	11	0	0	0	. 0	0	0	Đ	0	0	0	0
1-555	157.37	SN 057-0006 north of 1-74 1-55 split	œ	0	0	0	7	0	0	0	0	1	0	O
1-568	157.90	157.90(Guardrall attached to 057-0009	4	0	0	0	0	0	0	0	0	0	0	0
1-555	157.94	157.94 SN 057-0009	7	0	0	0	E	0	0	0	0	-	0	0
555	158.20	158.20 Sign Truss 112/T-1 1.25 mi S of Market St.	7	0	0	Ð	0	0	0	0	0	0	Ď	0
1.555	158.50	158.50 SN 057-0111	5	0	0	0	ų į	0	0	0	0	1	0	0
1-555	158.75	158.75 Guardrall attached to 057-0010	- 44	0	. 0	0	. 0	0	0	0	0	0	0	0 -
1-558	158.80	158.80 SN 057-0010 0.5 ml S of Market St.	55	0	0	0	ນ	0	0	0	Ö	0	0	Q.
1-555	159.41	159.41 SN 057-0017	6	O	0	0	É	0	0	0	0	1	0	0
1.655	159.79	159.79 SN 057-0088 over 155/174	4	0	0	0	O.	0	0	0	0	1	0	0
1-555	159.83	159.83 in ramp from WB Market St.	4	5	0	0	0	0	-	-	<b>,</b> _	٥	0	-
SES	160.20	160.20 Sign Truss 114/53 at Exit 160 Markel St.	4	0	0	0	0	Q	0	0	0	-	0	-
1-555	160.40	160.40 Sign Truss 114/52	4	0	0	0	0	0	0	0	٥		0	٥
1-558	160.94	160.94 attached to S end of 057-0019	21	0	0	0	. 0	0	0	0	0	0	0	0
1-553	161.06	161.06 SN 057-0019 over White Oak Way Rd	35	0	0.	0	5	0	0	0	1	. 0	O.	0
1.558	161.49	161.49 SN 057-0234	6	0	0	0	9	0	0	0	0	1	0	ò
(-55S	162.98	162.98 SN 057-0223 S of ramp from 1-74 West	0	8	0	0	0	0	0	0	0	0	0	0
(-55S	163.40	163.40 SN 057-0023 1 ml S of 1-55 and 1-39	þ	O	0	0	0	0	0	0	0	2	0	0
1-558	164.20	164.20 Sign Truss 76/523 0.25 ml 3 of 1-39	32	0	0	0	Ó	0	0	0	0	1	0	0 -
1-558	164.94	164.94 SN 057-0025 over t-39	15	4	0	0	7	7	0	0	+	1	¢	0.
SS 2	165.30	165.30 SN 057-0027 guardrail to ramp	52	0	0	0	0	0	0	0	0	0	0	0
		SUBTOTALS	385	51	0	0	18	56	0	0	15	22	0	0

Various Routes
D 5 GDRL DELIN MAINT 2008-6
MoLean County
Sheet 7 of 11
Contract No. 44970

		1500087		SEPARAGE		78200530		78200510		782010081	5 -	Contract No. 44870	0.44870
			1	מאויים ו	6 20/4	יייייי האיי	0/15	0100000		Post Cont	10.00	TOCOCOOO	130 0213
•	.Bl8 noi	SHD MKR	Yelfow	White	Yellow	White	Yellow	White	Yellow	Left	WKH UA	Left	EKT TE
onje	(e)	}	,-	1-	,-	,_	1-	<b>)</b> -	1-	1-	1-	1-	- <u> </u>
1.559	167.50 Ston Touss 120%	. 67	.   c	c		٥	-	c	-		,	-	Ō
1-558	168.60	4		¢	0	0	٥	0	-	-	-	0	ō.
S95-1	172.25 SN 057-0163 over Money Craek	61	ш,	0	0	3	69	0		***	÷	O	0
1.555	1_	SI	60	0	0	0	2			-	0	0	Đ
1-558		-	က	0	0	4	4	0	٥	-	Ţ	0	Ð
1-555		cv	6	0	0	2	Ą	0	0	1	ı	0	0
1-555			3	0	0	2	4	0	Û		Ļ	0	0
1.555	l	17	3	0	0	9	2	0	0	0	0	0	٥
I-55S	186.92 SN 057-0178 north of Chenca over RR	21	9	0	0	4	4	0	0	<b>,</b>	1	0	0
1-74E	118.90 SN 057-0113 1mi W of Carlock Exit	22	0	0	0	0	0	Q	Đ	0	-	0	0
1-74E	119.20 SN 057-8038 Box Culvert	4	0	0	0	0	0	0	0	0	-	. 0	o
1-74E	119,54 SN 057-0044	00	8	0	0	0	0	0	0	1	1	0	0:
1-74E	119,99 SN 057-0102 Carlock interchange	ci	_	٥			0	٥	0	0	1	0	0
1-74E	١.	4	0	0	0	o	5	0	0	. 0	1	0	0
1-74E	121.63 SN 057-0114 1ml W of Weigh Station	9	0	°		o		-	-	0	-	0	O
1-74E	122.15 0.2mi W of mm124 Weigh Station	c	Z	0	٥	0	0	0	0	0	1	0	O
174E	l	4	0	o	0	0	Ū	0	a	0	1	0	0
1-74E	124.67 SN 057-0046	38	g	0	0	12	14	0	0	0	1	0	
F74E	125.14 SN 057-0073	9	0	0	0	0	0	0	0.	0	1	0	0
1-74E	125.80 Green Sign for Hockford/Decatur	e	0	0	0	0	0	0	0	0	ļ	0	0
1-74E		4	2	0	0	0	D	0	0	1	•	0	0
1-74E	1	5	0	0	0	0	ū	0	0	Ω	-	0	0
1-74E		5	0	0	0	0	0	0	0	0	+	0	5
1-74E		9	0	0	0	0	0	0	0	0	0	Ð	O
1-74E		2	6 .	0	0	0	0	0	0	1	1	0	٥
1-74E	133.83 SN 057-0059		8	0	0	0	0	0	0	1	1	0	0
1-74E	134.70 SN 057-0116	9	0	0	D	0	0	0	. 0	0	1	0	0
1-74E	l	8	3	0	0	5	5	0	0	1	1	0	0
1-74E	135.49 Exit 135 off Ramp	80	٥	0	0	0	0	0	0	0	1	0	0
1-74E	135.63 SN 057-0047 on ramp from US 51N to 1-74E	4	٥	0	0	0	0	0	0	0	1	0	0
₹-74E		က		0	٥	4	4	0	0	1	1	0	0
1-74E	137.59 SN 057-0122	īŪ	0	0	0	0	0	0	0	0	-	0	0.
1-74E	139.03 SN 057-0123	4	0	0	0	Ģ	0	0	0	Q:	1	0	0
1-74E	139.64 Box Culvert	ш	٥	0	0	0	0	Ð	0	0	+	0	٥
1.74E	140.92 SN 057-0124 W of Downs	uc.	٥	0	0	0	0	0	0	0:	*	0	0
1-74E		4	4	Q	0	4	4	0	0	1	1	0	0
1-74E		7	0	0	0	0	٥	Ω	0	0	1	0	0
1-74E	143,16 SN 057-0128	21	3	0	0	7	- 2	0	0	1	ų	0	
	SUBTOTALS	233	11	0	0	53	92	0	0	14	38	0	0

Various Routes
D 5 GDRL DELIN MAINT 2008-6
McLean County
Sheet 8 of 11
Contract No. 44970

		700004		00000002		7000000		Yearnest		CONTRACT		Onnonest	
		/ BZOU4-IU		nzikonze/		Upcuuso)		Oleunzo/		(VDCn7q)		( OCUZUDA	
	n n	GRD MKR	TYPEA	GRD MKR	TYPEB	BAH WALL	MKR TYC	BAR WALL	MKR TY A	TERMINAL	MKR DA	TERMINAL	MKR PM
eji	ello	White	Yellow	White	Yellow	White	Yellow	White	Yellow	Left	Right	ij	Right
ЮΗ	E S Description	٦	1	Ť	7	Ţ	⊥	T	L	ī	<b>1</b> ~	Τ	Н
1-74W	118.90 SN 057-0113 1ml W of Carlock Exit	e	0	0	0	0	0	0	0	0	1	0	0.
W#Z-)	119,30 No Structure 0.7mi W of Carlock Exit	2	Đ	0	0	0	0	0	0	Û	-	0	0
1-74W	119,53 SN 057-0043 0.4ml W of Carlock Exit	7		0	ū	0	0	0	0	1	1	0	0
1-74W	119,99 Sn 057-0102 Carlock interchange	2	0	0	l	-	•		0	0	1	0	0
1-74W	120.59 SN 057-0112 0.5 ml E of Carlock Exit	8	0	0	0	0	0	0	0	û	1	0	0
1-74W	121.63 SN 057-0114 1ml W of Weigh Station	Ą	0	0	0	٥	0	0 .	ū	O.	1	0	0
1-74W	123.80 SN 057-0115 0.75 mi E of Weigh Station	3	0	0	Û	0	0	0	0	û	1	0	c
1-74W	124.66 SN 057-0045 W end entrance ramp from Exit 14	20	3	0	0	5	9	0	0	+	+	0	٥
1-74W	125.14 SN 057-0073 under Mitsubishi Motor Way	ю	0	Đ	0	0	0	0	0	0	1	Q	٥
1-74W	126.10 No Structure 0.5 mi E of Mitsubishi Motor Way	4	0	0	-	0	0	0	0	0	1	0	D
1-74W	126.28 SN 057-0108 East of Mitsubishi Motor Way	က	o	o	G	0	•	0	•	٥		0	0
1-74W	127.22 SN 057-0022 ramp to WB 1-74 from 1-55NB	7	4	0	0	0	0	0	0	1		0	0.
H-74W	128.27 Sign Truss 116/S15 near Normal Community Cd	လ	٥	D	0	0	0	0	0	0	1	0	0
1-74W	129.01 SN 057-0233	47	o	0		64	2	0	0	0	0	0	Đ
1-74W	129.39 SN 057-0018 over White Oak Way Rd	ĕ	D	c		0	_			0	1	0	0
I-74W	130,73 SN 057-0088 US 150/L 9 over 1-74	4	O	0	0		•	0	0	0	1	0	0
1-74W	130.94 No SN Exit ramp to EB US 150/1L9	16	Đ	0	0	0	0	ð	D	0	0	0	0
₩Þ!	131.09 SN 057-0016 at Exit to US 150/IL 9	46	0	0	0		0	0	0	0	Đ	0	
1-74W	131.68 SN 057-0011 0.3 ml E of US 150/IL 9	14	0	0	0	4	0	ū	ប i	0	-	-	-
M9Z-1	132.02 SN 057-0111 1 mi W of US 150/L 9	7	O	0	0	. 0	0	0	0	0		0	٥
1-74W	132.58 5N 057-0008	46	0	0	0	2	0	0	0	0	0	D	-
₩ÞĿ	132.60 SN 057-0007	13	0	0	0	1	2	0	0	١.	1	Û	٥
1-74W	133.90 SN 057-0061/0062 155 over 174	12	12	0	0	. 0	0	0	0	1	-	0	٥
MÞ/-1	134.20 Sign Truss 110/601 at ramp WB74 to NB55	0	9	0	0	, 0	0	0	0	1	0	0	0
H-74W	134.70 SN 057-0116 and Sign Truss L134.8 W of US 5	#	4	0	0	0	0	0	0	1	1	0	o
M52-1	135,45 SN 057-0048 at 1-74 interchange	1	4	0	0	4	4	0	0	1	1	. 0	0
1-74W	135.70 Sign Truss L135.7 at Exit for US 51	4	4	0	0	Đ	0	0	0	1	1	0	0
MÞ/-1	136.60 SN 057-012f tml E of US 51	5	3	0	Û	. 4	4	0	ŋ	-	Ψ.	0	0
1-74W	137,59 SN 057-0122	LC)	0	0	0	0	0	0	0	D	-	0	-
MÞZ-1	139.03 SN 057-0123	5	0	0	0	0	0	0	0	0	-	٥	-
M-24W	139.80 SN 057-8561 W of Downs	9	0	0	0		0	0	0	0	+	0	٥
I-74W	140.92 SN 057-0124 W of Downs	10	0	0	0	6	0	0	0	Û	1	0	-
MÞ/-1	141.51 SN 057-0126 over Kickapoo Creek	ιņ	က	0	0	5	3	0	0	1	1	0	ö
H-74W	142.48 SN 057-0127	Þ	Q.	0	0	Ó	0	0	0	0	-	0	0
1-74W	142.69 No SN East of Downs exit	25	0	0	0	0	D	0	0	0		0	ö
1-74W	143.17 SN 057-0129 E of Downs	22	က	0	0	E.	8	0	0		1	0	0
I-74W	144.44 SN 057-0130 E of Downs	9	0	0	0	0	0	0	0	0	-	O	0
M-7-4W	145.83 SN 057-2033	3	0	0	0	0	6	0	0	0.	1	0	0
	SUBTOTALS	545	52	0	0	31	33	0	0	12	83	0	0

Various Routes
D 5 GDRL DELIN MAINT 2008-6
MCLean County
Sheet 9 of 11

2	Ş																		٦	٦	1	٦	7	_		1				7	Ī						٦					ſ
	MKH PM	High	<u>.</u>	0	o.	0	0	0	0	0	0	0	o.	0	0	0	0	0:	0	21	2	1	<u>ا</u>	٥	٥	2	C/1	72	N	D.	72	2	5	2	2		٦	°	¢	_	0	
78202000	TERMINAL	Tet.	<b>)</b> —	0	0	0	0	0	0	0	0	ū	0	0	0	0	0	0	0	E)	-	0	0	. 0	0	2	2	0	2	2	2	2	2	2	2	0	0	0	0	0	0	
5	MKRDA	Right	1	2	2	2	2	2	2		2	2	2	2	2	2	2	7-	2	0	D	2	2	2	2	Ω	0	Û	0	0	0	0	0	0	0	2	2	2	2	1	2	
78201000	TERMINAL	let ter	<u> </u>	2	2	2	2	2	2	0	23	2	2	2	23	22	2	0	6	0	-	2	2	2	0	0	0	0	0	0	0	0	0	0	0	2	2	2	2	2	2	
	WIKE TY A	Yellow	Ŧ	o	0	0	0	0	0	0	0	0	0	0	0	o	0	0	<b>.</b>	o	o	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
78200518	BAR WAI	White	<u>-</u>	0	0		0	0	0	e	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	MKB TVC	-	⊢	0	a	0	0	. 0	0	•	•	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Đ	0	ρ	Ð	0	Ď	0	Đ	-	
78200530	RATI WAI	White	⊢	o	0	Q	0	0	•	0	2	2	2	12	0	0	Q	5	13	0	0	0	ò	0	0	ū	0	0	0	0	4	0	0	_	Ó	0	Ó	_	4	0		
	TYDER	Yellow	1		-	0	0	0	0	-	0	0	0	0	0	Đ	0	0	0	0	0	0	<b>-</b> 0	0	0	0	0	0	0	0	. 0	0	۵	o	0	0	0	0	0	0	-	
78200420	GRD MKR	White	F	0	0	-	0	0	0	0	0	0	0	0	Q	Đ	0	0	0	0	0	0	O	0	0	0	0	0	0	0	0	0	-	-	ũ	0	0	0	0	0	۰	
	TVDF: A	Yailow	<b>;</b> –		0	0	0	0	0	0	0	0	0	0	0	0	0	Q.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	0	0	0	0	٥	0	0	•	
78200410	GED MKB	White	1-	현	ξī	22	12	12	12	₽	60	55	16	18	6		9	7	17	17	π0	21	13	15	9	8	6	2	4	4	10	4	4	4	4	7	15	91	18	12	R	
	1		Description	2.87 SN 057-0201 1.0 mi E of Mama	4.68 No Structure 0.7 mi N of CH 14	4.69 No Structure 0.7 mi N of CH 14	7.00 No SN 0.75 E of CH 2500E	7.74 SN 057-8051 0.5 ml E of Lexington/Leray Rd.	8.87 SN 057-2002 1.6 ml E of Lexington/Leroy Rd.	9.60 No Structure in Cooksville	10.95 SN 057-0220 1.3 mi E of Cooksville	12.06 SN 057-0221 2.4 mi E of Cooksville	14.20 SN 657-0222 Just E of CR 3200E	15.46 SN 057-0110 at CR 1975N S of Cemetery	15.90 No SN 0.4 mi S of Colfax	22.90 SN 057-8063 6.6 mi N of Colfax	23.10 SN 057-8054 at RR 6.8 mi N of Colfax	0.06 SN 057-0204 over US 39	0.27 SN 057-0226 1 mi from S end of US 51	67.11 No SN 0.5 min of US 136	67.61 SN 057-8001 1.0 ml N of US 136	69.38 300 ft E. of CH 5 at Bellflower	70.74 SN 057-0085 0.7 mi E. of Belillower	72.48 ,02 mi E. of CR 600N	119.47 No SN 0.5 mi E of Tazewell Co Line	119.97 No SN 1.0 mi E of Tazewell Co. Line	120.47 No SN 1.5 mi E of Tazewell Co. Line	(20,77 No SN 1.8 mi E of Tazewell Co. Line	121.17 No SN 2.2 mi E of Tazewell Co. Une	121.27 No SN 2.3 ml E of Tezewell Co. Line	121.64 SN 057-0090 2.6 mi E of Co. Line	121.84 No SN 2.8 mi E of Tazewell Co. Line	34 No SN 3,3 mi E of Tazewell Co. Line	122,90 No SN 0.8 ml S of Danvers	122.97 No SN 4.0 mi E of Tazewell Co. Line	126.29 No SN 0.2 mi E of JCT 11. 122	127,79 No SN 1.7 mi E of JCT IL 122	128.29 No SN 2.2 ml E of JOT IL 122	129.80 SN 057-0240 0.1 ml E of Lara Trace Rd	129.99 No SN 2.9 mi E of JCT IL 122	133.30 No SN 0.5 ml W of Twin Grove Cemetery	
-		.ei8								. :												١			1	IL 9 119.9							1				11.9 127.7					
		B	UDA	11, 165	11.165	11.165	11, 165	11.165	IL 165	IL 165	11.165	IL 165	IL 165	11. 165	12.165	IL 185	11, 165	11.251	11.251	11.54	ם	ێڐ	نڌ	11.			=	=	-1	7	=	닐		1	=	=	=	Ή	⊒	=	_	

Various Routes
D 5 GDRL DELIN MAINT 2008-6
McLean County
Sheet 10 of 11
Contract No. 44970

Г			78200410		78200420		78200530		78200510		78201000	3 -	Contract No.	3. 44970
	1		GRD MKR	TYPEA	GRD MIKH	TYPE B	BAR WALL	MKR TYC	BAR WALL	MKR TY A	TERMINAL	MKR DA	TERMINAL.	MKR PM
air	e <b>t2</b> e rolle		White	Yellow	White	Yellaw	White	Yellow	White	Yellow	Left	Right	ijĕ7	Richt
DH.	TOC Vije	Description		Ţ	1	⊢	T	Ť	ĩ		ı	Ţ	1	1
1.9	147.40	147.40 SN 057-8149 0.7 mi W of CH 21	4	0	0	0	0	0	0	0	2	2	0	0
11.9	147.80	147.80 SN 057-8150 0.3mi W of CH 2	4	0	0	0	a	0	0	0	2	2	0	Đ
11.9	148.62	148.52 SN 057-0076 1.0 mi W of CH 17	8	0	0	0	4	0	0	٥	23	8	0	0
IL.9	148.62	148.62 SN 057-0076 1,0 mi W of CH 17	89	0	0	o	4	0	٥	0	23	ci.	0	0
11.9	150.94	150.94 SN 057-9163 0.2 mi W of CR 3000E	9	0	0	o	0	0	0	0	2	5	0	G
1.9	151.24	151.24 SN 057-8164 0.8 mf W of CR 3100E	7	٥		0	0		0	٥	2	cų.	٥	0
11.9	151.34	151.34 SN 057-8165 0.7 mi W of CR 3100E	7	0	٥	Q	0	0	0	0	2	67	o	0
11.9	153.25	153.25 SN 057-8167 0.1 mi E of CR 3100E	7	0	٥		_	8	D	D	2	2	۵	0
1.9	153.74	153.74 SN 057-0977 ,04 mi W of CR 3200E	8	¢	0	o	-	٥	0	0	2	cı	0	0
11.9	154.50	154.50 SN 057-0139 0.6 mi W. of CH 15	0	0	0	Ð	0	c	0	0	0	0	2	ķ,
11.9	155.92	155.92 SN 057-0191 0.2 mi W of CR 3400E	11	0	0	0	0	0	0	0	2	2	0	0
11.9	156.82	156.82 No SN 0.3 ml W of CR 3500E	6	0	0	0	0	0	0	0	2	2	0	0
1F 8	157.64	157,84 SN 057-8173 Just E. of CR 3550E	8	0	0	0	0		o	0	2	2	0	٥
1.9	158.28	168.28 No SN 1.9 mi W. of Anchor Fid.	9	0	0	0	0	0	. 0	0	2	2	0	0
11.9	159.48	159,48 No SN 0.7 mi W of Anchor Rd.	12	0	0	0	0	0	0	0 '	2	2	0	0
11.9	160.17	No SN Just W of Anchar Rd.	2	0	0	0	0	0	0	0	2	2	0	0
<u>1</u> 2	161,89	161,89 No Structure 0.2 mi E. of Skybrook Rd.	5	0	0	0	0	0	0	0	2	0	0	0
11.9	163.12	163.12 SN 057-8188 at CR 4000E	8	0	0	0	0	0	0	0	2	2	0	0
11.9	164.19	164.19 No SN 1,0 mi W of Ford Co. Line	-24	0	0	0	0	٥	0	0	6.1	2	0	0
1.122	28.33	28.33 No Structure 3.2 mi S of IL 9	44	٥		0	ò	0	0	0	0	o	2	2.
US 136	121.98	121.98 0.1 mi E of Logan Co Line	9)	0	0	0	0	0	0	0	2	2	0	0
US 136	122.38	122.38 SN 057-8006 0.5 mi E of Logan Co Lina	97	0	0	0	o	0	0	0	2	2	0	0
US 136	123.08	123.08 SN 057-8008 1.2 mì E of Logan Co Line	28	0	0	0	0	0	0	0	2	2	0	0
US 136	123.58	123.58 SN 057-8010 1.7 mt E of Logan Co Line	87	0	0	O	Q I	0	0	0	2	2	0	0
US 136	124.48	124.48 SN 057-8015 0.3 mi E of Moone's Mill Rd	- 17	0	0	0	o	0	0	0	2	2	0	0
US 136	124.78	124.78 SN 057-8015 0.7 mi E of Moore's Mill Rd	8	0	0	0	0	0	0	0 .	0	2	0	0
US 136	129.34	129.34 SN 057-0091 1 mi E of Waynesville Rd	15	0	0	0	9	0	0	0	23	2	O	0
US 136	132.45	132.45 SN 057-8018 0.3 mi E of CR 1025E	10	0	0	0	0	Ð	0	0	73	2	0	0
US 138	134.29	134,29 SN 057-0092 0.5 mi E of CR 1200E	(3)	0	0	0	23	0	0	0	2	2	0	٥
US 136	135.04	135.04 SN 057-0093 200 ft W of OR 1300E	12	0	0	0	B	0	0	0	2	2	0	0
US 136	138.26	138.26 Box Culvert 0.3 ml E, of CR 1600E	2	0	0	0	0	0	0	0	0	0	0	2
US 136	138.66	138.66 SN 057-8022 0.7 mi E of CR 1600E	e	0	٥	0	0	0	0	0	0	0	- 2	2
_		SUBTOTALS	338	0	0	0	62	0	0	0	23	<b>3</b> 5	9	80

Various Routes
D 5 GDRL DELIN MAINT 2008-6
MCLean County
Sheet 11 of 11

								Ī	4		and the state of t	Ö	Contract No.	, 44970
			78200410		78200420		78200530		78200510		78201000		78202000	
	u		GRD MKR	TYPEA	GRD MKH	TYPEB	BAR WALL	MKR TYC	BAR WALL	WKH TY A	TERMINAL	MKR DA	TERMINAL.	MKR PM
Ðļr	siS e olis		White	Yellow	White	Yellow	White	Yellow	White	Yellow	Left	Hight	Left	High
юЯ.	oo'j Wije	Description	T	1	1	Ţ	1	1-	⊢	⊥	1	Ţ	T	⊢
US 136	147.85	SN 067-8024 0.6 mi E of CR 2500E	4	0	0	0	0	0	0	0	1	0	2	2
US 136		148.45 Box Culvert 1.2 mi E of CR 2500E	8	. 0	0	0	į q	0	0	0	0	0	2	8
US 136	148.55	148.55 SN 057-0185 .04 mi E of CR 2600E	92	Û	0	0	10	0	0	0	2	2	0	0
US 136	148.96	148.96 Box Culvert 0.3 ml W of CR 2700E	4	0	0	0	Ω	0	0	0	0	0	2	. 2
US 136	149,28	149.28 SN 057-0096 100 ft W of CH 2700E	ιŋ	0	0	0	62	0	0	0	٥	2	4	0
US 136	150,20	150.20 SN 057-0135 over I-74	13	0	0	0	12	0	0	0	2	2	0	0
US 136	153.27	153.27 SN 057-8043 at CH 3100E	4	ũ	0	0	0	0	0	0	0	7	. 0	0
US 136	154.08	154.08 Box Culvert 0,3 mi E of CR 3150E	mo	0	0	0	0	0	0	0	2	2	0	0
US 136	155.39	155.39 SN 057-8044 0.6 mi E of CR 3250E	10	0	0		0	٥	0	٥	N	2	0	o
SS 138	155.94	155.94 SN 057-0098 0.3 mi E of CR 3350E	10	0	0	•	2	0	0	0	2	2	0	0
US 136	156,80	156.80 SN 057-8045 0.1 mi E of CR 3450E	6	0	0	0	0	0	0	0	Ŋ	Z	0	0
US 136	157,11	157.11 SN 057-0218 0.4 mt E of CR 3450E	12	0	o	0	.0	0	0	0	2	2	0	0
US 136	163.72	163.72 SN 057-0100 0.5 ml E of CR 4100E	17	0	0	0	0	o	0	0	2	cu	0	0
US 150	127.76	127.76 SN 057-0073 8.2 Miles West of Co. Line	9	0	0	0	51	0	0	0	1	,	0	0
US 150	128.58	128.58 SN 057-0202 west of Uton Rd.	£			0	12	0	0	0	1	1	0	0
US 150	139,30	139,30 SN 057-0224 1,25 mi E of Bloamington	\$	0	0	0	_	0	0	0	2	2	0	0
US 150	143.33	143.33 No SN 1.5 mi W of Downs	0	0	54	0	0	Đ	0	0	2	9	0	0
US 150	144.43	144.43 SN 057-0181 at Downs	3	0	٥	0	2	0	0	0	2	1	0	O
US 150	153.20	153.20 SN 057-0241 east of West Grove Cemelery	47	0	0	0	9	0	Û	0	Ţ	2	0	
US 24	175.19	175.19 SN 057-0070 0.1 mi E of CR 2650E	14	0	Ð	0	0	0	0	0	2	2	0	0
US 24	178.11	178.11 SN 057-0071 100 It E of CR 2950E	56	0	0	0	Q	0	0	0	2	2	0	0
US 24	181,25	181.25 SN 057-0230 0.1 mi E of CH 3260E	27	0	0	0	2	Þ	0	0	0	0	0	0
US 51N	251.20	251.20 SN 057-0199 over US 136	4	Ť	0	0	4	5	0	0	1	,	0	٥
US 51N	252.12	252.12 SN 057-0197 over Kickapoo Creek	4	ý	0	0	Ĺ	8	0	0	ļ	-	0	0
US 51N	258.58	258.58 No Structure S of Crestwick Rd	7	0	0	0	0	0	0	0	0	1	Đ	0
US 51N	259.28	259.28 No Structure 0.5 ml S of I-74 intenchange	4	0	0	0	0	0	0	0	0	1	0	0
US 51N	259.59	259.59 No Structure S. end of ramp to EB1-74	5	Ð	۵	0	0	0	0	0	ũ	+	0	ô
US 51N	259.78	259.78 SN 057-0047 under 1-74	5	12	0	0	0	0	0	0	٠ ا	<b>,</b> -	6	c
US STN	262,38	262,38 SN 057-0193 next to Bloomington city storage	0	0	0	0	Q	0	0	0	0	0	0	0
US 51N	263.83	263.83 Overhead Sign Truss S of I-55 at ramp to 55N	4	9	0	0	0	0	0	0	0.	0	0	٥
USSIN	264.33	264.33 Sign Truss R001.90 .25 mi N of US51/1-39 JCT	2	0	0		0	0	. 0	0	0	0	0	0
US 51N	266.78	266.78 SN 057-0024/0025 I-55 over US 51	0	0	-	-	£		٥	0	2	2	0	0
US 51S	251.21	251.21 SN 057-0198 SB 51 over US 136	₹	4	O	0	1.03	ιΩ	٥	0	1	Ψ.	Û	0
US 51S	252.13	252.13 SN 057-0196 .01 ml S of CH 300N	4	4	0	0	9	9	0	0	1	2	0	ò
US 51S	258.33	258.33 SN 057-2011 0.2 mi S of CR 925N	7	0	-	0	0	0	0	0	O	0	0	¢
US 51S	259.08	269.08 SN 057-2012 0.7 mi S of 1-74	4	٥	0	0	0	0	û	0	0	Ţ	0	٥
US 515	259.78	259.78 SN 057-0048 at I-74 interchange	8	11	0	0	0	0	0	0	1	+	Đ	Ö
		SUBTOTALS	304	45	1/2	0	66	36	0	0	38	50	10	æ
		GRAND TOTALS	2712	416	įζ	951	411	473	O.	0	188	264	37	88
	1													

#### ILLINOIS DEPARTMENT OF LABOR

#### PREVAILING WAGES FOR MCLEAN COUNTY EFFECTIVE JULY 2007

The Prevailing rates of wages are included in the Contract proposals which are subject to Check Sheet #5 of the Supplemental Specifications and Recurring Special Provisions. The rates have been ascertained and certified by the Illinois Department of Labor for the locality in which the work is to be performed and for each craft or type of work or mechanic needed to execute the work of the Contract. As required by Prevailing Wage Act (820 ILCS 130/0.01, et seq.) and Check Sheet #5 of the Contract, not less than the rates of wages ascertained by the Illinois Department of Labor and as revised during the performance of a Contract shall be paid to all laborers, workers and mechanics performing work under the Contract. Post the scale of wages in a prominent and easily accessible place at the site of work.

If the Illinois Department of Labor revises the prevailing rates of wages to be paid as listed in the specification of rates, the contractor shall post the revised rates of wages and shall pay not less than the revised rates of wages. Current wage rate information shall be obtained by visiting the Illinois Department of Labor web site at <a href="http://www.state.il.us/agency/idol/">http://www.state.il.us/agency/idol/</a> or by calling 312-793-2814. It is the responsibility of the contractor to review the rates applicable to the work of the contract at regular intervals in order to insure the timely payment of current rates. Provision of this information to the contractor by means of the Illinois Department of Labor web site satisfies the notification of revisions by the Department to the contractor pursuant to the Act, and the contractor agrees that no additional notice is required. The contractor shall notify each of its subcontractors of the revised rates of wages.

### **Mclean County Prevailing Wage for July 2007**

Trade Name			-	Base	FRMAN *M-F>8			•	Pensn	Vac	Trng
ASBESTOS ABT-GEN	==	=== : BLD	=	25.810	26.560 1.5	1.5	2.0	6.050	5.780	0.000	0.600
ASBESTOS ABT-GEN		HWY		26.650		1.5			5.820	0.000	0.700
ASBESTOS ABT-MEC		BLD		23.300	24.800 1.5	1.5	2.0	7.860	4.910	0.000	0.000
BOILERMAKER		BLD		30.970	33.970 2.0	2.0	2.0	8.270	7.740	0.000	0.300
BRICK MASON		BLD		27.090	28.590 1.5	1.5	2.0	5.900	7.500	0.000	0.420
CARPENTER		BLD		28.660	29.660 1.5	1.5		6.750	7.000	0.000	0.320
CARPENTER		HWY		28.810	30.810 1.5	1.5	2.0		7.500	0.000	0.320
CEMENT MASON		ALL		25.670	26.420 1.5	1.5	2.0	5.050		0.000	0.400
CERAMIC TILE FNSHER		BLD		24.910	0.000 1.5	1.5	2.0		7.350	0.000	0.420
ELECTRIC PWR EQMT OP ELECTRIC PWR GRNDMAN		ALL ALL		30.750 21.090	0.000 1.5 0.000 1.5	1.5 1.5	2.0		8.610 5.905	0.000	0.000
ELECTRIC PWR GRNDMAN ELECTRIC PWR LINEMAN		ALL		34.160	36.350 1.5	1.5	2.0	4.750	9.560	0.000	0.000
ELECTRIC PWR TRK DRV		ALL		22.130	0.000 1.5	1.5	2.0	4.750	6.200	0.000	0.000
ELECTRICIAN		BLD		31.400	34.540 1.5	1.5	2.0	5.150		0.000	0.470
ELECTRONIC SYS TECH		BLD		24.290	25.790 1.5	1.5	2.0	5.150	3.730	0.000	0.250
ELEVATOR CONSTRUCTOR		BLD		34.190	38.460 2.0	2.0	2.0	8.275	6.060	2.050	0.000
FENCE ERECTOR	E	ALL		26.420	28.170 1.5	1.5	2.0	6.590	6.150	0.000	0.500
GLAZIER		BLD		27.020	27.770 1.5	1.5	2.0		5.750	0.000	0.500
HT/FROST INSULATOR		BLD		34.750	36.500 1.5	1.5			9.110		0.310
IRON WORKER	E	ALL		26.420		1.5	2.0		6.150	0.000	0.500
IRON WORKER	W	BLD		24.960	26.710 1.5	1.5	2.0	8.040	7.410	0.000	0.400
IRON WORKER	W	HWY		25.920 24.810	27.420 1.5 25.560 1.5	1.5 1.5	2.0	8.040 6.050	7.410 5.780	0.000	0.350
LABORER LABORER		BLD HWY		25.650	26.200 1.5	1.5	2.0		5.820	0.000	0.600
LABORER, SKILLED		BLD		24.810	25.560 1.5	1.5	2.0	6.050		0.000	0.600
LABORER, SKILLED		HWY		25.650	26.200 1.5	1.5	2.0	6.050		0.000	0.600
LATHER		BLD		28.660		1.5	2.0		7.000		0.320
MACHINERY MOVER	W	HWY		25.920	27.420 1.5	1.5	2.0	8.040	7.410	0.000	0.350
MACHINIST		BLD		38.390	40.390 2.0	2.0	2.0	4.880	6.550	2.650	0.000
MARBLE FINISHERS		BLD		24.910	0.000 1.5	1.5	2.0	6.250	7.350	0.000	0.420
MARBLE MASON		BLD		26.520	27.770 1.5	1.5	2.0	6.250	7.350	0.000	0.420
MILLWRIGHT		BLD		27.240	29.240 1.5	1.5	2.0	6.750	7.850		0.320
MILLWRIGHT		HWY	1	28.860	30.860 1.5 31.510 1.5	1.5	2.0	6.750	7.950	0.000	0.320
OPERATING ENGINEER OPERATING ENGINEER		BLD :		28.510 26.530	31.510 1.5 31.510 1.5	1.5 1.5	2.0	6.250 6.250	9.000	0.000	1.000
OPERATING ENGINEER OPERATING ENGINEER		BLD :		25.090	31.510 1.5	1.5	2.0		9.000		
OPERATING ENGINEER					32.110 1.5	1.5			9.000		
OPERATING ENGINEER					32.110 1.5	1.5			9.000		
OPERATING ENGINEER					32.110 1.5				9.000		
PAINTER		ALL		27.350	28.350 1.5	1.5	1.5	6.400	6.500	0.000	0.500
PAINTER SIGNS		BLD			32.520 1.5				2.310		
PILEDRIVER		BLD			30.160 1.5				7.000		
PILEDRIVER		HWY			31.810 1.5				7.500		
PIPEFITTER		BLD			37.750 1.5				6.900		
PLASTERER PLUMBER		BLD BLD			28.920 1.5 37.750 1.5				9.940 6.900		
ROOFER		BLD			25.200 1.5				6.550		
SHEETMETAL WORKER		BLD			29.130 1.5				9.310		
SIGN HANGER	W	HWY			27.420 1.5				7.410		
SPRINKLER FITTER		BLD			33.240 1.5				5.350		
STEEL ERECTOR	W	HWY		25.920	27.420 1.5	1.5	2.0	8.040	7.410	0.000	0.350
TERRAZZO FINISHER		BLD		24.910	0.000 1.5				7.350		
TERRAZZO MASON		BLD			27.770 1.5				7.350		
TILE MASON		BLD	1		27.770 1.5				7.350		
TRUCK DRIVER				21.320	0.000 1.5				3.550		
TRUCK DRIVER TRUCK DRIVER				21.640 21.800	0.000 1.5 0.000 1.5				3.550 3.550		
TRUCK DRIVER				22.000	0.000 1.5				3.550		
								00	_ , _ 5 5		

TRUCK	DRIVER		O&C 5	22.600	0.000	1.5	1.5	2.0	7.900	3.550	0.000	0.000
TRUCK	DRIVER	N	ALL 1	34.200	34.750	1.5	1.5	2.0	6.000	4.075	0.000	0.250
TRUCK	DRIVER	N	ALL 2	34.350	34.750	1.5	1.5	2.0	6.000	4.075	0.000	0.250
TRUCK	DRIVER	N	ALL 3	34.550	34.750	1.5	1.5	2.0	6.000	4.075	0.000	0.250
TRUCK	DRIVER	N	ALL 4	34.750	34.750	1.5	1.5	2.0	6.000	4.075	0.000	0.250
TRUCK	DRIVER	S	ALL 1	26.655	0.000	1.5	1.5	2.0	7.900	3.550	0.000	0.000
TRUCK	DRIVER	S	ALL 2	27.055	0.000	1.5	1.5	2.0	7.900	3.550	0.000	0.000
TRUCK	DRIVER	S	ALL 3	27.255	0.000	1.5	1.5	2.0	7.900	3.550	0.000	0.000
TRUCK	DRIVER	S	ALL 4	27.505	0.000	1.5	1.5	2.0	7.900	3.550	0.000	0.000
TRUCK	DRIVER	S	ALL 5	28.255	0.000	1.5	1.5	2.0	7.900	3.550	0.000	0.000

#### Legend:

M-F>8 (Overtime is required for any hour greater than 8 worked each day, Monday through Friday.

OSA (Overtime is required for every hour worked on Saturday)

OSH (Overtime is required for every hour worked on Sunday and Holidays)

H/W (Health & Welfare Insurance)

Pensn (Pension)

Vac (Vacation)

Trng (Training)

### **Explanations**

MCLEAN COUNTY

FENCE ERECTOR - See Ironworkers.

IRONWORKERS (EAST) - That part of the county East of a diagonal line from Heyworth to a point half way between Chenoa and Weston.

TEAMSTERS (NORTH) - North of a straight line starting on the west side where Route 24 crosses McClean County line in a southeasterly direction to the most south-southwestern corner of Livingston County.

The following list is considered as those days for which holiday rates of wages for work performed apply: New Years Day, Memorial/Decoration Day, Fourth of July, Labor Day, Veterans Day, Thanksgiving Day, Christmas Day. Generally, any of these holidays which fall on a Sunday is celebrated on the following Monday. This then makes work performed on that Monday payable at the appropriate overtime rate for holiday pay. Common practice in a given local may alter certain days of celebration such as the day after Thanksgiving for Veterans Day. If in doubt, please check with IDOL.

Oil and chip resealing (O&C) means the application of road oils and liquid asphalt to coat an existing road surface, followed by application of aggregate chips or gravel to coated surface, and subsequent rolling of material to seal the surface.

#### EXPLANATION OF CLASSES

ASBESTOS - GENERAL - removal of asbestos material/mold and hazardous materials from any place in a building, including mechanical systems

where those mechanical systems are to be removed. This includes the removal of asbestos materials/mold and hazardous materials from ductwork or pipes in a building when the building is to be demolished at the time or at some close future date.

ASBESTOS - MECHANICAL - removal of asbestos material from mechanical systems, such as pipes, ducts, and boilers, where the mechanical systems are to remain.

#### CERAMIC TILE FINISHER, MARBLE FINISHER, TERRAZZO FINISHER

Assisting, helping or supporting the tile, marble and terrazzo mechanic by performing their historic and traditional work assignments required to complete the proper installation of the work covered by said crafts. The term "Ceramic" is used for naming the classification only and is in no way a limitation of the product handled. Ceramic takes into consideration most hard tiles.

#### ELECTRONIC SYSTEMS TECHNICIAN

Installation, service and maintenance of low-voltage systems which utilizes the transmission and/or transference of voice, sound, vision, or digital for commercial, education, security and entertainment purposes for the following: TV monitoring and surveillance, background/foreground music, intercom and telephone interconnect, field programming, inventory control systems, microwave transmission, multi-media, multiplex, radio page, school, intercom and sound burglar alarms and low voltage master clock systems.

Excluded from this classification are energy management systems, life safety systems, supervisory controls and data acquisition systems not intrinsic with the above listed systems, fire alarm systems, nurse call systems and raceways exceeding fifteen feet in length.

#### LABORER, SKILLED - BUILDING

The skilled laborer building (BLD) classification shall encompass the following types of work, irrespective of the site of the work: tending of carpenters in unloading, handling, stockpiling and distribution operations, also other building crafts, mixing, handling, and conveying of all materials used by masons, plasterers and other building construction crafts, whether done by hand or by any process. The drying of plastering when done by salamander heat, and the cleaning and clearing of all debris. All work pertaining to and in preparation of asbestos abatement and removal. The building of scaffolding and staging for masons and plasterers. The excavations for buildings and all other construction, digging, of trenches, piers, foundations and holes, digging, lagging, sheeting, cribbing, bracing and propping of foundations, holes, caissons, cofferdams, and dikes, the setting of all guidelines for machine or hand excavation and subgrading. The mixing, handling, conveying, pouring, vibrating, gunniting and otherwise applying of concrete, whether by hand or other method of concrete for any walls, foundations, floors, or for other construction concrete sealant men. The wrecking, stripping, dismantling, and handling of concrete forms and false work, and the building of centers for fireproofing purposes. Boring machine, gas, electric or air in preparation for shoving pipe, telephone cable, and so forth, under highways, roads, streets and alleys. All hand and power operating cross cut saws when used for clearing. All work in compressed air construction. All work on acetylene burners in salvaging. The blocking and tamping of concrete. The laying of sewer tile and conduit, and pre-cast materials. The assembling and dismantling of all jacks and sectional scaffolding, including elevator construction and running of slip form jacks. The work of drill

running and blasting, including wagon drills. The wrecking, stripping, dismantling, cleaning, moving and oiling of forms. cutting off of concrete piles. The loading, unloading, handling and carrying to place of installation of all rods, (and materials for use in reinforcing) concrete and the hoisting of same and all signaling where hoist is used in this type of construction coming under the jurisdiction of the Laborers' Union. And, all other labor work not awarded to any other craft. Mortar mixers, kettlemen and carrier of hot stuff, tool crib men, watchmen (Laborer), firemen or salamander tenders, flagmen, deck hands, installation and maintenance of temporary gas-fired heating units, gravel box men, dumpmen and spotters, fencing Laborers, cleaning lumber, pit men, material checkers, dispatchers, unloading explosives, asphalt plant laborers, writer of scale tickets, fireproofing laborers, janitors, asbestos abatement and removal laborers, handling of materials treated with oil, creosote, chloride, asphalt, and/or foreign material harmful to skin or clothing, Laborers with de-watering systems, gunnite nozzle men, laborers tending masons with hot material or where foreign materials are used, Laborers handling masterplate or similar materials, laser beam operator, concrete burning machine operator, material selector men working with firebrick or combustible material, dynamite men, track laborers, cement handlers, chloride handlers, the unloading and laborers with steel workers and re-bars, concrete workers (wet), luteman, asphalt raker, curb asphalt machine operator, ready mix scalemen, permanent, portable or temporary plant drilling machine operator, plaster tenders, underpinning and shoring of buildings, fire watch, signaling of all power equipment, to include trucks excavating equipment, etc., tree topper or trimmer when in connection to construction, tunnel helpers in free air, batch dumpers, kettle and tar men, tank cleaners, plastic installers, scaffold workers, motorized buggies or motorized unit used for wet concrete or handling of building materials, sewer workers, rod and chain men, vibrator operators, mortar mixer operator, cement silica, clay, fly ash, lime and plasters, handlers (bulk or bag), cofferdam workers, on concrete paving, placing, cutting and tying of reinforcing, deck hand, dredge hand and shore laborers, bankmen on floating plant, asphalt workers with machine & layers, grade checker, power tools, caisson workers, lead man on sewer work, welders, cutters, burners and torch men, chain saw operators, paving breaker, jackhammer and drill operator, layout man and/or drainage tile layer, steel form setters -street and highway, air tamping hammerman, signal man on crane, concrete saw operator, screen man on asphalt pavers, front end man on chip spreader, multiple concrete duct -- lead man.

#### LABORER, SKILLED - HIGHWAY

The skilled laborer heavy and highway (HWY) classification shall encompass the following types of work, irrespective of the site of the work: handling of materials treated with oil, creosote, asphalt and/or any foreign materials harmful to skin or clothing, track laborers, chloride handlers, the unloading and loading with steel workers and re-bars, concrete workers (wet), tunnel helpers in free air, batch dumpers, mason tenders, kettle and tar men, plastic installers, scaffold workers, motorized buggies or motorized unit used for wet concrete or handling of building materials, laborers with de-watering systems, sewer workers plus depth, rod and chainmen, vibrator operators, mortar mixer operators, cement silica, clay, fly ash, lime and plasters, handlers (bulk or bag), cofferdam workers plus depth, on concrete paving, placing, cutting and tying or reinforcing, deck hand, dredge hand shore laborers, bankmen on floating plant, asphalt workers with machine, and layers, grade checker, power tools, stripping of all concrete forms excluding paving forms, dumpmen and spotters, when necessary, caisson workers plus depth, qunnite nozzle

men, welders, cutters, burners and torchmen, chain saw operators, paving breaker, jackhammer and drill operators, layout man and/or drainage tile layer, steel form setters - street and highway, air tamping hammerman, signal man on crane, concrete saw operator, screedman on asphalt pavers, front end man on chip spreader, multiple concrete duct, luteman, asphalt raker, curb asphalt machine operator, ready mix scalemen (portable or temporary plant), laser beam operator, concrete burning machine operator, and coring machine operator.

#### TRUCK DRIVER - BUILDING, HEAVY AND HIGHWAY CONSTRUCTION - SOUTH

- Class 1. Drivers on 2 axle trucks hauling less than 9 ton. Air compressor and welding machines and brooms, including those pulled by separate units, truck driver helpers, warehouse employees, mechanic helpers, greasers and tiremen, pickup trucks when hauling materials, tools, or workers to and from and on-the-job site, and fork lifts up to 6,000 lb. capacity.
- Class 2. Two or three axle trucks hauling more than 9 ton but hauling less than 16 ton. A-frame winch trucks, hydrolift trucks, vactor trucks or similar equipment when used for transportation purposes. Fork lifts over 6,000 lb. capacity, winch trucks, four axle combination units, and ticket writers.
- Class 3. Two, three or four axle trucks hauling 16 ton or more. Drivers on water pulls, articulated dump trucks, mechanics and working forepersons, and dispatchers. Five axle or more combination units.
- Class 4. Low Boy and Oil Distributors.
- Class 5. Drivers who require special protective clothing while employed on hazardous waste work.

#### TRUCK DRIVER - BUILDING, HEAVY AND HIGHWAY CONSTRUCTION - NORTH

- Class 1. Two or three Axle Trucks. A-frame Truck when used for transportation purposes; Air Compressors and Welding Machines, including those pulled by cars, pick-up trucks and tractors; Ambulances; Batch Gate Lockers; Batch Hopperman; Car and Truck Washers; Carry-alls; Fork Lifts and Hoisters; Helpers; Mechanics Helpers and Greasers; Oil Distributors 2-man operation; Pavement Breakers; Pole Trailer, up to 40 feet; Power Mower Tractors; Self-propelled Chip Spreader; Skipman; Slurry Trucks, 2-man operation; Slurry Truck Conveyor Operation, 2 or 3 man; Teamsters; Unskilled dumpman; and Truck Drivers hauling warning lights, barricades, and portable toilets on the job site.
- Class 2. Four axle trucks; Dump Crets and Adgetors under 7 yards; Dumpsters, Track Trucks, Euclids, Hug Bottom Dump Turnapulls or Turnatrailers when pulling other than self-loading equipment or similar equipment under 16 cubic yards; Mixer Trucks under 7 yeards; Ready-mix Plant Hopper Operator, and Winch Trucks, 2 Axles.
- Class 3. Five axle trucks; Dump Crets and Adgetors 7 yards and over; Dumpsters, Track Trucks, Euclids, Hug Bottom Dump Turnatrailers or turnapulls when pulling other than self-loading equipment or similar equipment over 16 cubic yards; Explosives and/or Fission Material Trucks; Mixer Trucks 7 yards or over; Mobile Cranes while in transit; Oil Distributors, 1-man operation; Pole Trailer, over 40 feet; Pole and Expandable Trailers hauling material over 50 feet long; Slurry trucks, 1-man operation; Winch trucks, 3 axles or more; Mechanic--Truck Welder and Truck Painter.

Class 4. Six axle trucks; Dual-purpose vehicles, such as mounted crane trucks with hoist and accessories; Foreman; Master Mechanic; Self-loading equipment like P.B. and trucks with scoops on the front.

#### TRUCK DRIVER - OIL AND CHIP RESEALING ONLY.

This shall encompass laborers, workers and mechanics who drive contractor or subcontractor owned, leased, or hired pickup, dump, service, or oil distributor trucks. The work includes transporting materials and equipment (including but not limited to, oils, aggregate supplies, parts, machinery and tools) to or from the job site; distributing oil or liquid asphalt and aggregate; stock piling material when in connection with the actual oil and chip contract. The Truck Driver (Oil & Chip Resealing) wage classification does not include supplier delivered materials.

#### OPERATING ENGINEERS - BUILDING

Class 1. Cranes; Overhead Cranes; Gradall; All Cherry Pickers; Mechanics; Central Concrete Mixing Plant Operator; Road Pavers (27E -Dual Drum - Tri Batchers); Blacktop Plant Operators and Plant Engineers; 3 Drum Hoist; Derricks; Hydro Cranes; Shovels; Skimmer Scoops; Koehring Scooper; Drag Lines; Backhoe; Derrick Boats; Pile Drivers and Skid Rigs; Clamshells; Locomotive Cranes; Dredge (all types) Motor Patrol; Power Blades - Dumore - Elevating and similar types; Tower Cranes (Crawler-Mobile) and Stationary; Crane-type Backfiller; Drott Yumbo and similar types considered as Cranes; Caisson Rigs; Dozer; Tournadozer; Work Boats; Ross Carrier; Helicopter; Tournapulls - all and similar types; Scoops (all sizes); Pushcats; Endloaders (all types); Asphalt Surfacing Machine; Slip Form Paver; Rock Crusher; Heavy Equipment Greaser; CMI, CMI Belt Placer, Auto Grade & 3 Track and similar types; Side Booms; Multiple Unit Earth Movers; Creter Crane; Trench Machine; Pump-crete-Belt Crete-Squeeze Cretes-Screw-type Pumps and Gypsum; Bulker & Pump -Operator will clean; Formless Finishing Machine; Flaherty Spreader similar types; Screed Man on Laydown Machine; Wheel Tractors (industrial or Farm-type w/Dozer-Hoe-Endloader or other attachments); F.W.D. & Similar Types; Vermeer Concrete Saw.

Class 2. Dinkeys; Power Launches; PH One-pass Soil Cement Machine (and similar types); Pugmill with Pump; Backfillers; Euclid Loader; Forklifts; Jeeps w/Ditching Machine or other attachments; Tuneluger; Automatic Cement and Gravel Batching Plants; Mobile Drills (Soil Testing) and similar types; Gurries and Similar Types; (1) and (2) Drum Hoists (Buck Hoist and Similar Types); Chicago Boom; Boring Machine & Pipe Jacking Machine; Hydro Boom; Dewatering System; Straw Blower; Hydro Seeder; Assistant Heavy Equipment Greaser on Spread; Tractors (Track type) without Power Unit pulling Rollers; Rollers on Asphalt -- Brick Macadem; Concrete Breakers; Concrete Spreaders; Mule Pulling Rollers; Center Stripper; Cement Finishing Machines & CMI Texture & Reel Curing Machines; Cement Finishing Machine; Barber Green or similar loaders; Vibro Tamper (All similar types) Self-propelled; Winch or Boom Truck; Mechanical Bull Floats; Mixers over 3 Bag to 27E; Tractor pulling Power Blade or Elevating Grader; Porter Rex Rail; Clary Screed; Truck Type Hoptoe Oilers; Fireman; Spray Machine on Paving; Curb Machines; Truck Crane Oilers; Oil Distributor; Truck-Mounted Saws.

Class 3. Air Compressor; Power Subgrader; Straight Tractor; Trac Air without attachments; Herman Nelson Heater, Dravo, Warner, Silent Glo, and similar types; Roller: Five (5) Ton and under on Earth or

Gravel; Form Grader; Crawler Crane & Skid Rig Oilers; Freight Elevators - permanently installed; Pump; Light Plant; Generator; Conveyor (1) or (2) - Operator will clean; Welding Machine; Mixer (3) Bag and Under (Standard Capacity with skip); Bulk Cement Plant; Oiler on Central Concrete Mixing Plant.

#### OPERATING ENGINEERS - HEAVY AND HIGHWAY CONSTRUCTION

Class 1. Cranes; Hydro Crane; Shovels; Crane Type Backfiller; Tower Cranes - Mobile & Crawler & Stationary; Derricks & Hoists (3 Drum); Draglines; Drott Yumbo & similar types considered as Cranes; Back Hoe; Derrick Boats; Pile Driver and Skid Rigs; Clam Shell; Locomotive - Cranes; Road Pavers - Single Drum - Dual Drum - Tri Batcher; Motor Patrols & Power Blades - Dumore - Elevating & Similar Types; Mechanics; Central Concrete Mixing Plant Operator; Asphalt Batch Plant Operators and Plant Engineers; Gradall; Caisson Rigs; Skimmer Scoop - Koering Scooper; Dredges (all types); Hoptoe; All Cherry Pickers; Work Boat; Ross Carrier; Helicopter; Dozer; Tournadozer; Tournapulls all and similar types; Multiple Unit Earth Movers; Scoops (all sizes); Pushcats; Endloaders (all types); Asphalt Surfacing Machine; Slip Form Paver; Rock Crusher; Heavy Equipment Greaser (top greaser on spread); CMI, Auto Grade, CMI Belt Placer & 3 Track and similar types; Side Booms; Starting Engineer on Pipeline; Asphalt Heater & Planer Combination (used to plane streets); Wheel Tractors (with dozer, hoe or endloader attachments); F.W.D. and Similar types; Blaw Knox Spreader and Similar types; Trench Machines; Pump Crete - Belt Crete - Squeeze Crete - screw type pumps and gypsum (operator will clean); Formless Finishing Machines; Flaherty Spreader or similar types; Screed Man on Laydown Machine; Vermeer Concrete Saw.

Class 2. Bulker & Pump; Power Launches; Boring Machine & Pipe Jacking Machine; Dinkeys; P-H One Pass Soil Cement Machines and similar types; Wheel Tractors (Industry or farm type - other); Back Fillers; Euclid Loader; Fork Lifts; Jeep w/Ditching Machine or other attachments; Tunneluger; Automatic Cement & Gravel Batching Plants; Mobile Drills - Soil Testing and similar types; Pugmill with pump; All (1) and (2) Drum Hoists; Dewatering System; Straw Blower; Hydro-Seeder; Boring Machine; Hydro-Boom; Bump Grinders (self-propelled); Assistant Heavy Equipment Greaser; Apsco Spreader; Tractors (track-type) without Power Units Pulling Rollers on Asphalt - Brick or Macadam; Concrete Breakers; Concrete Spreaders; Cement Strippers; Cement Finishing Machines & CMI Texture & Reel Curing Machines; Vibro-Tampers (all similar types self-propelled); Mechanical Bull Floats; Self-propelled Concrete Saws; Mixers-over three (3) bags to 27E; Winch and Boom Trucks; Tractor Pulling Power Blade or Elevating Grader; Porter Rex Rail; Clary Screed; Mule Pulling Rollers; Pugmill without Pump; Barber Greene or similar Loaders; Track Type Tractor w/Power Unit attached (minimum); Fireman; Spray Machine on Paving; Curb Machines; Paved Ditch Machine; Power Broom; Self-Propelled Conveyors; Power Subgrader; Oil Distributor; Straight Tractor; Truck Crane Oiler; Truck Type Oilers; Directional boring machine; Horizontal directional drill.

Class 3. Straight framed articulating end dump vehicles and Truck mounted vac unit (separately powered); Trac Air Machine (without attachments); Herman Nelson Heater, Dravo Warner, Silent Glo & similar types; Rollers - five ton and under on earth and gravel; Form Graders; Pumps; Light Plant; Generator; Air Compressor (1) or (2); Conveyor; Welding Machine; Mixer - 3 bags and under; Bulk Cement Plant; Oilers.

Other Classifications of Work:

For definitions of classifications not otherwise set out, the Department generally has on file such definitions which are available. If a task to be performed is not subject to one of the classifications of pay set out, the Department will upon being contacted state which neighboring county has such a classification and provide such rate, such rate being deemed to exist by reference in this document. If no neighboring county rate applies to the task, the Department shall undertake a special determination, such special determination being then deemed to have existed under this determination. If a project requires these, or any classification not listed, please contact IDOL at 618/993-7271 for wage rates or clarifications.

#### LANDSCAPING

Landscaping work falls under the existing classifications for laborer, operating engineer and truck driver. The work performed by landscape plantsman and landscape laborer is covered by the existing classification of laborer. The work performed by landscape operators (regardless of equipment used or its size) is covered by the classifications of operating engineer. The work performed by landscape truck drivers (regardless of size of truck driven) is covered by the classifications of truck driver.