









F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
180	(06-2B-1)I	BUREAU	14	7

BM #1 SOUTHWEST CORNER PARAPET WALL EL. 100.00



**LEGEND**

-  REMOVE AND REPLACE PCC SLOPEWALL
-  SLOPEWALL REMOVAL STONE RIPRAP CLASS A4
-  EXISTING BRUSH/OVERGROWTH
-  RIPRAP
-  EXISTING SAPLINGS
-  PIPE CULVERT
-  MEDIAN INLET

**ELEVATION**  
LOOKING EAST

**GENERAL NOTES**

PLAN DIMENSIONS AND DETAILS RELATIVE TO EXISTING PLANS ARE SUBJECT TO ROUTINE VARIATIONS. THE CONTRACTOR SHALL FIELD VERIFY EXISTING DIMENSIONS AND DETAILS AFFECTING NEW CONSTRUCTION AND MAKE NECESSARY APPROVED ADJUSTMENTS PRIOR TO CONSTRUCTION OR ORDERING OF MATERIALS. SUCH VARIATIONS SHALL NOT BE CAUSE FOR ADDITIONAL COMPENSATION FOR A CHANGE IN SCOPE OF THE WORK, HOWEVER, THE CONTRACTOR WILL BE PAID FOR THE QUANTITY ACTUALLY FURNISHED BASED UPON THE UNIT PRICE BID FOR THE WORK.


AFTER THE SLOPEWALL REMOVAL OPERATIONS HAVE BEEN COMPLETED, THE ENGINEER SHALL INSPECT AND VERIFY IF EXISTING VOIDS ARE PRESENT AND ARE UNDERMINING THE ABUTMENT. IF THE ENGINEER DETERMINES THAT VOIDS ARE PRESENT, THE CONTRACTOR SHALL COMPLETELY FILL THE VOIDS WITH "CONTROLLED LOW-STRENGTH MATERIAL" PRIOR TO EXCAVATING OR PLACING RIPRAP.

THE FINISHED GRADE AND SLOPE OF THE RIPRAP SHALL MATCH THE EXISTING GRADE AND SLOPE OF THE CONCRETE SLOPEWALL.

THE CONTRACTOR SHALL REMOVE ALL UNSUITABLE MATERIAL PRIOR TO PLACING THE RIPRAP.

SUITABLE EXCAVATED MATERIAL, AS APPROVED BY THE ENGINEER, MAY BE PLACED IN THE LOWEST EXISTING ELEVATION WITHIN THE SLOPEWALL REMOVAL AREA.

EXISTING RIPRAP ADJACENT TO THE CONCRETE SLOPEWALL SHALL BE REMOVED. COST INCURRED BY THIS REMOVAL OPERATION SHALL BE INCLUDED IN THE COST OF THE SLOPEWALL REMOVAL.



**PLAN**

REVISIONS	
NAME	DATE

ILLINOIS DEPARTMENT OF TRANSPORTATION  
**GENERAL PLAN AND ELEVATION**  
FAI ROUTE 180 SECTION (06-2B-1)I  
BUREAU COUNTY  
STA. 521+42  
S.N. 006-0052 NB

Date: April 5, 2007  
c:/projects/cmain/cm312/details.dgn