



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

July 26, 2007

SUBJECT: FAU Route 8384
(Outer Belt West)
Project HPP-4091(14)
Section 05-00094-01-PV & 03-00098-00-BR (Effingham)
Effingham County
Contract No 95503
Item 75 B
August 3, 2007 Letting

TO PROSPECTIVE BIDDERS:

To clarify information it is necessary to revise the following:

Proposal- Revised page 5 of the Special Provisions

Plan- Revised Sheet 4.

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal. Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Since the proposal sheets are printed back to back, bidders are cautioned to exercise care when inserting revised and/or added special provisions into their proposals.

Please call 217-782-7806 if any of the above-described material is not included in this transmittal.

Very truly yours,

Eric Harm
Interim Engineer of Design and Environment

A handwritten signature in cursive script, reading "Ted B. Walschleger" followed by a small "P.E." to the right.

By: Ted B. Walschleger, P. E.
Engineer of Project Management

Telephone

Illinois Consolidated
Communications

P.O. Box 523
Effingham, IL 62401

The location of existing utilities as shown on the plans represents the best information available. Where possible conflicts exist, the Contractor shall conduct his activities in a manner to protect the utilities.

FERTILIZING AND SEEDING

Revised 7-26-07

All earth surfaces disturbed by the Contractor shall be seeded in accordance with Section 250 and mulched in accordance with Section 251, Mulch, Method 2, Procedure 1 of the Standard Specifications. All areas shall receive SEEDING, CLASS 2 SPECIAL. Fertilizer nutrients, limestone, and mulch shall be applied as hereinafter specified except that the fertilizer nutrients, limestone, and mulch will not be paid for separately but shall be included in the unit bid price for SEEDING, CLASS 2 SPECIAL.

<u>Item</u>	<u>Application Per Acre</u>
Seeding, Class 2 Special	Class 2
Nitrogen Fertilizer Nutrient	90 LB.
Phosphorus Fertilizer Nutrient	90 LB.
Potassium Fertilizer Nutrient	90 LB.
Agricultural Ground Limestone	2 Tons
Mulch, Method 2, Procedure 1	2 Tons

Spring seeding shall be done between January 1 and June 30. Fall seeding shall be done between July 1 and December 31.

OPEN BURNING

Revised 7-26-07

Open burning will be allowed in accordance with Section 202.03 of the Standard Specifications.

OVERHAUL

No payment for Overhaul will be allowed for earth hauled from any source.

CUTTING EXISTING SIDEWALK, CURB AND GUTTER, OR PAVEMENT

At locations where it is necessary to cut concrete sidewalk, concrete curb and gutter, or P.C.C. or bituminous pavement for removal and replacement, a uniformly straight cut shall be obtained by the use of a pavement saw. The use of pneumatic tools to make these cuts will not be allowed.

Where new PC Concrete Pavement or Combination Concrete Curb and Gutter is to be placed against existing concrete pavement and the existing pavement, curb or combination curb and gutter is to be removed, the existing pavement shall be sawed full depth (including sawing