

July 31, 2017

SUBJECT: Waukegan National Airport Waukegan, Illinois Lake County Illinois Project Number: UGN-4589 SBG Project Number: 3-17-SBGP-TBD Contract No. WA072 Item No. 03A, August 4, 2017 Letting Addendum B

NOTICE TO PROSPECTIVE BIDDERS

Attached is an addendum to the Plans, Special Provisions, and Schedule of Prices. This addendum involves revised and/or deleted material.

Reason for Addendum:

Construction Plan, Special Provision and Schedule of Prices Revisions, issued as Addendum B.

To All Plan Holders:

Construction Plan Changes:

Replace Existing Plan Sheet 1 with Revised Plan Sheet 1 - Add Addendum 2 to Revision Table.

Replace Existing Plan Sheet 2 with Revised Plan Sheet 2

- Revised Summary of Quantities.

Replace Existing Plan Sheet 3 with Revised Plan Sheet 3

- Revised Construction Limit Line.

Replace Existing Plan Sheet 5 with Revised Plan Sheet 5

Revised Alignment.

Replace Existing Plan Sheet 8 with Revised Plan Sheet 8

- Revised Limits of Seeding and Mulching.

Replace Existing Plan Sheet 12 with Revised Plan Sheet 12

- Revise Limits of Existing Fence Removal; Delete Relocate Class C Fence

Replace Existing Plan Sheet 19 with Revised Plan Sheet 19

- Revise End of Improvement Station; Delete Relocate Class C Fence.

Replace Existing Plan Sheet 20 with Revised Plan Sheet 20

- Delete Relocate Class C Fence.

Special Provisions Changes:

Replace Special Provisions Cover Page with Revised Cover Page

- Add Addendum B and addendum date.

Replace Special Provisions Page 26 with Revised Page 26

- Delete Relocate Class C Fence.

Replace Special Provisions Page 27 with Revised Page 27

- Delete Relocate Class C Fence.

Schedule of Prices Changes:

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal. Bidders are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Questions on this addendum may be directed to Mr. Ronald M. Hudson, AICP, of Hanson Professional Services Inc., at 630.368.2059, or rhudson@hanson-inc.com.


CONSTRUCTION PLANS

INSTALL SECURITY/WILDLIFE FENCE, PHASE 4

WAUKEGAN PORT DISTRICT WAUKEGAN NATIONAL AIRPORT (UGN) WAUKEGAN, LAKE COUNTY, ILLINOIS


SBG PROJECT NO. 3-17-SBGP-TBD IDA PROJECT NO. UGN-4589

PLAN DATE: JUNE 9, 2017



NOTICE TO CONTRACTORS AND BIDDERS

THESE CONSTRUCTION PLANS RELY UPON THE SPECIAL PROVISIONS AND THE SPECIFICATIONS TO PROVIDE FOR A COMPLETE DESCRIPTION OF THE WORK AND CONSTRUCTION REQUIREMENTS. THE PLANS SHALL ONLY BE USED IN COMBINATION WITH ALL CONTRACT DOCUMENTS.






Date of Plans

EXD 11/30/17

JUNE 9, 2017

Date

WA072 TOTAL SHEETS = 35






Airport Manager

| | INDEX OF SHEETS |
|-----------|--|
| SHEET NO. | TITLE |
| 1 | COVER SHEET |
| 2 | SHEET INDEX AND SUMMARY OF QUANTITIES |
| 3 | SITE PLAN AND GENERAL NOTES |
| 4 | CONSTRUCTION SAFETY AND PHASING PLAN NOTES |
| 5 | ALIGNMENT DATA TABLE |
| 6-8 | LANDSCAPING AND SWPP PLAN |
| 9 | DRAINAGE AND EROSION CONTROL DETAILS |
| 10-12 | REMOVAL PLAN |
| 13-20 | PLAN AND PROFILE |
| 21-22 | FENCE DETAILS |
| 23 | 26' ELECTRICAL SLIDE GATE DETAILS |
| 24 | ELECTRICAL LEGEND AND ABBREVIATIONS |
| 25 | ELECTRICAL SITE PLAN |
| 26 | ELECTRICAL SLIDE GATE DETAILS |
| 27 | GATE OPERATOR DETAILS |
| 28 | KEYPAD UNIT AND BOLLARD DETAILS |
| 29 | DUCT DETAILS AND INSTALLATION NOTES |
| 30 | CONDUIT TRENCH DETAILS |
| 31 | ELECTRICAL NOTES |
| 32 | FIRE STATION GATE 9 ELECTRICAL ONE-LINE |
| 33 | SERVICE PANELBOARD SCHEDULE AND DETAILS |
| 34 | GROUNDING DETAILS |
| 35 | GROUNDING NOTES |

| | SUMMARY OF QUANTITIES | | |
|----------|-----------------------|--------------------------------------|-------------|
| ITEM NO. | | DESCRIPTION | UNIT |
| AR109535 | * | ELECTRIC SERVICE ENTRANCE | LUMP SUM |
| AR150510 | | ENGINEER'S FIELD OFFICE | LUMP SUM |
| AR151450 | | CLEARING AND GRUBBING | ACRE |
| AR156510 | | SILT FENCE | LINEAR FOOT |
| AR156531 | * | EROSION CONTROL BLANKET | SQUARE YARD |
| AR161900 | * | REMOVE CLASS C FENCE | LINEAR FOOT |
| AR161960 | * | RELOCATE CLASS C FENCE | LINEAR FOOT |
| AR162628 | * | CLASS E GATE - 28' | EACH |
| AR162726 | * | ELECTRIC GATE - 26' | EACH |
| AR162900 | * | REMOVE CLASS E FENCE | LINEAR FOOT |
| AR162908 | * | REMOVE ELECTRIC GATE | EACH |
| AR208606 | | 6" AGGREGATE BASE COURSE | SQUARE YARD |
| AR501604 | | 4" PCC SIDEWALK | SQUARE FOOT |
| AR800944 | * | CL. E FENCE 10' BARB W/ 2' BUR. GALV | LINEAR FOOT |
| AR800945 | * | CLASS E FENCE 8' GALV | LINEAR FOOT |
| AR901510 | * | SEEDING | ACRE |
| AR905520 | | TOPSOILING (FROM OFF SITE) | CUBIC YARD |
| AR908510 | * | MULCHING | ACRE |

* DENOTES SPECIALTY ITEM

 \triangle





Offices Nationwide www.hanson-inc.com

Hanson Professional Services Inc. 815 Commerce Drive, Suite 200 Oak Brook, IL 60523 phone: 630.990.3800 fax: 630.990.3801

Illinois Licensed Professional Service Corporation #184-001084



WAUKEGAN NATIONAL AIRPORT WAUKEGAN PORT DISTRICT 2601 Plane Rest Drive Waukegan, Illinois 60087 Telepone: 847.244.0055 Fax: 847.244.3813


INSTALL SECURITY/ WILDLIFE FENCE, PHASE 4

IDA No: UGN-4589 SBG No: 3-17-SBGP-TBD

Contract No: WA072

| | | | _ | |
|---------------|------------------|---------------|---------|--------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| в | 7/31/17 | Delete | e Item | 161 |
| D | //31/17 | LDH | LDH | RMH |
| А | 7/3/17 | Add S | Special | Items |
| A | //3/17 | RMH | RMH | LDH |
| NO | | DES | CRIPT | ION |
| NO. | DATE | DES | DWN | REV |
| SSUE: | June 9, | 2017 | | |
| ROJE | CT NO: 1 | 6A008 | 8 | |
| AD FIL | E: 02-S | OQ.DV | VG | |
| ESIGN | BY: KN | IS 05/ | 09/201 | 7 |
| RAWN | BY: KM | S 05/1 | 0/2017 | 7 |
| REVIEW | /ED BY: | RMH | 06/0 | 07/201 |
| Copyright Har | son Professional | Services Inc. | 2013 | |
| SHEET | TITLE | | | |
| | | | | |

SHEET INDEX AND SUMMARY OF QUANTITIES



GENERAL NOTES

PROJECT DESCRIPTION

- PLACEMENT OF TEMPORARY EROSION CONTROL MEASURES.
 - CLEARING AND GRUBBING
- AND EROSION CONTROL FACILITIES.
- INSTALL CHAIN-LINK FENCING.
- CONSTRUCT ELECTRICAL POWER AND CONTROL CABLING AND EQUIPMENT.
- CONSTRUCT PCC SIDEWALK.

PROTECTION OF EXISTING AIRPORT FACILITIES

THE CONTRACTOR IS TO BE RESPONSIBLE FOR THE PROTECTION OF EXISTING UNDERGROUND AND OVERHEAD UTILITIES AND LIGHTING EQUIPMENT: DRIVEWAY AND ROAD PAVEMENT AND SHOULDERS: RUNWAY, TAXIWAY AND APRON PAVEMENTS AND SHOULDERS, RUNWAY, TAXIWAY AND AIRPORT LIGHTING EQUIPMENT, AND SEEDED AND TURFED AREAS THAT ARE UTILIZED IN OR AFFECTED BY THE CONTRACTOR'S ACTIVITIES. ITEMS DAMAGED BY THE CONTRACTOR ARE TO BE REPAIRED AT CONTRACTOR'S EXPENSE AND TO THE SATISFACTION OF AIRPORT MANAGER AND THE OWNER'S REPRESENTATIVE.

IN ADDITION, WHEN CONDITIONS DICTATE OR AS DETERMINED BY THE AIRPORT MANAGER OR THE OWNER'S REPRESENTATIVE, THE CONTRACTOR SHALL BE REQUIRED TO USE A PICK-UP TYPE SWEEPER IN ALL ACTIVE CONSTRUCTION PAVEMENT AREAS. THE CONTRACTOR WILL BE REQUIRED TO HAVE A SWEEPER AVAILABLE FOR USE AT ALL TIMES. THE COST OF SWEEPING SHALL BE CONSIDERED INCIDENTAL TO THE CONTRACT.

THE CONTRACTOR SHALL BE RESPONSIBLE FOR CONTACTING THE FAA (SMO) THROUGH THE RESIDENT ENGINEER TO LOCATE ALL FAA CABLES ON THE PROJECT SITE. ALL FAA CABLES SHALL BE PROTECTED AT ALL TIMES.

CONTRACTOR'S ACCESS AND TEMPORARY FACILITIES

CONTRACTOR'S ACCESS TO THE PROJECT WHEN ON AIRPORT PROPERTY IS SHOWN ON THIS SHEET. CONTRACTOR'S ACCESS TO THE AIRPORT ITSELF IS TO BE PROVIDED BY PUBLIC RIGHTS-OF-WAY. THE CONTRACTOR IS TO SECURE ALL NECESSARY PERMITS FOR THE USE OF ANY PUBLIC RIGHTS-OF-WAY AND IS TO MAINTAIN TRAFFIC ON THESE PUBLIC ROADS AT ALL IMES, WITH THE COSTS OF PERMITING, CALCAPARINIC OF PAVEWENT DAMAGED BY CONTRACTOR'S ACTIVITES INCIDENTAL TO THE CONTRACT. USE OF AND REPAIRS TO ANY PUBLIC FACILITIES ARE TO BE COMPLETED TO THE SATISFACTION OF THE FACILITY'S OWNER.

HEAVY VEHICLES SHALL NOT CROSS EXISTING PAVEMENT SURFACES EXCEPT AS APPROVED BY THE AIRPORT MANAGER AND THE OWNER'S REPRESENTATIVE. ANY DAMAGE TO PAVEMENTS THAT MAY OCCUR BY THE CONTRACTOR'S ACTIVITIES SHALL BE REPAIRED AT THE CONTRACTOR'S EXPENSE AND TO THE SATISFACTION OF THE AIRPORT MANAGER AND THE OWNER'S

THE CONTRACTOR IS TO PROVIDE AN EQUIPMENT, STORAGE AND PARKING AREA AT THE LOCATION SHOWN ON THIS SHEET. IT IS THE CONTRACTOR'S RESPONSIBILITY TO MAINTAIN THE ACCESS ROADS AND THE STORAGE AREA DURING CONSTRUCTION AND TO RESTORE THE AREAS AT PROJECT COMPLETION TO CONDITIONS SUITABLE TO THE AIRPORT MANAGER AND THE OWNER'S REPRESENTATIVE. AT THE AIRPORT MANAGER SUSCEPTION, THE TEMPORARY FACILITIES MAY REMAIN, BUT THEY MUST BE LEFT IN CONDITIONS SUITABLE TO THE AIRPORT MANAGER. THE COST OF PROVIDING, MAINTAINING AND RESTORING THE TEMPORARY FACILITIES IS INCIDENTAL TO THE CONTRACT.

RESPONSIBILITY FOR EXISTING UTILITIES

THE LOCATION, SIZE AND/OR TYPE OF MATERIAL OF EXISTING UNDERGROUND OR OVERHEAD UTILITIES AS MAY BE INDICATED ON THESE CONSTRUCTION PLANS IS NOT REPRESENTED AS BEING ACCURATE, SUFFICIENT OR COMPLETE. NEITHER THE OWNER NOR THE PROJECT ENGINEER HAVE INDEPENDENTLY VERIFIED THIS INFORMATION AND NEITHER ASSUMES ANY RESPONSIBILITY WHATSOEVER IN RESPECT TO THE ACCURACY, SUFFICIENCY OR COMPLETENESS OF THE ASSOCIATION AND GIVE INTERSECTED AND ADDRESS OF INFLEX CONTROL AND AND ADDRESS OF THE ASSOCIATION AND ADDRESS OF ADDRESS OF INFLEX CONDITIONS INDICATED ARE REPRESENTATIVE OF ACTUAL CONDITIONS TO BE ENCOUNTERED.

IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO DETERMINE THE ACTUAL LOCATION OF ALL SUCH FACILITIES, INCLUDING SERVICE CONNECTIONS TO UNDERGROUND UTILITIES. PRIOR TO CONSTRUCTION, THE CONTRACTOR SHALL NOTIFY ALL UTILITY COMPANIES AND AGENCIES OF HIS CONSTRUCTION PLANS AND SHALL OBTAIN FROM EACH PARTY DETAILED INFORMATION AND ASSISTANCE RELATIVE TO THE LOCATION OF ALL UTILITIES AND THE WORKING SCHEDULE OF ANY REMOVALS OR ADJUSTMENTS REQUIRED OF THE UTILITY. THE CONTRACTOR SHALL <u>CONTACT JULIE. (PHONE</u> 800-892-0123) TO ASSIST IN THE ABOVE

CONTACT THE FAA (FEDERAL AVIATION ADMINISTRATION) FOR ASSISTANCE IN LOCATING FAA CABLES AND UTILITIES. LOCATION OF FAA POWER, CONTROL, AND COMMUNICATION CABLES SHALL BE COORDINATED WITH AND/OR LOCATED BY

THE CONTRACTOR SHALL PROTECT ANY FACILITIES TO THE SATISFACTION OF THE UTILITY OR OWNING-AGENCY WITH THE COST OF ANY REQUIRED PROTECTION TO BE INCIDENTAL TO THE CONTRACT. IN THE EVENT A UTILITY LINE OR SERVICE IS UNEXPECTEDLY ENCOUNTERED DURING CONSTRUCTION, THE CONTRACTOR SHALL IMMEDIATELY NOTIFY THE OWNER'S REPRESENTATIVE AND THE UTILITY COMPANY OR AGENCY OF JURISDICTION. ANY SUCH UTILITES DISTURBED BY THE CONTRACTOR'S OPERATIONS SHALL BE RESTORED TO SERVICE IMMEDIATELY.

THE CONTRACTOR IS TO COORDINATE GATE SECURITY, THROUGH THE RESIDENT ENGINEER, WITH THE AIRPORT MANAGEMENT. AIRPORT SECURITY SHALL BE MAINTAINED AT ALL TIMES.

EXISTING CONTROL POINTS

- N 2095587.482 SACS 1 1109729.492 ELEV. 705.1
- 2. STATIONS, OFFSETS AND ELEVATIONS SHOWN ARE IN FEFT
- THE APPROACH END OF RUNWAY 5 IS STATION 100+00. THE APPROACH END OF RUNWAY 32 IS STATION 200+00.
- THE AIRPORT REFERENCE CODE FOR RUNWAY 14-32 IS B-II WITH VISUAL APPROACHES ON BOTH RUNWAY 14 AND RUNWAY 32.

THE AIRPORT REFERENCE CODE FOR RUNWAY 5–23 IS D-III WITH NONPRECISION APPROACH GREATER THAN 3/4 MILE FOR RUNWAY 5 AND PRECISION APPROACH TO RUNWAY 23.

| | RUNWAY | END COORDINATES | | |
|---------------|------------------|------------------|-----------|-----------|
| DESCRIPTION | LATITUDE | LONGITUDE | STATION | ELEVATION |
| RUNWAY 5 END | 42° 24' 57.07" N | 87° 52' 32.19" W | 100+00.00 | 724.7 |
| RUNWAY 23 END | 42° 25' 36.37" N | 87° 51' 32.33" W | 159+98.75 | 723.1 |
| RUNWAY 14 END | 42° 25' 39.58" N | 87° 52' 22.73" W | 237+49.94 | 727.8 |
| RUNWAY 14 END | 42° 25' 35.65" N | 87° 52' 18.90" W | 232+59.41 | 727.6 |
| RUNWAY 32 END | 42° 25' 09.54" N | 87° 51' 53.48" W | 200+00.00 | 712.1 |
| | | | | |

NO.

3

5

THIS PROJECT IS TO EXTEND THE PERIMETER FENCING AND INSTALL GATES AT WAUKEGAN NATIONAL AIRPORT INCLUDING, AMONG OTHER INCIDENTAL WORK, THE FOLLOWING ITEMS:

- PROVIDE SELECT GRADING OF EARTH TO RE-GRADE FENCE LINE AND TO ACCOMMODATE GRADE CHANGES

- INSTALL ELECTRIC VEHICULAR SLIDING GATE AND MANUAL VEHICULAR SWING GATES.

- TOPSOIL, SEED, AND MULCH FENCE LINE AND DISTURBED AREAS.

| 2098251.587 1112341.241 | SACS 2 | N 2096854.703 E 1110827.340 |
|----------------------------|--------|--------------------------------|
| EV. 717.6 | | ELEV. 709.1 |
| IOT SHOWN) | | |

| R | ΠNW/Δ\ | FND | COORDINATES | |
|---|--------|-----|-------------|--|



Offices Nationwide www.hanson-inc.com

Hanson Professional Services Inc. 815 Commerce Drive, Suite 200 Oak Brook, IL 60523 phone: 630.990.3800 fax: 630.990.3801

Illinois Licensed Professional Service Corporation #184-001084



WALKEGAN NATIONAL AIRPORT WAUKEGAN PORT DISTRICT 2601 Plane Rest Drive Waukegan, Illinois 60087 Telepone: 847.244.0055 Fax: 847 244 3813


INSTALL SECURITY/ WILDLIFE FENCE. PHASE 4

IDA No: UGN-4589 SBG No: 3-17-SBGP-TBD

Contract No: WA072

| | в | 7/31/17 | Delete | e Item | 161 |
|---|-----------------|-------------------|---------------|--------|---------|
| | D | //31/17 | LDH | LDH | RMH |
| | NO. | DATE | DES | CRIPT | ION |
| | NO. | DATE | DES | DWN | REV |
| j | SSUE: | June 9, | 2017 | | |
| Ì | PROJE | CT NO: 1 | 6A008 | 8 | |
| Ì | CAD FIL | E: 03-S | TEPL | AN.DV | VG |
| i | DESIGN | BY: KN | IS 3/2 | 3/2017 | |
| i | DRAWN | BY: KM | S 3/23 | 8/2017 | |
| i | REVIEW | /ED BY: | RMH | 06/0 | 07/2017 |
| - | © Copyright Har | nson Professional | Services Inc. | 2013 | |
| | SHEET | TITLE | | | |
| | | | | | |

SITE PLAN AND **GENERAL NOTES**



0.01, 2017 10:04 AM HAUSM00682



Offices Nationwide www.hanson-inc.com

Hanson Professional Services Inc. 815 Commerce Drive, Suite 200 Oak Brook, IL 60523 phone: 630.990.3800 fax: 630.990.3801

Illinois Licensed Professional Service Corporation #184-001084



WAUKEGAN NATIONAL AIRPORT WAUKEGAN PORT DISTRICT 2601 Plane Rest Drive Waukegan, Illinois 60087 Telepone: 847.244.0055 Fax: 847.244.3813

INSTALL SECURITY/ WILDLIFE FENCE, PHASE 4


IDA No: UGN-4589 SBG No: 3-17-SBGP-TBD

Contract No: WA072


| | | | - | |
|----------------|-------------------|---------------|--------|--------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| в | 7/04/47 | Delet | e Item | 161 |
| В | 7/31/17 | LDH | LDH | RMH |
| NO | DATE | DES | CRIPT | ION |
| NO. | DATE | DES | DWN | REV |
| ISSUE: | June 9, | 2017 | | |
| PROJE | CT NO: 1 | 6A008 | 8 | |
| CAD FIL | E: 05-AI | LIGN. | DWG | |
| DESIGN | BY: LD | H 04/ | 10/201 | 7 |
| DRAWN | BY: KM | S 05/0 | 8/2017 | 7 |
| REVIEV | /ED BY: | RMH | 06/0 | 07/201 |
| © Copyright Ha | nson Professional | Services Inc. | 2013 | |
| SHEET | TITLE | | | |
| | | | | |

ALIGNMENT DATA TABLE





JG 01, 2017 10:03 AM HAUSM00682 16.DBS116A0088116A0088DICADVAIRPORTISHEETIREVISION 02 - 31 JULY 1708-SWI





Offices Nationwide www.hanson-inc.com

Hanson Professional Services Inc. 815 Commerce Drive, Suite 200 Oak Brook, IL 60523 phone: 630.990.3800 fax: 630.990.3801

Illinois Licensed Professional Service Corporation #184-001084



WAUKEGAN NATIONAL AIRPORT WAUKEGAN PORT DISTRICT 2601 Plane Rest Drive Waukegan, Illinois 60087 Telepone: 847.244.0055 Fax: 847.244.3813

INSTALL SECURITY/ WILDLIFE FENCE, PHASE 4


IDA No: UGN-4589 SBG No: 3-17-SBGP-TBD

Contract No: WA072

| _ | 7/31/17 | Delete Item 161 | | |
|-----------------|-------------------|-----------------|--------|--------|
| В | | LDH | LDH | RMH |
| NO. | DATE | DES | CRIPT | ION |
| | | DES | DWN | REV |
| SSUE: | June 9, | 2017 | | |
| PROJEC | CT NO: 1 | 6A008 | 8 | |
| CAD FIL | E: 12-R | EMOV | AL PL | AN -3. |
| DESIGN | BY: LD | H 04/0 | 06/201 | 7 |
| DRAWN | BY: KM | S 05/0 | 8/2017 | 7 |
| REVIEW | ED BY: | RMH | 06/0 | 07/201 |
| © Copyright Har | nson Professional | Services Inc. | 2013 | |
| SHEET | TITLE | | | |
| | | | | |

REMOVAL PLAN

Revised ¹²



AUG 01, 2017 10:37 AM HAUSM00682 145 I/DEV16A0088146000882



Offices Nationwide www.hanson-inc.com

Hanson Professional Services Inc. 815 Commerce Drive, Suite 200 Oak Brook, IL 60523 phone: 630.990.3800 fax: 630.990.3801

Illinois Licensed Professional Service Corporation #184-001084




WAUKEGAN NATIONAL AIRPORT WAUKEGAN PORT DISTRICT 2601 Plane Rest Drive Waukegan, Illinois 60087 Telepone: 847.244.0055 Fax: 847.244.3813

INSTALL SECURITY/ WILDLIFE FENCE, PHASE 4

IDA No: UGN-4589 SBG No: 3-17-SBGP-TBD

Contract No: WA072



PLAN & PROFILE

Revised ²⁰

∕₿

Item No. 03A



SECTION III

SPECIAL PROVISIONS

WAUKEGAN NATIONAL AIRPORT (UGN) WAUKEGAN, LAKE COUNTY, ILLINOIS

INSTALL SECURITY/WILDLIFE FENCE, PHASE 4

ILLINOIS PROJECT NO. UGN-4589 SBG PROJECT NO. 3-17-SBGP-xx CONTRACT NO. WA072

June 9, 2017

Addendum B, dated 7/31/2017



Hanson Professional Services Inc. 815 Commerce Drive, Suite 200 Oak Brook, Illinois 60523 630.990.3800



DIVISION III

FENCING (WIRE FENCES)

<u>ITEM 161</u>

WIRE FENCE WITH STEEL POSTS

(Class C)

Revise Item 161 of the Standard Specifications as follows:

DESCRIPTION

<u>161-1.1</u> Replace the first Paragraph with the following:

"This item covers the requirements for relocating existing woven wire fencing otherwise removed in this Project, and re-erecting the woven wire fence at the new location shown on the Plans, in accordance with the details included herein and as shown on the Plans. The relocated Class "C" fence and gates will be installed at the locations shown on the Construction Plans and in accordance with this specification and in accordance with the Illinois Department of Transportation's Standard Specifications for Road and Bridge Construction, latest edition, IDOT Standard 665001-01. The relocation shall make use of existing fencing materials to the extent reasonable, as determined by the Resident Engineer. And additional fence items needed to complete the relocation to the satisfaction of the Resident Engineer shall meet the requirement specified herein, and in IDOT Standard 6650001-01.

"This item shall include the removal of existing woven wire fencing, including any gates that exist, at the locations shown in the Plans.

"All metal materials used in the fencing and fencing materials shall be fabricated from steel made in the U.S. Contractor shall provide certification that the steel was 100 percent domestic-made steel, and that the fence materials were fabricated in the United States."

CONSTRUCTION METHODS

<u>161-3.2</u> <u>CLEARING FENCE LINE</u>. Add the following:

- "All relocated fence shall be placed along a level, smooth, finished grade. The Contractor shall correct any irregularities in the ground's surface prior to installation of the fence where the irregular surface is located outside of the grading limits shown on the Plans. Also, the Contractor shall re-grade the existing ground where indicated on the Construction Plans to furnish a fence grade satisfactory to the Resident Engineer. This grading shall be furnished in accordance with Item 152; however, separate payment will not be made, as this work shall be incidental to Fence installation, Item 161. This grading shall not be limited to, but shall be in addition to, the grading shown on the Plans or elsewhere specified."
- <u>161-3.8</u> EXISTING FENCE CONNECTIONS. Add the following:

"The furnishing and installing of new, additional or replacement terminal posts, line posts, end posts, fabric and brace spans and any other incidental modifications needed to provide an acceptable connection of the new fence to any existing fence, regardless of type of existing fence, as shown in the Plans or as directed by the Resident Engineer, shall not be paid separately, but shall be included in the Contract unit price for new fence."



<u>161-3.10</u> <u>FENCE AND GATE REMOVAL</u>. Add the following:

"The fence and gate to be removed shall be woven wire or similar type of fence. The existing fence shall be removed completely, including posts and foundations.

"In turf areas, the existing posts shall be pulled and not cut off. All resulting holes in turf shall be filled and compacted to the satisfaction of the Resident Engineer. Turf areas disturbed by removal shall be restored in accordance with Item 901, except the areas will not be measured for payment.

"In paved areas, the existing posts shall be cut off and ground to a depth of two (2.0) inches below the existing pavement surface. All resulting post holes in existing pavements shall be filled with an IDOT-approved nonshrink grout.

"All removed materials not accepted by the Airport Owner, shall be disposed of off airport property.

METHOD OF MEASUREMENT


- <u>161-4.1</u> Delete this Section.
- <u>161-4.3</u> Revise this Section to read:
 - "<u>161-4.3</u> Remove Class C Fence to be paid shall be the actual length of chain-link feet (including post widths) removed and completed as specified, except for the space occupied by gates.
- <u>161-4.4</u> Delete this Section.
- <u>161-4.5</u> Delete this Section.

BASIS OF PAYMENT

- <u>161-5.1</u> Delete this Section.
- <u>161-5.3</u> Revise this Section to read:
 - "<u>161-5.3</u> Payment shall be made at the Contract unit price per linear foot for Remove Class C Fence, as measured in Section 161-4.3. This price shall be full compensation for furnishing all materials and for all removals, restoration, including grading, backfilling, seeding and mulching, and disposal, and for all labor, equipment, tools, and incidentals necessary to complete this item."
- <u>161-5.5</u> Delete this Section.

Add:

Payment will be made under:



Remove Class C Fence - per linear foot.
Relocate Class C Fence - per linear foot.

