




F.A.P. ROUTE 336	COUNTY SECTION 99-00243-00-17	COUNTY KANE	TOTAL SHEET NO. 268	SHTS. NO. 40
EROSION CONTROL NOTES AND DETAILS				
F.H.W.A. REG.5 ILLINOIS PROJECT F-0336(008)				



REFERENCE Project _____ Date _____		STANDARD DWG. NO. IL-630
Designed _____ Date _____		SHEET 1 OF 2
Checked _____ Date _____		DATE 8-18-94
Approved _____ Date _____		







REFERENCE Project _____ Date _____		STANDARD DWG. NO. IL-630
Designed _____ Date _____		SHEET 2 OF 2
Checked _____ Date _____		DATE 8-18-94
Approved _____ Date _____		




REFERENCE Project _____ Date _____		STANDARD DWG. NO. IL-690
Designed _____ Date _____		SHEET 1 OF 1
Checked _____ Date _____		DATE 4-7-94
Approved _____ Date _____		

*NOTE: ITEMS UNDERLINED OR STRUCK OUT ARE MODIFICATIONS TO THE ILLINOIS URBAN MANUAL STANDARDS BY HAMPTON, LENZINI AND RENWICK



NOTES:
1. Place the end post of the second fence inside the end post of the first fence.
2. Rotate both posts at least 180 degrees in a clockwise direction to create a tight seal with the fabric material.
3. Drive both posts a minimum of 18 inches into the ground and bury the flap.

REFERENCE Project _____ Date _____		STANDARD DWG. NO. IL-620(W)
Designed _____ Date _____		SHEET 2 OF 2
Checked _____ Date _____		DATE 1-29-99
Approved _____ Date _____		



NOTES:
1. Wires of mesh support shall be min. gage no. 12.
2. Temporary sediment fence shall be installed prior to any grading work in the area to be protected. They shall be maintained throughout the construction period and removed in conjunction with the final grading and site stabilization.
3. Filter fabric shall meet the requirements of material specification 592 Geotextile Table 1 or 2, Class I with equivalent opening size of at least 30 for nonwoven and 50 for woven.
4. Fence posts shall be either standard steel post or wood post with a minimum cross-sectional area of 3.0 sq. in.

REFERENCE Project _____ Date _____		STANDARD DWG. NO. IL-620W
Designed _____ Date _____		SHEET 1 OF 2
Checked _____ Date _____		DATE 3-3-95
Approved _____ Date _____		

