



NOTE:  
 WHEN MILLING OPERATIONS PRODUCE A ROUNDED EDGE,  
 THEN A SAW CUT SHALL BE USED TO MANUFACTURE  
 A PERPENDICULAR EDGE AS SHOWN IN THE DETAIL.  
 THE ENGINEER SHALL BE THE SOLE JUDGE  
 CONCERNING THE USE OF THIS DETAIL.

- HMA SURFACE REMOVAL 2"
- POLYMERIZED HMA SURFACE CSE, MIX D, N90 2"
- HMA SURFACE REMOVAL (VARIABLE DEPTH)
- POLYMERIZED HMA SURFACE CSE, MIX D, N90 2"
- HMA SURFACE REMOVAL 2 1/4"
- POLYMERIZED LEVELING BINDER (MM), N50 3/4"
- POLYMERIZED HMA SURFACE CSE, MIX D, N90 1 1/2"

**HMA DETAIL AT BUTT JOINTS**

FILE NAME =	USER NAME = #USER*	DESIGNED - RON WOODSHANK	REVISED -	<b>STATE OF ILLINOIS</b> <b>DEPARTMENT OF TRANSPORTATION</b>	<b>PLAN DETAILS - URBAN SECTION</b>	F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
#FILE#		DRAWN - RON WOODSHANK	REVISED -			40 & 330	D3 INTERMITTENT RS 2012-2	KANKAKEE	22	12	
	PLOT SCALE = #SCALE*	CHECKED -	REVISED -			CONTRACT NO. 66B46					
	PLOT DATE = #DATE*	DATE -	REVISED -			ILLINOIS FED. AID PROJECT					