

HMA MIXTURE TABLE

Location(s):	Hot-Mix Asphalt Surface Course
Mixture Use(s):	Hot-Mix Asphalt Surface Course, Mix C, N90
AC/PG:	PG64-22
ABR % (Max):	See BDE Special Provisions
Design Air Voids:	4.0 %, 90 Gyratation Design
Mixture (Gradation Mixture)	IL-9.5 mm
Friction Aggregate:	C Surface
Quality Management Program:	OCP

Location(s):	Hot-Mix Asphalt Leveling Binder Course
Mixture Use(s):	Hot-Mix Asphalt Leveling Binder, N90, IL-9.5 Fine Grade
AC/PG:	PG64-22
ABR % (Max):	See BDE Special Provisions
Design Air Voids:	4.0 %, 90 Gyratation Design
Mixture (Gradation Mixture)	IL-9.5mm Fine Grade
Friction Aggregate:	None
Quality Management Program:	OCP

Location(s):	Class D Patching
Mixture Use(s):	Hot-Mix Asphalt Binder Course, N90, IL-19.0mm Fine Grade
AC/PG:	PG 64-22
ABR % (Max):	See Special Provisions
Design Air Voids:	4.0%, 90 Gyratation Design
Mixture (Gradation Mixture)	IL-19.0mm Fine Grade
Friction Aggregate:	None
Quality Management Program:	OC/OA

MTD CROSSING RESTRICTIONS TABLE

SN & CENTERLINE STATION ROUTE FAP 885 (IL 146)	EXISTING FILL HEIGHT OVER BOX CULVERT	THICKNESS OF EXISTING PAVEMENT OVER BOX CULVERT	MTD CROSSING RESTRICTIONS
	FOOT	FOOT	
SN 076-7001 (STA. 602+50)	0.6'	1'	Pending
SN 076-7002 (STA. 636+30)	8.0'	1'	Pending
SN 076-7003 (STA. 672+20)	11.0'	1'	Loaded
SN 076-7004 (STA. 805+47)	1.0'	1'	Pending
SN 076-7005 (STA. 834+93)	3.5'	1'	Loaded
SN 076-7006 (STA. 896+79)	1.5'	1'	Pending
SN 076-7007 (STA. 995+86)	4.0'	1'	Loaded
SN 076-7008 (STA. 602+50)	2.3'	1'	Pending
SN 076-7009 (STA. 602+50)	2.7'	1'	Pending
SN 076-7010 (STA. 602+50)	3.1'	1'	Loaded
SN 076-7011 (STA. 602+50)	2.0'	1'	Loaded
SN 076-7012 (STA. 602+50)	2.5'	1'	Loaded
SN 076-0006 (STA. 671+76)			Pending
SN 076-0007 (STA. 712+18.3)			Pending
SN 076-0008 (STA. 818+03.5)			Pending
SN 076-0009 (STA. 913+50)			Pending
SN 076-0027 (STA. 1254+09.28)			Pending