


4) TEMPORARY LIGHT POLE CABLE ATTACHMENT DETAIL NO SCALE


2-1/C =6 CONDUCTORS WITH STEEL MESSENGERS FOR GROUNDING CONDUCTOR

2-PHASE CONDUCTORS WITH WATER PROOF FUSE HOLDER AND FUSE PER CIRCUIT



(5) TEMPORARY LIGHT POLE DETAIL

NO SCALE



6 JUNCTION BOX WIRING DETAIL NO SCALE

JUNCTION BOX FUSES AND WIRING SHALL BE INCIDENTAL TO THE PRICE OF THE JUNCTION BOX

TAG NOTES

- 1 OUICK DISCONNECT FUSE KIT WITH 15A FUSE
- 2 QUICK DISCONNECT FUSE KIT WITH SOLID NEUTRAL ASSEMBLY
- (3) "10 COPPER, 600V
- 16" × 14" × 6" NEMA 4X STAINLESS STEEL
- (\$) 21/2" PVC COATED RGS CONDUIT WITH 1/4" UNIT
- 6 1" PVC COATED RGS CONDUIT
- MECHAINCAL SPLICE

COUNTY TOTAL SHEET NO.

COOK 139 63 SECTION LIGHTING DETAILS SPAAN Tech, Inc. STATE OF ILLINOIS - R. B. G. REVISED PLOT DATE = \$DATE\$ DRAWN 0101.8B ELSTON AVENUE OVER I-94 **DEPARTMENT OF TRANSPORTATION** CONTRACT NO. 60C18 CHECKED -A. D. O. REVISED SCALE: 1" = 20' SHEET NO. OF SHEETS STA. TO STA. DATE MAY 2010 REVISED