

SUMMARY OF QUANTITIES

PAY ITEM CODE #	DESCRIPTION	UNIT	QUANTITY 1000
21101615	TOPSOIL FURNISH AND PLACE, 4"	SQ YD	7
25200100	SODDING	SQ YD	7
40600100	BITUMINOUS MATERIALS (PRIME COAT)	GALLON	2,175
x406 0826	POLYMERIZED LEVELING BINDER (MACHINE METHOD), IL-4.75, N50	TON	833
40600982	HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT	SQ YD	1,230
40603085	HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N70	TON	102
40603310	HOT-MIX ASPHALT SURFACE COURSE, MIX "C", N50	TON	1,926
44000200	DRIVEWAY PAVEMENT REMOVAL	SQ YD	889
44000500	COMBINATION CURB AND GUTTER REMOVAL	FOOT	40
44201705	CLASS D PATCHES, TYPE II, 5 INCH	SQ YD	202
44201709	CLASS D PATCHES, TYPE III, 5 INCH	SQ YD	257
44201711	CLASS D PATCHES, TYPE IV, 5 INCH	SQ YD	2,137
48101200	AGGREGATE SHOULDERS, TYPE B	TON	536
60250200	CATCH BASINS TO BE ADJUSTED	EACH	4
60255500	MANHOLES TO BE ADJUSTED	EACH	14
60608300	COMBINATION CONCRETE CURB AND GUTTER, TYPE M-2.12	FOOT	40
67100100	MOBILIZATION	L SUM	1
70102620	TRAFFIC CONTROL AND PROTECTION, STANDARD 701501	L SUM	1
70102640	TRAFFIC CONTROL AND PROTECTION, STANDARD 701801	L SUM	1
* 78001130	PAINT PAVEMENT MARKING - LINE 6"	FOOT	68
* 78001180	PAINT PAVEMENT MARKING - LINE 24"	FOOT	104

* = SPECIALTY ITEMS

INDEX OF SHEETS

SHEET NO.	DESCRIPTION
1	COVER SHEET
2	SUMMARY OF QUANTITIES, SYMBOLS, INDEX OF SHEETS, GENERAL NOTES, HIGHWAY STANDARDS
3	ALIGNMENT & TIES/TYPICAL SECTIONS
4	SITE PLAN - STA. 1+33 TO 12+00
5	SITE PLAN - STA. 12+00 TO 24+00
6	SITE PLAN - STA. 24+00 TO 36+00
7	SITE PLAN - STA. 36+00 TO 48+00
8	SITE PLAN - STA. 48+00 TO 57+55 END
9	DRIVEWAY DETAILS, DISTANCE BETWEEN R.O.W. AND FACE OF CURB & EDGE OF SHOULDER >= 15' (BD-01)
10	DRIVEWAY DETAILS, DISTANCE BETWEEN R.O.W. AND FACE OF CURB, 15' (BD-02)
11	PAVEMENT PATCHING FOR HMA SURFACED PAVEMENT (BD-22)
12	BUTT JOINT AND HMA TAPER DETAILS (BD-32)
13	TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS (TC-10)
14	DISTRICT ONE TYPICAL PAVEMENT MARKINGS (TC-13)

GENERAL NOTES :

- ALL CONSTRUCTION SHALL CONFORM TO THE ILLINOIS SOCIETY OF PROFESSIONAL ENGINEERS "STANDARD SPECIFICATIONS FOR WATER AND SEWER MAIN CONSTRUCTION IN ILLINOIS" IN ITS LATEST EDITION AND THE ILLINOIS DEPARTMENT OF TRANSPORTATION "STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION" IN ITS LATEST EDITION AND SUPPLEMENTAL SPECIFICATIONS AND RECURRING SPECIAL PROVISIONS.
- THE CONTRACTOR SHALL NOTIFY THE ENGINEER SHALL BE NOTIFIED 2 WORKING DAYS PRIOR TO COMMENCING OF CONSTRUCTION.
- THE CONTRACTOR SHALL NOTIFY ALL UTILITY COMPANIES FOR FIELD LOCATIONS OF THEIR FACILITIES PRIOR TO CONSTRUCTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR MAINTENANCE AND PRESERVATION OF THESE FACILITIES. CALL J.U.L.I.E. 800/892-0123 OR 811.
- AT THE END OF EACH CONSTRUCTION DAY ALL ROADS SHALL BE CLEANED OF MUD AND OPENED FOR TRAFFIC IN ACCORDANCE WITH ARTICLE 107.15. THE CONTRACTOR IS RESPONSIBLE FOR ALL TRAFFIC CONTROL EQUIPMENT.
- ALL PAVEMENT MARKINGS SHALL BE PAINT PAVEMENT MARKINGS PER SECTION 780 OF THE STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION.
- ALL BENCHMARK ELEVATIONS ARE BASED ON THE N.G.V.D. 1929 DATUM.

INDEX OF STATE STANDARDS

000001-05	STANDARD SYMBOLS, ABBREVIATIONS AND PATTERNS
442201-03	CLASS C AND D PATCHES
701501-05	URBAN LANE CLOSURE, 2L, 2W, UNDIVIDED
701801-04	LANE CLOSURE, MULTILANE 1W OR 2W CROSSWALK OR SIDEWALK CLOSURE
701901-01	TRAFFIC CONTROL DEVICES

