FOR INDEX OF SHEETS SEE SHEET 2

FOR LISTING OF HIGHWAY STANDARDS

STATE OF ILLINOIS


DEPARTMENT OF TRANSPORTATION

PLANS FOR PROPOSED FEDERAL-AID HIGHWAY

THE OF ILLINGSTATE OF JOYCE J. DELONG Ep. 11/30/2021


VARIOUS ROUTES SIDEWALK SECTION: 14-00031-00 SW PROJECT: B6ME(038) VILLAGE OF LAKE VILLA LAKE COUNTY

FUNCTIONAL CLASSIFICATION LOCAL ROAD/MAJOR COLLECTOR 2015 ADT = 1800SPEED LIMIT = 20 MPH



FULL SIZE PLANS HAVE BEEN PREPARED USING STANDARD ENGINEERING SCALES. REDUCED SIZED PLANS WILL NOT CONFORM TO STANDARD SCALES. IN MAKING MEASUREMENTS ON REDUCED PLANS, THE ABOVE SCALES MAY BE USED.


JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION 1-800-892-0123



GROSS LENGTH = 2.850 FT. = 0.54 MILE NET LENGTH = 2.850 FT. = 0.54 MILE







PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

CONTRACT NO.

61F90

P.E.

 \bigcirc

 \bigcirc

DATE						
BY						
	SURVEYED	PLOTTED	ALIGNMENT CHECKED	RT. OF WAY CHECKED	CADD FILE NAME	
:	PLAN		NOTE BOOK		No.	

DATE						
ВҮ						
	SURVEYED	PLOTTED	GRADES CHECKED	B.M. NOTED	STRUCTURE NOTAT'NS CH'KD	
1	PROFILE SURVEYED		NOTE ROOK	1	Ņ.	

INDEX OF SHEETS

- 1 TITLE SHEET
- 2 GENERAL NOTES
- 3 SUMMARY OF QUANTITIES
- 4 SUMMARY OF QUANTITIES
- 5 SUMMARY OF QUANTITIES
- TYPICAL SECTIONS
- ALIGNMENTS, TIES AND BENCHMARKS
- 8 CEDAR AVENUE PLAN AND PROFILE
- 9 CEDAR AVENUE PLAN AND PROFILE
- 10 LAKE AVENUE PLAN AND PROFILE
- 11 LAKE AVENUE PLAN AND PROFILE
- 12 CENTRAL AVENUE PLAN AND PROFILE
- 13 CENTRAL AVENUE PLAN AND PROFILE
- 14 PLAT OF HIGHWAYS TITLE SHEET
- 15 POH SHEET 2 CEDAR AVE PN 000001PE
- 16 POH SHEET 3 LAKE AVE PN 000002TE
- 17 POH SHEET 4 CENTRAL AVE PN 000003TE
- 18 POH SHEET 5 CEDAR AVE TOTAL HOLDINGS 19 POH - SHEET 6 - LAKE AVE - TOTAL HOLDINGS
- 20 POH SHEET 7 CENTRAL AVE TOTAL HOLDINGS
- 21 LOCAL AGENCY DETAILS
- 22 TC 10 TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS AND DRIVEWAYS
- 23 TC 22 ARTERIAL ROAD INFORMATION SIGN
- 24 CEDAR AVENUE CROSS SECTIONS
- 25 CEDAR AVENUE CROSS SECTIONS
- 26 LAKE AVENUE CROSS SECTIONS
- 27 LAKE AVENUE CROSS SECTIONS
- 28 CENTRAL AVENUE CROSS SECTIONS
- 29 CENTRAL AVENUE CROSS SECTIONS

RR FLAGGER NOTES:

IT IS THE CONTRACTOR'S SOLE RESPONSIBILITY TO COORDINATE WITH THE CANADIAN NATIONAL RAILROAD WHENEVER CONSTRUCTION ACTIVITY IS WITHIN 25 FEET OF THE RAILROAD ROW. THE CONTRACTOR SHALL RETAIN FLAGMEN EMPLOYED AND DESIGNATED BY THE CANADIAN NATIONAL RAILROAD TO MONITOR ON-COMING TRAIN TRAFFIC, AND ADVISE CONTRACTOR PERSONNEL WHEN ACTIVITY ON OR NEAR THE RAILROAD RIGHT-OF-WAY MAY PROCEED. THIS ITEM WILL BE PAID FOR ACCORDING TO ARTICLE 107.12 AND WILL BE REIMBURSED ACCORDING TO ARTICLE 109.05.

STATE STANDARDS

STANDARD NO.	<u>DESCRIPTION</u>
000001-07	STANDARD SYMBOLS, ABBREVIATIONS AND PATTERNS
280001-07	TEMPORARY EROSION CONTROL SYSTEMS
601001-05	SUB-SURFACE DRAIN
601101-02	CONCRETE HEADWALL FOR DRAIN PIPE
602301-04	INLET - TYPE A
604036-03	GRATE TYPE 8
606001-07	CONCRETE CURB TYPE B AND COMBINATION CONCRETE CURB AND GUTTER
701006-05	OFF-ROAD OPERATIONS, 2L, 2W, 15' (4.5m) TO 24" (600mm) FROM PAVEMENT EDGE
701011-04	OFF-ROAD MOVING OPERATIONS, 2L, 2W, DAY ONLY
701301-04	LANE CLOSURE, 2L, 2W, SHORT TIME OPERATIONS
701311-03	LANE URBAN LANE CLOSURE, 2L, 2W MOVING OPERATIONS — DAY ONLY
701501-06	URBAN LANE CLOSURE, 2L, 2W UNDIVIDED
701801-06	SIDEWALK, CORNER OR CROSSWALK CLOSURE
701901-08	TRAFFIC CONTROL DEVICES

FILE NAME = 2 GENERAL NOTES.dwg	USER NAME = JOHN STAHL	DESIGNED	J.J.D.	REVISED	X.X.X.	STATE OF ILLINOIS		PROJECT REFERENCE	F.A.U.	SECTION	COUNTY	TOTAL	S SHEE	Г
		DRAWN	P.C.G.	REVISED	X.X.X.		GENERAL NOTES			14-00031-00 SW	LAKE	29	2	-
	PLOT SCALE =	CHECKED	P.E.K.	REVISED	X.X.X.	DEPARTMENT OF TRANSPORTATION		GENERAL NOTES			CONTRACT N	NO. 61F	90	_
	PLOT DATE = 2/10/2020 2:31 PM	DATE	JUN-26-2019	REVISED	X.X.X.		SCALE: NONE	SHEET NO. 2 OF 29 SHEETS STA TO STA	FED. AID	DISTRICT NO ILLINOIS FEE). AID PROJECT .			_

	83	DATE
SURVEYED		
PLOTTED		
ALIGNMENT CHECKED		Ī
		Γ
ADD FILE NAME		
	SURVEYED PLOTTED ALIGNMENT CRECKED RT. OF WAY CHECKED CADD FILE NAME	

PRUFILE SURVEYED PLOTTED CRADES CHECKED	,	
T		
		L
•		L
B.M. NOTED		

	SUMMARY OF QUANTITIES			CONSTRUCTION CODE CMAQ-STA FUNDS 80% FED 20% LOCAL
6655			TOTAL	ROADWAY
CODE NO.	ITEM	UNIT	TOTAL QUANTITY	0021
100.			QUANTITI	URBAN
2010050	0 TREE REMOVAL, ACRES	ACRES	0.1	0.1
2010110	0 TREE TRUNK PROTECTION	EACH	3	3
20101200	0 TREE ROOT PRUNING	EACH	40	40
20101300	0 TREE PRUNING (1 TO 10 INCH DIAMETER)	EACH	5	5
20101350	0 TREE PRUNING (OVER 10 INCH DIAMETER)	EACH	35	35
20200100	0 EARTH EXCAVATION	CU YD	1400	1400
20201200	0 REMOVAL AND DISPOSAL OF UNSUITABLE MATERIAL	CU YD	585	585
21101615	5 TOPSOIL FURNISH AND PLACE, 4"	SQ YD	2470	2470
25000110	0 SEEDING, CLASS 1A	ACRE	0.5	0.5
25000400	0 NITROGEN FERTILIZER NUTRIENT	POUND	46	46
25000600	0 POTASSIUM FERTILIZER NUTRIENT	POUND	46	46
25100105	5 MULCH, METHOD 1	ACRE	0.5	0.5
28000250	0 TEMPORARY EROSION CONTROL SEEDING	POUND	50	50
I				1

CONSTRUCTION CODE

2770

- * SPECIALTY ITEM
- # SPECIAL PROVISION

28000400 PERIMETER EROSION BARRIER

	PLOT DATE = 2/10/2020 2:31 PM	DATE	JUN-26-2019	REVISED	X.X.X.		SCALE: NONE SHEET NO. 3 OF 29 SHEETS STA TO STA	FED. AID DISTRICT NO ILLINOIS FED. A	AID PROJECT .
	PLOT SCALE ==	CHECKED	P.E.K.	REVISED	X.X.X.	DEPARTMENT OF TRANSPORTATION			CONTRACT NO. 61F90
QUANTITIES.0Wg		DRAWN	P.C.G.	REVISED	X.X.X.		SUMMARY OF QUANTITIES	VAR 14-00031-00 SW	LAKE 29 3
FILE NAME = 3 SUMMARY OF QUANTITIES.dwg	USER NAME = JOHN STAHL	DESIGNED	J.J.D.	REVISED	x.x.x.	STATE OF ILLINOIS		F.A.U. SECTION	COUNTY TOTAL SHEET NO.

FOOT

2770

		λB	DATE
LAN	SURVEYED		
***************************************	PLOTTED		
NOTE BOOK	ALIGNMENT CHECKED		
	RT. OF WAY CHECKED		
9	CADO FILE NAME		L



CLINANAADV	α r α	NIANITITIC	CONT
SUMMARY	Ur U	(UANTITIES:	- CONT

CONSTRUCTION CODE
CMAQ-STA FUNDS
80% FED
20% LOCAL

CODE			TOTAL	ROADWAY
CODE NO.	ITEM	UNIT	QUANTITY _	0021
140.			QUARTITI	URBAN
28000510	INLET FILTERS	EACH	15	15
28001100	TEMPORARY EROSION CONTROL BLANKET	SQ YD	2470	2470
35101400	AGGREGATE BASE COURSE, TYPE B	TON	1170	1170
40603080	HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N50	TON	300	300
40604060	HOT-MIX ASPHALT SURFACE COURSE, IL-9.5, MIX "D", N50	TON	85	85
42400200	PORTLAND CEMENT CONCRETE SIDEWALK 5 INCH	SQ FT	14500	14500
42400300	PORTLAND CEMENT CONCRETE SIDEWALK 6 INCH	SQ FT	4875	4875
42400800	DETECTABLE WARNINGS	SQ FT	120	120
44000200	DRIVEWAY PAVEMENT REMOVAL	SQ YD	670	670
44000300	CURB REMOVAL	FOOT	18	18
44000500	COMBINATION CURB AND GUTTER REMOVAL	FOOT	80	80
44000600	SIDEWALK REMOVAL	SQ FT	4720	4720
50105220	PIPE CULVERT REMOVAL	FOOT	230	230
50900805	PEDESTRIAN RAILING	FOOT	150	150

- * SPECIALTY ITEM
- # SPECIAL PROVISION

FILE NAME = 4 SUMMARY OF	USER NAME = JOHN STAHL	DESIGNED	J.J.D.	REVISED	X.X.X.	CTATE OF HUNDIC	PROJECT REFERENCE	F.A.U. SECTION	COUNTY TOTAL SHEET NO.
QUANTITIES.dwg		DRAWN	P.C.G.	REVISED	X.X.X.	STATE OF ILLINOIS	SUMMARY OF QUANTITIES	VAR 14-00031-00 SW	LAKE 29 4
	PLOT SCALE =	CHECKED	P.E.K.	REVISED	X.X.X.	DEPARTMENT OF TRANSPORTATION	SUMMARY OF QUANTITIES		CONTRACT NO. 61F90
	PLOT DATE = 2/10/2020 2:32 PM	DATE	JUN-26-2019	REVISED	X.X.X.		SCALE: NONE SHEET NO. 4 OF 29 SHEETS STA TO STA	FED. AID DISTRICT NO ILLINOIS FED. A	ND PROJECT .

			SUMMARY OF QUANTITIES - CONT			CONSTRUCTION CODE CMAQ-STA FUNDS 80% FED 20% LOCAL
					TOTAL	ROADWAY
		CODE NO.	ITEM	UNIT	TOTAL QUANTITY	0021
		INO.			QUANTITI	URBAN
	# *	56400400	FIRE HYDRANTS TO BE RELOCATED	EACH	1	1
		60108206	PIPE UNDERDRAINS, TYPE 2, 6"	FOOT	900	900
		60236200	INLETS, TYPE A, TYPE 8 GRATE	EACH	2	2
]			CONCRETE CURR TYPE R	5007	160	160
		60600605	CONCRETE CURB, TYPE B	FOOT	160	160
		60603800	COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.12	FOOT	40	40
		00003000	COMBINATION CONCRETE CONDINATION CONTENT THE B 0.12	1001	70	10
		67100100	MOBILIZATION	L SUM	1	1
	-					
		70102620	TRAFFIC CONTROL AND PROTECTION, STANDARD 701501	L SUM	1	1
		70102640	TRAFFIC CONTROL AND PROTECTION, STANDARD 701801	L SUM	1	1
	*	78000400	THERMOPLASTIC PAVEMENT MARKING - LINE 6"	FOOT	300	300
			,			
	#	Z0030850	TEMPORARY INFORMATION SIGNING	SQ FT	155	155
					.,,,,,,,	
					-	
	l -	DECIALTY ITEM				


- * SPECIALTY ITEM
- # SPECIAL PROVISION


Γ	FILE NAME = 5 SUMMARY OF QUANTITIES.dwg	USER NAME = JOHN STAHL	DESIGNED	J.J.D.	REVISED	X.X.X.	STATE OF ILLINOIS	PROJECT REFERENCE RTE. SUMMARY OF QUANTITIES		SECTION	COUNTY	TOTAL SHEE	,ET
	QUANTITIES.dwg		DRAWN	P.C.G.	REVISED	X.X.X.				14-00031-00 SW	LAKE	29 5	┑
- 1		PLOT SCALE =	CHECKED	P.E.K.	REVISED	X.X.X.	DEPARTMENT OF TRANSPORTATION				CONTRACT N	O. 61F90	П
- 1		PLOT DATE = 2/12/2020 10:52 AM	DATE	JUN-26-2019	REVISED	X.X.X.		SCALE: NONE SHEET NO. 5 OF 29 SHEETS STA TO STA	FED. AID	DISTRICT NO ILUNOIS FED. A	ID PROJECT .		

HOT-MIX ASPHALT MIXTURE REQUIREMENTS	
MIXTURE TYPE - DRIVEWAYS	AIR VOIDS @Ndes
HOT-MIX ASPHALT SURFACE COURSE, IL-9.5, MIX "D", N50	4% @ 50 GYR
HOT-MIX ASPHALT BINDER COURSE, IL-19mm, N50	4% @ 50 GYR

THE UNIT WEIGHT USED TO CALCULATE ALL HMA SURFACE MIXTURE QUANTITIES IS 112 LBS/SQ YD/IN.


THE "AC TYPE" FOR POLYMERIZED HMA MIXES SHALL BE 'SBS/SBR PG 76-22" AND FOR NON-POLYMERIZED HMA THE "AC TYPE" SHALL BE "PG 64-22" UNLESS MODIFIED BY DISTRICT ONE SPECIAL PROVISIONS. FOR USE OF RECYCLED MATERIALS SEE SPECIAL PROVISIONS.






EXISTING TYPICAL SECTION STA 10+35 TO STA 18+50, CEDAR AVENUE

RAILROAD TO MILWAUKEE AVENUE




RAILROAD TO MILWAUKEE AVENUE




EXISTING TYPICAL SECTION STA 20+00 TO STA 29+35, LAKE AVENUE

CEDAR AVENUE TO MILWAUKEE AVENUE




PROPOSED TYPICAL SECTION STA 20+00 TO STA 29+35, LAKE AVENUE

CEDAR AVENUE TO MILWAUKEE AVENUE



EXISTING TYPICAL SECTION STA 40+00 TO STA 50+60, CENTRAL AVENUE

CEDAR AVENUE TO GRAND AVENUE





CEDAR AVENUE TO GRAND AVENUE


FILE NAME = 6 TYPICAL SECTIONS.dwg	USER NAME = JOHN STAHL	DESIGNED	J.J.D.	REVISED	X.X.X.
		DRAWN	J.C.S.	REVISED	X.X.X.
	PLOT SCALE =	CHECKED	P.E.K.	REVISED	X.X.X.
	PLOT DATE = 2/10/2020 2:32 PM	DATE	JUN-26-2019	REVISED	X.X.X.


STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION


	F.A.U. SECTION COU			COUNTY	TOTAL SHEETS	SHEET NO.			
	VAR	14-00031-00 SW		LAKE	29	6			
	TYPICAL SECTIONS						CONTRACT N	o. 61F9	0
SCALE: 1" = 20'	SHEET NO. 6 OF 29 SHEETS	STA	TO STA	FED. AID	DISTRICT NO	ILLINOIS FED. AI	D PROJECT .		

















PARCEL No.	OWNER	SHEET NO.	PROPERTY ACQUIRED BY
000001PE	MIDWEST TRUST SERVICES. INC.	2 & 5	
000002TE	SADA LAKE VILLA LLC, AN ILLINOIS LIMITED LIABILITY COMPANY	3 & 6	
000003TE	HICKSGAS LAKE VILLA, INC	4 & 7	


STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS

PLAT OF HIGHWAYS

ROUTE: VARIOUS ROUTES SECTION: 14-00031-00 SW


COUNTY: LAKE

JOB NO.: C-91-260-18



GROSS LENGTH

CEDAR AVENUE =424 FT. = 0.08 MILE LAKE AVENUE = 282 FT. = 0.05 MILES CENTRAL AVENUE = 555 FT. = 0.10 MILES TOTAL = 1261 FT. = 0.23 MILES




PRINTED BY THE AUTHORITY **OF THE STATE OF ILLINOIS**



4. AREAS SHOWN ON THIS PLAT ARE GROUND.

5. FIELD WORK COMPLETED AUGUST 6, 2019



102

103

103+55.60

103+60.10

58.00 RT

33.00 RT

2095521.59

2095502.93

1053059.24

1053076.46

BUREAU OF LAND ACQUISITION

201 WEST CENTER COURT SCHAUMBURG, ILLINOIS 60196

PART OF SW 1/4 OF SECTION 33, TWP. 46 N., R. 10 E. OF THE THIRD P.M., IN LAKE COUNTY, ILLINOIS AREA IN EXISTING R.O.W. REMAINDER EASEMENT AREA PROJECT COORDINATES (ACRES) (ACRES)

02-33-304-023


LOT 18

SOUTH LINE OF LOT 18

0.064

1.722

LOT 5



SECTION LINE QUARTER SECTION LINE QUARTER, QUARTER SECTION LINE PLATTED LOT LINE PROPERTY (DEED) LINE

CORNER

APL

129.32

129.32'(COMP.)

000002TE

1.722

LAKE CITY

RECORDED MAY 10, 1886 AS DOCUMENT

NO.33783

LOT 9

LOT 8

FOUND 1/2' IRON PIPE-AT CORNER

STA 107+00.00

END STATION

N/A

THE FOWLER SUBDIVISION

RECORDED MAY 21, 1928 AS DOCUMENT NO.192902

STA. 106+61.64 (105) 43.00 RT

SOUTHWEST CORNER OF LOT 18-

LOT 6

37**;**09'28" [

/STA. 106+66.82 104 33.00 RT

000002TE

P.O.B-

11.26 (34.3')

APPARENT PROPERTY LINE CENTERLINE PROPOSED RIGHT OF WAY LINE

PROPOSED FASEMENT MEASURED DIMENSION COMPUTED DIMENSION RECORD DATA

EXISTING BUILDING

LEGEND

IRON ROD SET

P.O.B. = POINT OF BEGINNING

P.O.C. = POINT OF COMMENCEMENT

IRON PIPE OR ROD FOUND

CUT CROSS FOUND OR SET

THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.
IRON ROD FLUSHED WITH GROUND TO TIE FOUND IRON STAKE, IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

LAKE AVENUE

-SOUTH RIGHT OF WAY LINE OF LAKE AVENUE

THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONU-MENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO T FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVE— YORS REGISTRATION NUMBER. STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY

MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER. STAKING OR PROPOSED RIGHT OF WAY IN CULTIVATED AREAS, BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION. IDENTIFIED BY COLOR PLASTIC CAP BEARING SURVEYORS REGISTRA—

PERMANENT SURVEY MARKER, I D O T STD. 2135 (TO BE SET BY OTHERS) RIGHT OF WAY STAKING PROPOSED TO BE SET. LIGHT STANDARD

I, JAMES D. BAKER, DO HEREBY DECLARE THAT I HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTION 13, TOWNSHIP 46 NORTH RANGE 10, EAST OF THE THIRD PRINCIPAL MERIDIAN, LAKE COUNTY, ILLINOIS; THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF; THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY; THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO RABLE THE SURVEY TO BE RETRACED. MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

AMES D. BARTIN

ILLINOIS

PROFESSIONAL LAND

NO. 3648

NSHIRE.

IDOT USE ONLY

DATED AT LINCOLNSHIRE, ILLINOIS THIS 10TH DAY OF SEPTEMBER, A.D., 2019

LICENSE EXPIRES NOVEMBER 30, 2020


DESIGN FIRM LICENSE NO. 184003350 LICENSE EXPIRES APRIL 30, 2021




PLAT OF HIGHWAYS STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION VARIOUS ROUTES**

LIMITS: LAKE AVENUE SECTION: 14-00031-00 SW STA. 103+17.00 TO STA. 107+62.00 COUNTY: LAKE JOB NO.: C 91-260-18


BUREAU OF LAND ACQUISITION 201 WEST CENTER COURT SCHAUMBURG, ILLINOIS 60196





	WP. 46 N., R. 10 E. OF THE THIRD P.M., IN LAKE COUL	NTY, ILLINOIS	
PARCEL HOLDINGS TAKEN ACRES ACRES (ACRES) 000002TE 1.722 N/A N/A	REMAINDER EASEMENT AREA PARCEL INDEX NUMBER 1.722 0.064 02-33-304-023		N
		STA. 104+67.28 418.28, RT 13. 104+67.28 13. 104+67.28 13. 104+67.28 13. 104+67.28	0 50' 100' 150
RECORDED MAY BOOK LOT 9 1111+48 (239. N 8073-72 (102.20')	T' W 274.27' (36.50') (34.3') (102.50') (60.00')	SION SION N. NO. 192902 STA. 103+82.59 STA. 103+82.59 STA. 103+82.59 STA. 103+83.78 LOT 18 LOT 18 LOT 18 LOT 18 CENTERLINE OF LAKE AVENUE 102+00 100+00 (60.00')	, 3'
QUARTER 9 10 SECTION CORNER 16 15 SECTION CORNER SECTION LINE QUARTER SECTION LINE QUARTER, QUARTER SECTION LINE PLATTED LOT LINE PROPERTY (DEED) LINE APL APPARENT PROPERTY LINE CENTERLINE EXISTING RIGHT OF WAY LINE	● IRON ROD SET	STATE OF ILLINOIS))SS COUNTY OF LAKE) I, JAMES D. BAKER, DO HEREBY DECLARE THAT I HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTION 13, TOWNSHIP 46 NORTH RANGE 10, EAST OF THE THIRD PRINCIPAL MERIDIAN, LAKE COUNTY, ILLINOIS, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF; THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY; THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED. MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS. DATED AT LINCOLNSHIRE, ILLINOIS THIS 10TH DAY OF SEPTEMBER, A.D., 2019.	PLAT OF HIGHWAYS STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION VARIOUS ROUTES
PROPOSED RIGHT OF WAY LINE PROPOSED EASEMENT 129.32' MEASURED DIMENSION () RECORD DATA EXISTING BUILDING	STAKING OR PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION. IDENTIFIED BY COLOR PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER. PERMANENT SURVEY MARKER, I D O T STD. 2135 (TO BE SET BY OTHERS) RIGHT OF WAY STAKING PROPOSED TO BE SET. LIGHT STANDARD P.O.B. = POINT OF BEGINNING P.O.C. = POINT OF COMMENCEMENT	ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 3648 LICENSE EXPIRES NOVEMBER 30, 2020 DESIGN FIRM LICENSE NO. 184003350 LICENSE EXPIRES APRIL 30, 2021 ILLINOIS PROFESSIONAL PROFESSIONAL SURVEYOR NO. 3648 W. W	LIMITS: LAKE AVENUE

PARCEL NUMBER	TOTAL HOLDINGS ACRES	PART TAKEN ACRES	AREA IN EXISTING R.O.W. (ACRES)	REMAINDER (ACRES)	EASEMENT AREA (ACRES)	PARCEL INDEX NUMBER
000003TE	0.952	N/A	N/A	0.952	0.012	02-33-311-002









SECTION LINE QUARTER SECTION LINE QUARTER, QUARTER SECTION LINE PLATTED LOT LINE PROPERTY (DEED) LINE

129.32 129.32'(COMP.)

APPARENT PROPERTY LINE CENTERLINE PROPOSED RIGHT OF WAY LINE PROPOSED FASEMENT MEASURED DIMENSION COMPUTED DIMENSION RECORD DATA

EXISTING BUILDING

IRON ROD SET IRON PIPE OR ROD FOUND CUT CROSS FOUND OR SET PK NAIL SET

REPLACED AFTER CONSTRUCTION

THESE STAKES REFERENCE FOUND OR SET MONUMENTATION.
IRON ROD FLUSHED WITH GROUND TO TIE FOUND IRON STAKE, IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS REGISTRATION NUMBER.

THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONU-MENTATION. BURIED 5/8 INCH IRON ROD 20 INCHES BELOW GROUND TO T FOUND IRON STAKE. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVE— YORS REGISTRATION NUMBER.

STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS REGISTRATION NUMBER.

STAKING OR PROPOSED RIGHT OF WAY IN CULTIVATED AREAS, BURIED 5/8 INCH METAL ROD 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION. IDENTIFIED BY COLOR PLASTIC CAP BEARING SURVEYORS REGISTRA—

PERMANENT SURVEY MARKER, I D O T STD. 2135 (TO BE SET BY OTHERS) RIGHT OF WAY STAKING PROPOSED TO BE SET.

LIGHT STANDARD P.O.B. = POINT OF BEGINNING P.O.C. = POINT OF COMMENCEMENT STATE OF ILLINOIS)

COUNTY OF LAKE)

I, JAMES D. BAKER, DO HEREBY DECLARE THAT I HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON IN SECTION 13, TOWNSHIP 46 NORTH RANGE 10, EAST OF THE THIRD PRINCIPAL MERIDIAN, LAKE COUNTY, ILLINOIS; THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF; THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY; THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO RABLE THE SURVEY TO BE RETRACED. MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS.

DATED AT LINCOLNSHIRE, ILLINOIS THIS 10TH DAY OF SEPTEMBER, A.D., 2019



DESIGN FIRM LICENSE NO. 184003350 LICENSE EXPIRES APRIL 30, 2021





1. ALL DIMENSIONS ARE MEASURED UNLESS OTHERWISE SPECIFIED.

4. AREAS SHOWN ON THIS PLAT ARE GROUND. 5. FIELD WORK COMPLETED AUGUST 6, 2019.

2. BEARINGS AND DISTANCES SHOWN ARE ON THE ILLINOIS STATE PLANE COORDINATE SYSTEM, EAST ZONE, NORTH AMERICAN DATUM OF 1983 (2011 ADJUSTMENT) "GRID"

3. ALL MEASURED AND CALCULATED DISTANCES ARE "GRID" NOT "GROUND". TO OBTAIN GROUND DISTANCES, DIVIDE GRID DISTANCES BY THE COMBINATION FACTOR OF 0.9999478757

PLAT OF HIGHWAYS STATE OF ILLINOIS

1''= 50'

DEPARTMENT OF TRANSPORTATION VARIOUS ROUTES

LIMITS: CENTRAL AVENUE SECTION: 14-00031-00 SW STA. 100+00.00 TO STA. 106+00.00

IDOT USE ONLY

COUNTY: LAKE JOB NO.: C 91-260-18


BUREAU OF LAND ACQUISITION 201 WEST CENTER COURT


SCHAUMBURG, ILLINOIS 60196 CONTRACT NO 61E90 SHEET NO 20 OF 29




NOTES:

- 1. PEDESTRIAN RAILING PROVIDED ON BOTH SIDES OF RAMP.
- 2. PEDESTRIAN RAILING IS CONTINUOUS INCLUDING ON SWITCHBACK.
- 3. PEDESTRIAN RAILING GRIPPING SURFACES SHALL HAVE ROUNDED EDGES.
- 4. PEDESTRIAN RAILING IF CIRCULAR SHALL HAVE AN OUTER DIAMETER BETWEEN 1.25 AND 2 INCHES.
- 5. PEDESTRIAN RAILING IF NON-CIRCULAR SHALL HAVE A CROSS SECTION OF 2.25 INCHES OR LESS.
- 6. PEDESTRIAN RAILING GRIPPING SURFACES SHALL EXTEND MINIMUM 12-INCHES BEYOND AND IN THE SAME DIRECTION AS THE RAMP.






PEDESTRIAN RAILING DETAIL
NTS



HANDRAIL POST ANCHORAGE DETAIL

FILE NAME = 21 DETAILS.dwg	USER NAME = JOHN STAHL	DESIGNED		REVISED	X.X.X.	STATE OF ILLINOIS	LOCAL AGENCY	F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEET SHEETS NO.
		DRAWN		REVISED	X.X.X.	STATE OF ILLINOIS			14-00031-00 SW	LAKE	29 21
	PLOT SCALE =	CHECKED	P.E.K.	REVISED	X.X.X.	DEPARTMENT OF TRANSPORTATION	DETAILS	17	.,		NO. 61F90
	PLOT DATE = 2/10/2020 2:35 PM	DATE	JUN-26-2019	REVISED	X.X.X.		SCALE: 1" = 20' SHEET NO. 21 OF 29 SHEETS STA TO STA	FED. AID	DISTRICT NO ILLINOIS FED.		



NOTES:

- 1. SIDE ROAD WITH A SPEED LIMIT OF 40 MPH (60 km/h) OR LESS AS SHOWN ON THE DRAWING AND AS DIRECTED BY THE ENGINEER:
- a) ONE "ROAD CONSTRUCTION AHEAD" SIGN 36 x 36 (900x900) WITH A FLASHER MOUNTED ON IT APPROXIMATELY 200' (60 m) IN ADVANCE OF THE MAIN ROUTE.
- b) THE CLOSED PORTION OF THE MAIN ROUTE SHALL BE PROTECTED BY BLOCKING WITH TYPE I, TYPE II OR TYPE III BARRICADES, 1/3 OF THE CROSS SECTION OF THE CLOSED PORTION.
- SIDE ROAD WITH A SPEED LIMIT GREATER THAN 40 MPH (60 km/h) AS SHOWN ON THE DRAWING AND AS DIRECTED BY THE ENGINEER:
- a) ONE "ROAD CONSTRUCTION AHEAD" SIGN 48 x 48 (1.2 m x 1.2 m) WITH A FLASHER MOUNTED ON IT APPROXIMATELY 500' (150 m) IN ADVANCE OF THE MAIN ROUTE.
- THE CLOSED PORTION OF THE MAIN ROUTE SHALL BE PROTECTED BY
 b) BLOCKING WITH TYPE III BARRICADES, 1/2 OF THE CROSS SECTION
 OF THE CLOSED PORTION.
- 3. CONES MAY BE SUBSTITUTED FOR BARRICADES OR DRUMS AT HALF THE SPACING DURING DAY OPERATIONS. CONES SHALL BE A MINIMUM OF 28 (710)
- WHEN THE SIDE ROAD LIES BETWEEN THE BEGINNING OF THE MAINLINE
 4. SIGNING AND THE WORK ZONE, A SINGLE HEADED ARROW (M6-1) SHALL
 BE USED IN LIEU OF THE DOUBLE HEADED ARROW (M6-4).

- WHEN WORK IS BEING PERFORMED ON A SIDE ROAD OR DRIVEWAY, FOLLOW THE APPLICABLE STANDARD(S). THE DIRECTIONAL ARROW (M6-1 OR M6-4) SHALL BE COVERED OR REMOVED WHEN NO LONGER CONSISTENT WITH THE TRAFFIC CONTROL SET-UP.
- 6. ADVANCE WARNING SIGNS ARE TO BE OMITTED ON DRIVEWAYS UNLESS OTHERWISE SPECIFIED IN THE PLANS OR BY THE ENGINEER
- 7. THE TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS SHALL BE INCLUDED IN THE COST OF SPECIFIED TRAFFIC CONTROL STANDARDS OR ITEMS.


All dimensions are in inches (millimeters) unless otherwise shown.

USER NAME = footemj	DESIGNED - L.H.A.	REVISED - A. HOUSEH 10-15-96
	DRAWN -	REVISED - T. RAMMACHER 01-06-00
PLOT SCALE = 50.0000 ' / in.	CHECKED -	REVISED - A. SCHUETZE 07-01-13
PLOT DATE = 3/4/2019	DATE - 06-89	REVISED _ A. SCHUETZE 09-15-16

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS

SHEET 22 OF 29 SHEETS STA. TO STA.



NOTES:

- 1. USE BLACK LETTERING ON ORANGE BACKGROUND.
- 2. ERECT SIGNS IN ADVANCE OF THE LOCATION FOR THE "ROAD CONSTRUCTION AHEAD" SIGN AT LOCATIONS AS DIRECTED BY THE ENGINEER.
- 3. ERECT SIGN 1 WITH INSTALLED PANEL 2 ONE WEEK PRIOR TO THE START OF CONSTRUCTION.
- 4. REMOVE PANEL(2)SOON AFTER THE START OF CONSTRUCTION.
- 5. SEE SPECIAL PROVISION FOR "TEMPORARY INFORMATION SIGNING" FOR ADDITIONAL INFORMATION.
- 6. ONE SIGN ASSEMBLY EQUALS 25.70 SQ. FT. (2.3 SQ. M.)

SCALE: NONE

7. SHALL BE PAID FOR AS TEMPORARY INFORMATION SIGNING.

ALL DIMENSIONS ARE IN INCHES (MILLIMETERS) UNLESS OTHERWISE SHOWN.

USER NAME = footemj	DESIGNED -	REVISED	- R. MIRS 09-15-97
	DRAWN -	REVISED	- R. MIRS 12-11-97
PLOT SCALE = 50.0000 ' / in.	CHECKED -	REVISED	-T. RAMMACHER 02-02-9
PLOT DATE = 3/4/2019	DATE -	REVISED	- C. JUCIUS 01-31-07

STATE	E OF	- ILLINOIS
DEPARTMENT	0F	TRANSPORTATION

ARTERIAL ROAD INFORMATION SIGN							F.A.U. RTE.	SECTION			
							VAR	14-00031-00 SW			
							TC-22				
	SHEET 23		OF 2	29	SHEETS	STA.	TO STA.	FED. AID	DISTRICT NO.	ILLINOIS	FE

