



INSIDE ELEVATION OF SOUTH PARAPET

MINIMUM BAR LAP
 (Parapet)
 #4 bar = 2'-0"
 #8 bar = 5'-2"

NOTES:

1. All dimensions are along the toe of the parapet (gutterline).
2. Bars indicated thus 1x3-#4 etc. indicates 1 line of bars with 3 lengths per line.
3. For parapet joint details, see sheet SB12.

benesch
 engineers · scientists · planners
 Alfred Benesch & Company
 205 North Michigan Avenue, Suite 2400
 Chicago, Illinois 60601
 312-565-0450 Job No. 10093

FILE NAME =	USER NAME = ksnyder	DESIGNED - JHG	REVISED -
0161512.60W77.013.S.Parapet_Details.dgn		CHECKED - KWS	REVISED -
	PLOT SCALE =	DRAWN - KMS	REVISED -
	PLOT DATE = 6/23/2014	CHECKED - KWS	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SOUTH PARAPET DETAILS
STRUCTURE NO. 016-1512

SHEET NO. SB13 OF SB43 SHEETS

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
373	(0707-608&611)HB-B	COOK	177	129
CONTRACT NO. 60W77			ILLINOIS FED. AID PROJECT	

X:\100000S\10093\Eng-Docs-Phase-11\SN-016-1512-SB-1st-Ave.-to-NB-155-over-155\Final\0161512-60W77-013-S.Parapet_Details.dgn
 10:36:13 AM
 6/23/2014