

HMA MIXTURE TABLE

Location(s):	Hot-Mix Asphalt Surface Course
Mixture Use(s):	Hot-Mix Asphalt Surface Course, Mix C, N90
AC/PG:	PG64-22
ABR % (Max):	See BDE Special Provisions
Design Air Voids:	4.0 %, 90 Gyration Design
Mixture (Gradation Mixture):	IL-9.5 mm
Friction Aggregate:	C Surface
Quality Management Program:	OCP

Location(s):	Hot-Mix Asphalt Leveling Binder Course
Mixture Use(s):	Hot-Mix Asphalt Leveling Binder, N90, IL-9.5 Fine Grade
AC/PG:	PG64-22
ABR % (Max):	See BDE Special Provisions
Design Air Voids:	4.0 %, 90 Gyration Design
Mixture (Gradation Mixture):	IL-9.5mm Fine Grade
Friction Aggregate:	None
Quality Management Program:	OCP

Location(s):	Class D Patching
Mixture Use(s):	Hot-Mix Asphalt Binder Course, N90, IL-19.0mm Fine Grade
AC/PG:	PG 64-22
ABR % (Max):	See Special Provisions
Design Air Voids:	4.0%, 90 Gyration Design
Mixture (Gradation Mixture):	IL-19.0mm Fine Grade
Friction Aggregate:	None
Quality Management Program:	OC/OA

MTD CROSSING RESTRICTIONS TABLE

SN & CENTERLINE STATION ROUTE FAP 885 (IL 146)	EXISTING FILL HEIGHT OVER BOX CULVERT	THICKNESS OF EXISTING PAVEMENT OVER BOX CULVERT	MTD CROSSING RESTRICTIONS
	FOOT	FOOT	
SN 076-7013	1.0'	1'	Pending
SN 076-7014	2.5'	1'	Loaded
SN 076-7015	3.0'	1'	Loaded
SN 076-7016	3.0'	1'	Loaded
SN 076-7017	0.5'	1'	Pending
SN 076-7018	19.7'	1'	Loaded
SN 076-7019	2.0'	1'	Pending
SN 076-7020	15.0'	1'	Loaded
SN 035-7028 (Hardin Co.)	7.4'	1'	Loaded
SN 076-0005 (STA. 1659+41.97)			Pending
SN 076-0029 (STA. 1439+22.25)			Pending
SN 076-0030 (STA. 1373+26.00)			Pending
SN 076-0031 (STA. 1259+03.51)			Pending