

Stage II Construction Joint (Line No. 19)

| Location           | Station    | Offset from EB PGL F.A.I. 57/70 | Theoretical Grade Elevations | Theoretical Grade Elevations Adjusted For Dead Load Deflection & Grinding |
|--------------------|------------|---------------------------------|------------------------------|---|
| Bk. of W. Abutment | 2291+31.29 | 19.25                           | 631.81                       | 631.83  |
| ⊕ Bearing W. Abut. | 2291+33.24 | 19.25                           | 631.81                       | 631.83  |
| A                  | 2291+43.24 | 19.25                           | 631.85                       | 631.92  |
| B                  | 2291+53.24 | 19.25                           | 631.88                       | 632.02  |
| C                  | 2291+63.24 | 19.25                           | 631.92                       | 632.11  |
| D                  | 2291+73.24 | 19.25                           | 631.95                       | 632.19  |
| E                  | 2291+83.24 | 19.25                           | 631.98                       | 632.25  |
| F                  | 2291+93.24 | 19.25                           | 632.00                       | 632.30  |
| G                  | 2292+03.24 | 19.25                           | 632.03                       | 632.33  |
| H                  | 2292+13.24 | 19.25                           | 632.05                       | 632.34  |
| I                  | 2292+23.24 | 19.25                           | 632.07                       | 632.34  |
| J                  | 2292+33.24 | 19.25                           | 632.09                       | 632.32  |
| K                  | 2292+43.24 | 19.25                           | 632.10                       | 632.30  |
| L                  | 2292+53.24 | 19.25                           | 632.12                       | 632.28  |
| M                  | 2292+63.24 | 19.25                           | 632.13                       | 632.25  |
| N                  | 2292+73.24 | 19.25                           | 632.14                       | 632.22  |
| O                  | 2292+83.24 | 19.25                           | 632.14                       | 632.20  |
| P                  | 2292+93.24 | 19.25                           | 632.15                       | 632.19  |
| Q                  | 2293+03.24 | 19.25                           | 632.15                       | 632.18  |
| ⊕ Bearing Pier     | 2293+13.17 | 19.25                           | 632.15                       | 632.17  |
| R                  | 2293+23.17 | 19.25                           | 632.15                       | 632.20  |
| S                  | 2293+33.17 | 19.25                           | 632.15                       | 632.22  |
| T                  | 2293+43.17 | 19.25                           | 632.14                       | 632.25  |
| U                  | 2293+53.17 | 19.25                           | 632.14                       | 632.29  |
| V                  | 2293+63.17 | 19.25                           | 632.13                       | 632.33  |
| W                  | 2293+73.17 | 19.25                           | 632.12                       | 632.37  |
| X                  | 2293+83.17 | 19.25                           | 632.10                       | 632.41  |
| Y                  | 2293+93.17 | 19.25                           | 632.09                       | 632.44  |
| Z                  | 2294+03.17 | 19.25                           | 632.07                       | 632.47  |
| AA                 | 2294+13.17 | 19.25                           | 632.05                       | 632.48  |
| BB                 | 2294+23.17 | 19.25                           | 632.03                       | 632.48  |
| CC                 | 2294+33.17 | 19.25                           | 632.00                       | 632.45  |
| DD                 | 2294+43.17 | 19.25                           | 631.98                       | 632.41  |
| EE                 | 2294+53.17 | 19.25                           | 631.95                       | 632.34  |
| FF                 | 2294+63.17 | 19.25                           | 631.92                       | 632.26  |
| GG                 | 2294+73.17 | 19.25                           | 631.88                       | 632.16  |
| HH                 | 2294+83.17 | 19.25                           | 631.85                       | 632.05  |
| II                 | 2294+93.17 | 19.25                           | 631.81                       | 631.94  |
| JJ                 | 2295+03.17 | 19.25                           | 631.77                       | 631.84  |
| ⊕ Bearing E. Abut. | 2295+09.50 | 19.25                           | 631.75                       | 631.77  |
| Bk. of E. Abutment | 2295+11.45 | 19.25                           | 631.74                       | 631.76  |

Girder 14 (Line No. 20)

| Location           | Station    | Offset from EB PGL F.A.I. 57/70 | Theoretical Grade Elevations | Theoretical Grade Elevations Adjusted For Dead Load Deflection & Grinding |
|--------------------|------------|---------------------------------|------------------------------|---|
| Bk. of W. Abutment | 2291+29.21 | 22.65                           | 631.85                       | 631.87  |
| ⊕ Bearing W. Abut. | 2291+31.16 | 22.65                           | 631.86                       | 631.88  |
| A                  | 2291+41.16 | 22.65                           | 631.90                       | 631.97  |
| B                  | 2291+51.16 | 22.65                           | 631.93                       | 632.06  |
| C                  | 2291+61.16 | 22.65                           | 631.96                       | 632.16  |
| D                  | 2291+71.16 | 22.65                           | 631.99                       | 632.23  |
| E                  | 2291+81.16 | 22.65                           | 632.02                       | 632.30  |
| F                  | 2291+91.16 | 22.65                           | 632.05                       | 632.35  |
| G                  | 2292+01.16 | 22.65                           | 632.07                       | 632.38  |
| H                  | 2292+11.16 | 22.65                           | 632.10                       | 632.39  |
| I                  | 2292+21.16 | 22.65                           | 632.12                       | 632.39  |
| J                  | 2292+31.16 | 22.65                           | 632.14                       | 632.38  |
| K                  | 2292+41.16 | 22.65                           | 632.15                       | 632.36  |
| L                  | 2292+51.16 | 22.65                           | 632.17                       | 632.33  |
| M                  | 2292+61.16 | 22.65                           | 632.18                       | 632.30  |
| N                  | 2292+71.16 | 22.65                           | 632.19                       | 632.28  |
| O                  | 2292+81.16 | 22.65                           | 632.20                       | 632.25  |
| P                  | 2292+91.16 | 22.65                           | 632.20                       | 632.24  |
| Q                  | 2293+01.16 | 22.65                           | 632.21                       | 632.23  |
| ⊕ Bearing Pier     | 2293+11.08 | 22.65                           | 632.21                       | 632.23  |
| R                  | 2293+21.08 | 22.65                           | 632.21                       | 632.25  |
| S                  | 2293+31.08 | 22.65                           | 632.20                       | 632.27  |
| T                  | 2293+41.08 | 22.65                           | 632.20                       | 632.31  |
| U                  | 2293+51.08 | 22.65                           | 632.19                       | 632.34  |
| V                  | 2293+61.08 | 22.65                           | 632.18                       | 632.39  |
| W                  | 2293+71.08 | 22.65                           | 632.17                       | 632.43  |
| X                  | 2293+81.08 | 22.65                           | 632.16                       | 632.47  |
| Y                  | 2293+91.08 | 22.65                           | 632.14                       | 632.51  |
| Z                  | 2294+01.08 | 22.65                           | 632.13                       | 632.53  |
| AA                 | 2294+11.08 | 22.65                           | 632.11                       | 632.54  |
| BB                 | 2294+21.08 | 22.65                           | 632.08                       | 632.54  |
| CC                 | 2294+31.08 | 22.65                           | 632.06                       | 632.52  |
| DD                 | 2294+41.08 | 22.65                           | 632.03                       | 632.47  |
| EE                 | 2294+51.08 | 22.65                           | 632.01                       | 632.41  |
| FF                 | 2294+61.08 | 22.65                           | 631.98                       | 632.32  |
| GG                 | 2294+71.08 | 22.65                           | 631.94                       | 632.22  |
| HH                 | 2294+81.08 | 22.65                           | 631.91                       | 632.11  |
| II                 | 2294+91.08 | 22.65                           | 631.87                       | 632.00  |
| JJ                 | 2295+01.08 | 22.65                           | 631.83                       | 631.90  |
| ⊕ Bearing E. Abut. | 2295+07.42 | 22.65                           | 631.81                       | 631.83  |
| Bk. of E. Abutment | 2295+09.37 | 22.65                           | 631.80                       | 631.82  |

Girder 15 (Line No. 21)

| Location           | Station    | Offset from EB PGL F.A.I. 57/70 | Theoretical Grade Elevations | Theoretical Grade Elevations Adjusted For Dead Load Deflection & Grinding |
|--------------------|------------|---------------------------------|------------------------------|---|
| Bk. of W. Abutment | 2291+23.54 | 31.90                           | 631.73                       | 631.75  |
| ⊕ Bearing W. Abut. | 2291+25.49 | 31.90                           | 631.73                       | 631.75  |
| A                  | 2291+35.49 | 31.90                           | 631.77                       | 631.84  |
| B                  | 2291+45.49 | 31.90                           | 631.81                       | 631.92  |
| C                  | 2291+55.49 | 31.90                           | 631.84                       | 632.00  |
| D                  | 2291+65.49 | 31.90                           | 631.87                       | 632.08  |
| E                  | 2291+75.49 | 31.90                           | 631.91                       | 632.14  |
| F                  | 2291+85.49 | 31.90                           | 631.93                       | 632.18  |
| G                  | 2291+95.49 | 31.90                           | 631.96                       | 632.21  |
| H                  | 2292+05.49 | 31.90                           | 631.98                       | 632.22  |
| I                  | 2292+15.49 | 31.90                           | 632.00                       | 632.22  |
| J                  | 2292+25.49 | 31.90                           | 632.02                       | 632.22  |
| K                  | 2292+35.49 | 31.90                           | 632.04                       | 632.20  |
| L                  | 2292+45.49 | 31.90                           | 632.06                       | 632.18  |
| M                  | 2292+55.49 | 31.90                           | 632.07                       | 632.16  |
| N                  | 2292+65.49 | 31.90                           | 632.08                       | 632.14  |
| O                  | 2292+75.49 | 31.90                           | 632.09                       | 632.13  |
| P                  | 2292+85.49 | 31.90                           | 632.10                       | 632.12  |
| Q                  | 2292+95.49 | 31.90                           | 632.10                       | 632.12  |
| ⊕ Bearing Pier     | 2293+05.42 | 31.90                           | 632.10                       | 632.12  |
| R                  | 2293+15.42 | 31.90                           | 632.11                       | 632.15  |
| S                  | 2293+25.42 | 31.90                           | 632.10                       | 632.18  |
| T                  | 2293+35.42 | 31.90                           | 632.10                       | 632.22  |
| U                  | 2293+45.42 | 31.90                           | 632.09                       | 632.26  |
| V                  | 2293+55.42 | 31.90                           | 632.09                       | 632.31  |
| W                  | 2293+65.42 | 31.90                           | 632.08                       | 632.35  |
| X                  | 2293+75.42 | 31.90                           | 632.06                       | 632.40  |
| Y                  | 2293+85.42 | 31.90                           | 632.05                       | 632.43  |
| Z                  | 2293+95.42 | 31.90                           | 632.03                       | 632.46  |
| AA                 | 2294+05.42 | 31.90                           | 632.02                       | 632.47  |
| BB                 | 2294+15.42 | 31.90                           | 632.00                       | 632.47  |
| CC                 | 2294+25.42 | 31.90                           | 631.97                       | 632.44  |
| DD                 | 2294+35.42 | 31.90                           | 631.95                       | 632.40  |
| EE                 | 2294+45.42 | 31.90                           | 631.92                       | 632.33  |
| FF                 | 2294+55.42 | 31.90                           | 631.89                       | 632.25  |
| GG                 | 2294+65.42 | 31.90                           | 631.86                       | 632.15  |
| HH                 | 2294+75.42 | 31.90                           | 631.83                       | 632.04  |
| II                 | 2294+85.42 | 31.90                           | 631.79                       | 631.92  |
| JJ                 | 2294+95.42 | 31.90                           | 631.75                       | 631.82  |
| ⊕ Bearing E. Abut. | 2295+01.75 | 31.90                           | 631.73                       | 631.75  |
| Bk. of E. Abutment | 2295+03.70 | 31.90                           | 631.72                       | 631.74  |