


(9) RESURFACING WITH SMA SURFACE COURSE 2" ON LANE 2. (11) TEMPORARY PAVEMENT MARKING

(10) RESURFACING WITH HOT-MIX ASPHALT SURFACE COURSE 11/2" ON THE OUTER SHOULDER.




15 FINAL PAVEMENT MARKING WITH THERMOPLASTIC PAVEMENT MARKING, LINE 4"

(6) INSTALL RUMBLE STRIPS ON INNER AND OUTER SHOULDER AS PER DETAIL ON PLAN.

(17) PLACE AGGREGATE WEDGE SHOULDER, TYPE B.

(18) PLACE RAISED REFLECTIVE PAVEMENT MARKERS AT LANE LINE AND RAMPS.

(19) DRUMS WITH STEADY BURN LIGHTS AS PER TC-06 AND GENERAL NOTE 5 (DRUMS/BARRICADES SHALL BE PLACED ON SHOULDER WITHIN 2' OF EDGE OF PAVEMENT DURING NON-WORKING HOURS).



(12) RESURFACING WITH SMA SURFACE COURSE 2" ON LANE 1

(3) RESURFACING WOTH HOT-MIX ASPHALT SURFACE COURSE 11/2" ON THE INNER SHOULDER

(4) FINAL PAVEMENT MARKING WITH THERMOPLASTIC PAVEMENT MARKING, LINE 5"

NOTE: BARRICADES/DRUMS TO BE PLACED ON THE SHOULDER WITHIN 2' OF THE EDGE OF THE PAVEMENT DURING NON-WORKING HOURS.

REVISIONS	THE INOIS DEPART	ILLINOIS DEPARTMENT OF TRANSPORTATION	
NAME DA	E ICEINOIS DEI ANT	MENT OF TRANSPORTATION	
		OUTE 394	
	SUGGESTE	D SEQUENCE	
	OF OP	ERATIONS	
	SCALEE	DRAWN BY	
	7/14/2007	CHECKED BY	

7/14/2007 c:#projec+s#d120502#d120502db.m32