


POLE NUMBER	CONTROLLER NO.	STATION	OFFSET	LIGHT CIRCUIT	FOUNDATION TYPE
47	BG2	76+59	3' B.C.	F	SP
48	BG2	78+32	3' B.C.	E	SP
60	BG2	76+72	5' B.C.	H	24
61	BG2	78+32	5' B.C.	G	24

T.A. RE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	03-0087-00-LT	COOK	20	12
DUNDEE ROAD STA. 75+25 TO STA. 90+75				
FED. ROAD DISTRICT	ILLINOIS	FED. AID PROJECT		


FOUNDATION TYPE
 24 = LIGHT POLE FOUNDATION, 24" DIAMETER
 OS = LIGHT POLE FOUNDATION, 24" DIAMETER, OFFSET
 SP = LIGHT POLE FOUNDATION (SPECIAL)
 EX = EXISTING FOUNDATION

MATCH LINE STA. 75+25
(SEE SHEET NO. 11)




- (A) UNIT DUCT, WITH 4-1/C NO. 6 AND 1-1/C NO. 6 GROUND, 600V (EPR-TYPE RHW), 2" DIA., POLYETHYLENE
- (B) UNIT DUCT, WITH 2-1/C NO. 6 AND 1-1/C NO. 6 GROUND, 600V (EPR-TYPE RHW), 2" DIA., POLYETHYLENE
- (C) UNIT DUCT, WITH 4-1/C NO. 4 AND 1-1/C NO. 4 GROUND, 600V (EPR-TYPE RHW), 2" DIA., POLYETHYLENE
- (D) UNIT DUCT, WITH 2-1/C NO. 4 AND 1-1/C NO. 4 GROUND, 600V (EPR-TYPE RHW), 2" DIA., POLYETHYLENE

PLAN OMISSION
 STA. 80+15 TO STA. 84+65



MATCH LINE STA. 310+75
 BUFFALO GROVE ROAD
 (SEE SHEET NO. 16)



PLAN OMISSION
 STA. 80+15 TO STA. 84+65

MATCH LINE STA. 90+75
(SEE SHEET NO. 13)

REVISIONS

VILLAGE OF BUFFALO GROVE
DUNDEE ROAD LIGHTING IMPROVEMENT
LIGHTING PLAN
 DUNDEE ROAD
 STA. 75+25 TO STA. 90+75

DESIGNED BY: S.J.C.
 CHECKED BY: D.N.M.
 DATE: 07/10/2007

SCALE IN FEET
 0 20