



**NOTES:**

1. LIGHT POLE SHALL BE INSTALLED ON BREAKAWAY TRANSFORMER BASE.
2. PROVIDE NAMEPLATE STATING "VILLAGE OF MONTGOMERY"
3. PROVIDE NAMEPLATE STATING "VILLAGE OF OSWEGO"
4. CONTRACTOR SHALL COORDINATE EXACT LOCATION OF STORM SEWER BEFORE FOUNDATION INSTALLATION.
5. LIGHT POLE SHALL BE INSTALLED ON 10"x8" METAL FOUNDATION DUE TO POSSIBLE CONFLICT WITH 10" DIA. GAS MAIN.
6. LIGHT POLE SHALL BE INSTALLED ON BREAKAWAY DEVICE, COUPLING WITH ALUMINUM SKIRT.

J:\264\Drawings\CADD\_Sheets\Lighting\16032\_sht-1r904.dgn

**SINGH**  
CONSULTING ENGINEERS  
www.singhinc.com

USER NAME = kprejapati	DESIGNED - KGP	REVISED -
PLOT SCALE = 100.000000' / 1" = 100'	DRAWN - AM	REVISED -
PLOT DATE = 4/25/2012	CHECKED - AG	REVISED -
	DATE - 03/02/2012	REVISED -

STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION

U.S. ROUTE 30 AT DOUGLAS ROAD  
PROPOSED LIGHTING PLAN

SCALE: AS NOTED SHEET NO. 4 OF 6 SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
349	11 WRS-3	KENDALL	527	285
CONTRACT NO. 60132				
FED. ROAD DIST. NO. 1 ILLINOIS FED. AID PROJECT				