

SCHEDULE OF PIPE UNDERDRAINS 6"

| STATION TO STATION | OFFSET | PIPE UNDERDRAINS 6" (FT) | CONNECTING STRUCTURE | PIPE UNDERDRAINS 6" SPECIAL (FT) | |
|--------------------|-----------|--------------------------|----------------------|----------------------------------|-----|
| 4531+09.0 | 4529+00.0 | RT | 204.0 | JOB LIMIT | 5.0 |
| 4531+24.0 | 4531+10.0 | RT | 9.0 | 29-01 | 5.0 |
| 4532+34.0 | 4531+25.0 | RT | 104.0 | 29-02 | 5.0 |
| 4533+59.0 | 4532+35.0 | RT | 119.0 | 29-03 | 5.0 |
| 4533+94.5 | 4533+60.0 | RT | 29.5 | 29-04 | 5.0 |
| 4534+00.1 | 4534+90.0 | RT | 84.9 | 30-01 | 5.0 |
| 6060+23.4 | 6062+40.0 | RT | 211.6 | 30-02 | 5.0 |
| 6060+00.0 | 6062+42.0 | LT | 237.0 | 30-03 | 5.0 |
| 6062+41.0 | 6063+55.0 | RT | 109.0 | 30-05 | 5.0 |
| 6062+42.8 | 6063+53.0 | LT | 105.2 | 30-06 | 5.0 |
| 4536+25.5 | 4534+90.0 | RT | 130.5 | 30-01 | 5.0 |
| 6063+56.0 | 6063+85.0 | RT | 24.0 | 30-09 | 5.0 |
| 6063+57.8 | 6063+83.0 | LT | 20.2 | 30-10 | 5.0 |
| 4537+29.0 | 4536+26.5 | RT | 97.5 | 30-04 | 5.0 |
| 6063+86.0 | 6064+06.6 | RT | 15.6 | 30-11 | 5.0 |
| 6063+87.8 | 6064+04.6 | LT | 11.7 | 30-12 | 5.0 |
| 6064+21.0 | 6064+06.6 | RT | 9.4 | 30-11 | 5.0 |
| 6064+19.2 | 6064+08.6 | LT | 5.6 | 30-12 | 5.0 |
| 6064+59.0 | 6064+22.0 | RT | 32.0 | 30-13 | 5.0 |
| 6064+57.2 | 6064+24.0 | LT | 28.2 | 30-14 | 5.0 |
| 4538+34.0 | 4537+30.0 | RT | 99.0 | 30-07 | 5.0 |
| 4538+45.7 | 4538+35.0 | RT | 5.7 | 30-17 | 5.0 |
| 6064+79.0 | 6064+60.0 | RT | 14.0 | 30-15 | 5.0 |
| 6064+69.1 | 6064+62.0 | LT | 2.1 | 30-16 | 5.0 |
| 6065+74.0 | 6064+80.0 | RT | 89.0 | 30-19 | 5.0 |
| 6065+89.0 | 6065+75.0 | RT | 9.0 | 31-01 | 5.0 |
| 6066+74.0 | 6065+90.0 | RT | 79.0 | 31-04 | 5.0 |
| 6067+29.0 | 6066+75.0 | RT | 49.0 | 31-05 | 5.0 |
| 6067+93.1 | 6067+30.0 | RT | 58.1 | 31-08 | 5.0 |
| 6067+94.2 | 6068+07.1 | RT | 7.9 | 31-09 | 5.0 |
| 6068+08.1 | 6068+38.3 | RT | 25.2 | 31-10 | 5.0 |
| 6068+39.3 | 6069+10.9 | RT | 66.6 | 31-11 | 5.0 |
| 4542+71.0 | 4543+65.0 | RT | 89.0 | 31-12 | 5.0 |
| 4543+66.0 | 4544+55.0 | RT | 84.0 | 32-01 | 5.0 |
| 4544+56.0 | 4545+68.7 | RT | 107.7 | 32-02 | 5.0 |
| 4546+64.0 | 4545+68.7 | RT | 90.3 | 32-02 | 5.0 |
| 8052+06.7 | 8052+50.0 | RT | 38.3 | 32-03 | 5.0 |
| 8052+51.0 | 8052+65.0 | RT | 9.0 | 32-04 | 5.0 |
| 8052+66.0 | 8053+75.0 | RT | 104.0 | 32-05 | 5.0 |
| 8053+76.0 | 8054+10.0 | RT | 29.0 | 32-06 | 5.0 |
| 8054+11.0 | 8054+30.9 | RT | 14.9 | 32-07 | 5.0 |
| 8054+44.0 | 8054+30.9 | RT | 8.1 | 32-07 | 5.0 |
| 8054+94.0 | 8054+45.0 | RT | 44.0 | 33-01 | 5.0 |
| 8055+99.0 | 8054+95.0 | RT | 99.0 | 33-02 | 5.0 |
| 8058+68.9 | 8056+00.0 | RT | 263.9 | 33-03 | 5.0 |

SCHEDULE OF PIPE UNDERDRAINS 6"

| STATION TO STATION | OFFSET | PIPE UNDERDRAINS 6" (FT) | CONNECTING STRUCTURE | PIPE UNDERDRAINS 6" SPECIAL (FT) | |
|--------------------|-----------|--------------------------|----------------------|----------------------------------|-----|
| 8058+68.9 | 8054+28.9 | LT | 435.0 | 32-08 | 5.0 |
| 8053+90.6 | 8054+28.9 | LT | 33.3 | 32-08 | 5.0 |
| 4548+56.2 | 4548+95.1 | RT | 33.9 | 32-08 | 5.9 |
| 4550+20.6 | 4548+95.1 | RT | 120.5 | 32-08 | 5.9 |
| 4550+25.6 | 4551+05.0 | RT | 74.4 | 33-06 | 5.0 |
| 4551+06.0 | 4551+85.0 | RT | 74.0 | 33-05 | 5.0 |
| 4551+86.0 | 4554+00.0 | RT | 209.0 | 34-01 | 5.0 |
| 4550+66.0 | 4551+05.0 | RT | 34.0 | 33-04 | 5.0 |
| 4554+01.0 | 4554+15.0 | RT | 9.0 | 34-02 | 5.0 |
| 4554+16.0 | 4555+13.0 | RT | 92.0 | 34-03 | 5.0 |
| 4555+14.0 | 4555+28.1 | RT | 9.1 | 34-04 | 5.0 |
| 4555+42.0 | 4555+28.1 | RT | 8.9 | 34-04 | 5.0 |
| 4555+65.0 | 4555+43.0 | RT | 17.0 | 34-05 | 5.0 |
| 4555+77.2 | 4555+66.0 | RT | 6.2 | 34-06 | 5.0 |
| 4555+85.2 | 4555+95.0 | RT | 4.8 | 34-07 | 5.0 |
| 4556+84.0 | 4555+95.0 | RT | 84.0 | 34-07 | 5.0 |
| 4558+29.0 | 4556+85.0 | RT | 139.0 | 34-08 | 5.0 |
| 6042+36.0 | 6044+85.0 | RT | 244.0 | 35-03 | 5.0 |
| 4560+24.0 | 4558+30.0 | RT | 189.0 | 34-09 | 5.0 |
| 6040+98.6 | 6042+35.0 | RT | 131.4 | 35-01 | 5.0 |
| 6040+98.6 | 6045+27.0 | LT | 423.4 | 35-05 | 5.0 |
| 6045+37.9 | 6045+23.0 | LT | 9.9 | 35-05 | 5.0 |
| 4561+62.7 | 4560+25.0 | RT | 132.7 | 35-02 | 5.0 |
| 4561+63.7 | 4563+15.0 | RT | 146.3 | 35-06 | 5.0 |
| 4563+29.8 | 4563+15.0 | RT | 9.8 | 35-06 | 5.0 |
| 6044+86.0 | 6045+25.0 | RT | 34.0 | 35-04 | 5.0 |
| 6045+26.0 | 6046+00.0 | RT | 69.0 | 35-07 | 5.0 |
| 6046+01.0 | 6047+00.0 | RT | 94.0 | 36-01 | 5.0 |
| 6047+01.0 | 6047+29.0 | RT | 23.0 | 36-02 | 5.0 |
| 6047+82.8 | 6047+29.0 | RT | 48.8 | 36-02 | 5.0 |
| 6047+89.8 | 6048+89.0 | RT | 94.2 | 36-03 | 5.0 |
| 6048+90.0 | 6049+15.0 | RT | 20.0 | 36-04 | 5.0 |
| 6049+16.0 | 6049+80.0 | RT | 59.0 | 36-05 | 5.0 |
| 6049+81.0 | 6049+96.7 | RT | 10.7 | 36-06 | 5.0 |
| 6050+10.7 | 6049+96.7 | RT | 9.1 | 36-06 | 5.0 |
| 4568+44.0 | 4568+05.0 | RT | 34.0 | 36-07 | 5.0 |
| 4569+54.4 | 4568+45.0 | RT | 104.4 | 36-08 | 5.0 |
| 8040+99.0 | 8040+10.0 | RT | 84.0 | 37-01 | 5.0 |
| 8041+99.0 | 8041+00.0 | RT | 94.0 | 37-02 | 5.0 |
| 8043+04.0 | 8042+00.0 | RT | 99.0 | 37-03 | 5.0 |
| 8043+19.0 | 8043+05.0 | RT | 9.0 | 37-04 | 5.0 |
| 8044+09.0 | 8043+20.0 | RT | 84.0 | 37-05 | 5.0 |
| 8044+74.0 | 8044+10.0 | RT | 59.0 | 37-07 | 5.0 |
| 4574+24.0 | 4573+55.0 | RT | 64.0 | 37-09 | 5.0 |
| 4574+64.3 | 4574+25.0 | RT | 34.3 | 38-02 | 5.0 |

SCHEDULE OF PIPE UNDERDRAINS 6"

| STATION TO STATION | OFFSET | PIPE UNDERDRAINS 6" (FT) | CONNECTING STRUCTURE | PIPE UNDERDRAINS 6" SPECIAL (FT) | |
|--------------------|-----------|--------------------------|----------------------|----------------------------------|-----|
| 4574+65.3 | 4576+15.0 | RT | 144.7 | 38-06 | 5.0 |
| 8045+54.0 | 8044+75.0 | RT | 74.0 | 38-01 | 5.0 |
| 8045+52.2 | 8044+12.0 | LT | 135.2 | 37-08 | 5.0 |
| 8046+69.0 | 8045+55.0 | RT | 109.0 | 38-03 | 5.0 |
| 4576+16.0 | 4577+56.0 | RT | 135.0 | 38-09 | 5.0 |
| 8046+84.0 | 8046+70.0 | RT | 9.0 | 38-05 | 5.0 |
| 8048+14.0 | 8046+85.0 | RT | 124.0 | 38-07 | 5.0 |
| 4577+57.0 | 4579+65.0 | RT | 203.0 | 39-01 | 5.0 |
| 8048+29.0 | 8048+15.0 | RT | 9.0 | 38-08 | 5.0 |
| 8048+27.2 | 8045+57.0 | LT | 265.2 | 38-04 | 5.0 |
| 8050+38.4 | 8048+30.0 | RT | 203.3 | 38-10 | 5.0 |
| 8051+05.9 | 8048+32.0 | LT | 268.9 | 38-11 | 5.0 |
| 4579+66.0 | 4581+45.0 | RT | 174.0 | 39-02 | 5.0 |
| 4581+46.0 | 4581+75.0 | RT | 24.0 | 39-03 | 5.0 |
| 4581+76.0 | 4581+87.5 | RT | 6.5 | 39-04 | 5.0 |
| 4582+04.0 | 4581+87.5 | RT | 11.5 | 39-04 | 5.0 |
| 4583+24.8 | 4582+05.0 | RT | 114.8 | 39-05 | 5.0 |
| 8020+97.7 | 8020+83.0 | RT | 9.7 | 39-06 | 5.0 |
| 8022+84.0 | 8021+94.0 | RT | 85.0 | 40-01 | 5.0 |
| 8023+74.0 | 8022+85.0 | RT | 84.0 | 40-02 | 5.0 |
| 8024+10.0 | 8023+75.0 | RT | 30.0 | 40-04 | 5.0 |
| 8024+38.4 | 8024+11.0 | RT | 22.4 | 40-06 | 5.0 |
| 8024+38.4 | 8024+13.0 | LT | 20.4 | 40-07 | 5.0 |
| 4588+19.0 | 4586+55.0 | RT | 159.0 | 40-08 | 5.0 |
| 4589+41.0 | 4588+20.0 | RT | 116.0 | 40-09 | 5.0 |
| 4590+09.0 | 4589+42.0 | RT | 62.0 | 41-01 | 5.0 |
| 4591+84.0 | 4590+10.0 | RT | 169.0 | 41-02 | 5.0 |
| 4593+34.0 | 4591+85.0 | RT | 144.0 | 41-03 | 5.0 |
| 4594+44.0 | 4593+35.0 | RT | 104.0 | 41-04 | 5.0 |
| 4596+02.3 | 4594+45.0 | RT | 152.3 | 42-01 | 5.0 |
| 4596+03.3 | 4597+75.0 | RT | 166.7 | 42-02 | 5.0 |
| 4597+76.0 | 4598+75.0 | RT | 94.0 | 42-03 | 5.0 |
| 4598+76.0 | 4600+25.0 | RT | 144.0 | 43-01 | 5.0 |
| 4600+26.0 | 4600+67.0 | RT | 36.0 | 43-03 | 5.0 |
| 6023+04.0 | 6024+90.0 | RT | 181.0 | 43-04 | 5.0 |
| 6023+04.0 | 6023+48.0 | LT | 39.0 | 43-02 | 5.0 |
| 6024+91.0 | 6026+85.0 | RT | 189.0 | 44-01 | 5.0 |
| 6026+86.0 | 6027+85.0 | RT | 94.0 | 44-02 | 5.0 |
| 6027+86.0 | 6028+85.0 | RT | 94.0 | 44-03 | 5.0 |
| 6028+86.0 | 6030+00.0 | RT | 109.0 | 44-04 | 5.0 |
| 6030+01.0 | 6030+15.0 | RT | 9.0 | 44-05 | 5.0 |
| 6030+16.0 | 6030+95.0 | RT | 74.0 | 44-06 | 5.0 |
| 6030+96.0 | 6031+35.0 | RT | 34.0 | 44-07 | 5.0 |
| 6031+36.0 | 6031+51.0 | RT | 10.0 | 44-08 | 5.0 |
| 6031+64.4 | 6031+51.0 | RT | 8.4 | 44-08 | 5.0 |

BOWMAN, BARRETT & ASSOCIATES INC.
CONSULTING ENGINEERS
Chicago, Illinois
312.228.0100
www.bbainc.com

CONTINUED ON NEXT SHEET

| REVISIONS | |
|-----------|------|
| NAME | DATE |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

ILLINOIS DEPARTMENT OF TRANSPORTATION
F.A.I. 94/90 (DAN RYAN EXPRESSWAY)
GARFIELD BLVD TO 31ST STREET (NB LOCAL LANES)
DRAINAGE SCHEDULES
PROPOSED PIPE UNDERDRAIN
SCALE: 1"=N.T.S.
DATE: 06/09/06
DRAWN BY: JAM
CHECKED BY: DDM