



GENERAL NOTES

ALL WORK TO BE IN ACCORDANCE WITH THE APPLICABLE PORTIONS OF THE STANDARD SPECIFICATIONS EXCEPT AS MODIFIED HEREON.

IN ADDITION TO THE REQUIREMENTS OF ARTICLE 601.08 OF THE STANDARD SPECIFICATIONS, THE CONTRACT UNIT PRICE PER FOOT (METER) FOR PIPE UNDERDRAINS 4" (100mm) SHALL INCLUDE THE COST FOR FURNISHING AND PLACING THE RODENT SHIELD.

THE REMOVABLE RODENT SHIELD SHALL BE FURNISHED AND INSTALLED IN ACCORDANCE WITH ONE OF THE CONFIGURATIONS SHOWN. THE SHIELD SHALL BE FABRICATED FROM STEEL WIRE, OR EXPANDED METAL, AS DETAILED ABOVE AND SHALL BE GALVANIZED AFTER FABRICATION IN ACCORDANCE WITH AASHTO M-111. OTHER SUBMITTED DESIGNS FOR A REMOVABLE RODENT SHIELD WILL BE ALLOWED WITH THE APPROVAL OF THE ENGINEER.

REVISIONS	DATE
DUAL DIMENSIONS	03/20/02
DEL TY A (SPEC) & PL (MOD)	04/25/02

Lake County
Division of Transportation

APPROVED BY: G. N. WIESNER
DATE: SEPT. 8, 1999

SUB-SURFACE DRAINS

LC6010

REVISIONS	
NAME	DATE

ILLINOIS DEPARTMENT OF TRANSPORTATION
FAU 2647 - BUTTERFIELD ROAD
SUB-SURFACE DRAINS

SCALE: NONE
DATE: 12/2/2005

DRAWN BY: N/A
CHECKED BY: N/A

N:\LIBERTYVILLE\99-389\CV\1\99389.TBL
 N:\LIBERTYVILLE\99-389\CV\1\99389_STDL06010.STD
 1405
 12/2/2005