

BEAM 1

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. W. Abut	1355.35	6.75 Lt.	734.44	734.44
CL Brg W. Abut.	1356.60	6.75 Lt.	734.48	734.48
A	1366.60	6.75 Lt.	734.75	734.79
B	1376.60	6.75 Lt.	734.97	735.06
C	1386.60	6.75 Lt.	735.14	735.26
D	1396.60	6.75 Lt.	735.27	735.41
E	1406.60	6.75 Lt.	735.35	735.49
F	1416.60	6.75 Lt.	735.38	735.52
G	1426.60	6.75 Lt.	735.37	735.47
H	1436.60	6.75 Lt.	735.30	735.37
I	1446.60	6.75 Lt.	735.19	735.22
CL Brg. E. Abut.	1452.60	6.75 Lt.	735.10	735.10
Bk. E. Abut.	1453.85	6.75 Lt.	735.08	735.08

BEAM 2

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. W. Abut	1355.65	2.25 Lt.	734.54	734.54
CL Brg W. Abut.	1356.90	2.25 Lt.	734.58	734.58
A	1366.90	2.25 Lt.	734.85	734.89
B	1376.90	2.25 Lt.	735.07	735.16
C	1386.90	2.25 Lt.	735.24	735.36
D	1396.90	2.25 Lt.	735.37	735.51
E	1406.90	2.25 Lt.	735.45	735.59
F	1416.90	2.25 Lt.	735.48	735.61
G	1426.90	2.25 Lt.	735.46	735.57
H	1436.90	2.25 Lt.	735.40	735.47
I	1446.90	2.25 Lt.	735.28	735.31
CL Brg. E. Abut.	1452.90	2.25 Lt.	735.19	735.19
Bk. E. Abut.	1454.15	2.25 Lt.	735.17	735.17

CL TRAIL & P.G.

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. W. Abut	1355.80	0.00	734.60	734.60
CL Brg W. Abut.	1357.05	0.00	734.63	734.63
A	1367.05	0.00	734.90	734.95
B	1377.05	0.00	735.12	735.21
C	1387.05	0.00	735.29	735.41
D	1397.05	0.00	735.42	735.56
E	1407.05	0.00	735.50	735.64
F	1417.05	0.00	735.53	735.66
G	1427.05	0.00	735.51	735.62
H	1437.05	0.00	735.44	735.51
I	1447.05	0.00	735.33	735.36
CL Brg. E. Abut.	1453.05	0.00	735.24	735.24
Bk. E. Abut.	1454.30	0.00	735.22	735.22

BEAM 3

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. W. Abut	1355.95	2.25 Rt.	734.55	734.55
CL Brg W. Abut.	1357.20	2.25 Rt.	734.59	734.59
A	1367.20	2.25 Rt.	734.86	734.90
B	1377.20	2.25 Rt.	735.08	735.16
C	1387.20	2.25 Rt.	735.25	735.37
D	1397.20	2.25 Rt.	735.37	735.51
E	1407.20	2.25 Rt.	735.45	735.59
F	1417.20	2.25 Rt.	735.48	735.61
G	1427.20	2.25 Rt.	735.46	735.57
H	1437.20	2.25 Rt.	735.39	735.46
I	1447.20	2.25 Rt.	735.28	735.31
CL Brg. E. Abut.	1453.20	2.25 Rt.	735.19	735.19
Bk. E. Abut.	1454.45	2.25 Rt.	735.17	735.17

BEAM 4

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. W. Abut	1356.25	6.75 Rt.	734.47	734.47
CL Brg W. Abut.	1357.50	6.75 Rt.	734.50	734.50
A	1367.50	6.75 Rt.	734.77	734.81
B	1377.50	6.75 Rt.	734.99	735.07
C	1387.50	6.75 Rt.	735.16	735.28
D	1397.50	6.75 Rt.	735.28	735.42
E	1407.50	6.75 Rt.	735.36	735.50
F	1417.50	6.75 Rt.	735.38	735.52
G	1427.50	6.75 Rt.	735.36	735.47
H	1437.50	6.75 Rt.	735.30	735.37
I	1447.50	6.75 Rt.	735.18	735.21
CL Brg. E. Abut.	1453.50	6.75 Rt.	735.09	735.09
Bk. E. Abut.	1454.75	6.75 Rt.	735.07	735.07

FILE NAME = w:\756-004.lombard - get bridges phase 1\cadd sheets\structural\grace\0223128-004-TOP OF SLAB ELEV.DWG



USER NAME = gonzo
 PLOT SCALE =
 PLOT DATE = 7/26/2011

DESIGNED JJJ
 CHECKED SRT
 DRAWN GM
 CHECKED SRT

REVISED -
 REVISED -
 REVISED -
 REVISED -

**STATE OF ILLINOIS
 GREAT WESTERN TRAIL
 GRACE STREET**

**TOP OF SLAB ELEVATIONS II
 STRUCTURE NO. 022 3120**

SHEET NO. 4 OF 25 SHEETS

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	06-00151-00-BR		201	56
CONTRACT NO. 63568			ILLINOIS FED. AID PROJECT	