



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

October 21, 2010

SUBJECT: FAP 541 (Grand Avenue)
Project CMM-9003(073)
Section 08-00279-00-TL
Lake County
Contract No. 63436
Item 72
November 5, 2010 Letting
Addendum (A)

TO PROSPECTIVE BIDDERS:

Due to clarify information necessary to revise the following:

**Proposal - Revised Schedule of Prices, page 3, 4, 5, 6, 7 & 8.
Revised Index of Special Provisions.
Added page 25a. & 25b. to the Special Provisions.**

Plans – Revised Sheets 2 & 3.

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

Scott Stitt
Acting Engineer of Design and Environment

A handwritten signature in cursive script, reading "Ted B. Walschleger" followed by "DE" in a smaller font.

By: Ted B. Walschleger
Engineer of Project Development
and Implementation

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT PRICE		TOTAL PRICE	
				DOLLARS	CENTS	DOLLARS	CTS
35101600	AGG BASE CSE B 4	SQ YD	108.000 X	=	=	=	=
42400200	PC CONC SIDEWALK 5	SQ FT	13,685.000 X	=	=	=	=
42400800	DETECTABLE WARNINGS	SQ FT	1,012.000 X	=	=	=	=
44000500	COMB CURB GUTTER REM	FOOT	1,665.000 X	=	=	=	=
44000600	SIDEWALK REM	SQ FT	12,485.000 X	=	=	=	=
60300305	FR & LIDS ADJUST	EACH	24.000 X	=	=	=	=
60603800	COMB CC&G TB6.12	FOOT	1,620.000 X	=	=	=	=
60605000	COMB CC&G TB6.24	FOOT	45.000 X	=	=	=	=
66900200	NON SPL WASTE DISPOSL *	CU YD	25.000 X	=	=	=	=
66900450	SPL WASTE PLNS/REPORT *	L SUM	1.000 X	=	=	=	=
66900530	SOIL DISPOSAL ANALY *	EACH	2.000 X	=	=	=	=
67100100	MOBILIZATION	L SUM	1.000 X	=	=	=	=
70102620	TR CONT & PROT 701501	L SUM	1.000 X	=	=	=	=
70102622	TR CONT & PROT 701502	L SUM	1.000 X	=	=	=	=
70102625	TR CONT & PROT 701606	L SUM	1.000 X	=	=	=	=

* Revised 10-21-10

*

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT PRICE		TOTAL PRICE	
				DOLLARS	CENTS	DOLLARS	CTS
70102632	TR CONT & PROT 701602	L SUM	1.000 X	=	=	=	=
70102635	TR CONT & PROT 701701	L SUM	1.000 X	=	=	=	=
70102640	TR CONT & PROT 701801	L SUM	1.000 X	=	=	=	=
78000100	THPL PVT MK LTR & SYM	SQ FT	73.000 X	=	=	=	=
78000200	THPL PVT MK LINE 4	FOOT	1,740.000 X	=	=	=	=
78000400	THPL PVT MK LINE 6	FOOT	2,695.000 X	=	=	=	=
78000600	THPL PVT MK LINE 12	FOOT	816.000 X	=	=	=	=
78000650	THPL PVT MK LINE 24	FOOT	745.000 X	=	=	=	=
78300100	PAVT MARKING REMOVAL	SQ FT	3,399.000 X	=	=	=	=
81000600	CON T 2 GALVS	FOOT	4,431.000 X	=	=	=	=
81000700	CON T 2 1/2 GALVS	FOOT	364.000 X	=	=	=	=
81000800	CON T 3 GALVS	FOOT	541.000 X	=	=	=	=
81001000	CON T 4 GALVS	FOOT	272.000 X	=	=	=	=
81018500	CON P 2 GALVS	FOOT	12,740.000 X	=	=	=	=
81018900	CON P 4 GALVS	FOOT	2,296.000 X	=	=	=	=

*Revised 10-21-10

FAP 541
 08-00279-00-TL
 LAKE

ILLINOIS DEPARTMENT OF TRANSPORTATION
 SCHEDULE OF PRICES
 CONTRACT NUMBER - 63436

ECMS002 DTGECM03 ECMR003 PAGE 5
 RUN DATE - 10/20/10
 RUN TIME - 183050

*

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT PRICE		TOTAL PRICE	
				DOLLARS	CENTS	DOLLARS	CTS
81400100	HANDHOLE	EACH	51.000 X				
81400200	HD HANDHOLE	EACH	19.000 X				
81400300	DBL HANDHOLE	EACH	16.000 X				
81900200	TR & BKFIL F ELECT WK	FOOT	5,068.000 X				
85000200	MAIN EX TR SIG INSTAL	EACH	2.000 X				
85700205	FAC T4 CAB SPL	EACH	8.000 X				
87301215	ELCBL C SIGNAL 14 2C	FOOT	14,084.000 X				
87301225	ELCBL C SIGNAL 14 3C	FOOT	12,385.000 X				
87301245	ELCBL C SIGNAL 14 5C	FOOT	13,272.000 X				
87301255	ELCBL C SIGNAL 14 7C	FOOT	5,384.000 X				
87301305	ELCBL C LEAD 14 1PR	FOOT	14,511.000 X				
87301805	ELCBL C SERV 6 2C	FOOT	762.000 X				
87701140	S MAA & P 20 SPL	EACH	1.000 X				
87701150	S MAA & P 22 SPL	EACH	2.000 X				
87701160	S MAA & P 24 SPL	EACH	1.000 X				

* Revised 10-21-10

FAP 541
 08-00279-00-TL
 LAKE

ILLINOIS DEPARTMENT OF TRANSPORTATION
 SCHEDULE OF PRICES
 CONTRACT NUMBER - 63436

ECMS002 DTGECM03 ECMR003 PAGE 6
 RUN DATE - 10/20/10
 RUN TIME - 183050

*

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT PRICE		TOTAL PRICE	
				DOLLARS	CENTS	DOLLARS	CTS
87701170	S MAA & P 26 SPL	EACH	4.000 X	=			
87701180	S MAA & P 28 SPL	EACH	4.000 X	=			
87701190	S MAA & P 30 SPL	EACH	4.000 X	=			
87701200	S MAA & P 32 SPL	EACH	5.000 X	=			
87701210	S MAA & P 34 SPL	EACH	3.000 X	=			
87701220	S MAA & P 36 SPL	EACH	2.000 X	=			
87704030	STL COMB MAA&P 20 SPL	EACH	1.000 X	=			
87704070	STL COMB MAA&P 28 SPL	EACH	1.000 X	=			
87704080	STL COMB MAA&P 30 SPL	EACH	1.000 X	=			
87704100	STL COMB MAA&P 34 SPL	EACH	3.000 X	=			
87800100	CONC FDN TY A	FOOT	108.000 X	=			
87800150	CONC FDN TY C	FOOT	32.000 X	=			
87800400	CONC FDN TY E 30D	FOOT	240.000 X	=			
87800415	CONC FDN TY E 36D	FOOT	240.000 X	=			
87900200	DRILL EX HANDHOLE	EACH	2.000 X	=			

* Revised 10-21-10

FAP 541
08-00279-00-TL
LAKE

ILLINOIS DEPARTMENT OF TRANSPORTATION
SCHEDULE OF PRICES
CONTRACT NUMBER - 63436

ECMS002 DTGECM03 ECMR003 PAGE 7
RUN DATE - 10/20/10
RUN TIME - 183050

*

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT PRICE		TOTAL PRICE	
				DOLLARS	CENTS	DOLLARS	CTS
88030020	SH LED 1F 3S MAM	EACH	61.000 X	=			
88030050	SH LED 1F 3S BM	EACH	17.000 X	=			
88030100	SH LED 1F 5S BM	EACH	16.000 X	=			
88030110	SH LED 1F 5S MAM	EACH	16.000 X	=			
88030220	SH LED 2F 5S BM	EACH	1.000 X	=			
88102717	PED SH LED 1F BM CDT	EACH	38.000 X	=			
88102747	PED SH LED 2F BM CDT	EACH	13.000 X	=			
88200210	TS BACKPLATE LOU ALUM	EACH	77.000 X	=			
88500100	INDUCTIVE LOOP DETECT	EACH	67.000 X	=			
88600100	DET LOOP T1	FOOT	5,064.000 X	=			
88700200	LIGHT DETECTOR	EACH	16.000 X	=			
88700300	LIGHT DETECTOR AMP	EACH	8.000 X	=			
88800100	PED PUSH-BUTTON	EACH	66.000 X	=			
89000100	TEMP TR SIG INSTALL	EACH	8.000 X	=			
89502200	MOD EX CONTR	EACH	2.000 X	=			

* Revised 10-21-10

*

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT PRICE		TOTAL PRICE	
				DOLLARS	CENTS	DOLLARS	CTS
89502375	REMOV EX TS EQUIP	EACH	8.000 X	=			
89502380	REMOV EX HANDHOLE	EACH	56.000 X	=			
89502385	REMOV EX CONC FDN	EACH	65.000 X	=			
				TOTAL	\$		

NOTE:

1. EACH PAY ITEM SHOULD HAVE A UNIT PRICE AND A TOTAL PRICE.
2. THE UNIT PRICE SHALL GOVERN IF NO TOTAL PRICE IS SHOWN OR IF THERE IS A DISCREPANCY BETWEEN THE PRODUCT OF THE UNIT PRICE MULTIPLIED BY THE QUANTITY.
3. IF A UNIT PRICE IS OMITTED, THE TOTAL PRICE WILL BE DIVIDED BY THE QUANTITY IN ORDER TO ESTABLISH A UNIT PRICE.
4. A BID MAY BE DECLARED UNACCEPTABLE IF NEITHER A UNIT PRICE NOR A TOTAL PRICE IS SHOWN.

* Revised 10-21-10

Index of Special Provisions

PAGE

Index Special Provisions

	1-25
Location of Improvement	4
Description of Improvement	4
Keeping Roads Open to Traffic	5
Maintenance of Roadway	5
Maintenance of Right-of-Way	5
Public Safety and Convenience	5
Construction Safety and Health Standards	5
Existing Utilities	5
Status of Utilities	6
Protection of Existing Drainage Facilities During Construction	6
Final Sign Placement on Construction Projects	6
Responsibility for Vandalism	7
Construction Debris	7
Engineer's Field Office, Type A (Modified)	7
Detectable Warnings	7
Temporary Sidewalk	8
Brick Paver Removal And Replacement	9
Temperature Control for Concrete Placement (District One)	10
LCDOT Traffic Signal Special Provisions	11
Interruption of Communication	12
Fiber Optic Cable	12
Terminate Fiber in Cabinet	13
Temporary Traffic Signal Installation	14
Pedestrian Push-Button	16
Controller Cabinet and Peripheral Equipment	17
Full-Actuated Controller and Type IV Cabinet, Special	18
Uninterruptible Power Supply (Ups)	18
Steel Mast Arm Assembly and Pole (Special)	20
Steel Combination Mast Arm Assembly and Pole (Special)	20
Traffic Signal Post (Special)	21
LED Internally Illuminated Street Name Sign	22
Pedestrian Countdown Signal Head, Light Emitting Diode (LED)	23
Remote-Controlled Video System	24
Layer II (Data Link) Switch	24
Video Encoder	24
Media Converter	24
Electric Cable in Conduit, Coaxial	25
Pedestrian Activated Crosswalk Warning System	25
△ Removal and Disposal of Regulated Substance	25a.

REMOVAL AND DISPOSAL OF REGULATED SUBSTANCE

This work shall be according to Article 669 of the Standard Specifications and the following:

Qualifications. The term environmental firm shall mean an environmental firm with at least five (5) documented leaking underground storage tank (LUST) cleanups or that is pre-qualified in hazardous waste by the Department. Documentation includes but not limited to verifying remediation and special waste operations for sites contaminated with gasoline, diesel, or waste oil in accordance with all Federal, State, or local regulatory requirements and shall be provided to the Engineer for approval. The environmental firm selected shall not be a former or current consultant or have any ties with any of the properties contained within and/or adjacent to this construction project.

General. Implementation of this Special Provision will likely require the Contractor to subcontract for the execution of certain activities. It will be the Contractor's responsibility to assess the working conditions and adjust anticipated production rates accordingly.

All contaminated materials shall be managed as non-special waste. This work shall include monitoring and potential sampling, analytical testing, and management of a material contaminated by regulated substances

Any soil classified as a non-special waste shall be excavated and disposed of as directed by this project or the Engineer. Any excavation or disposal beyond what is required by this project or the Engineer will be at no additional cost to the Department. The preliminary site investigation (PSI) report, available through the District's Environmental Studies Unit, estimated the excavation quantity of non-special waste at the following location. The information available at the time of plan preparation determined the limits of the contamination and the quantities estimated were based on soil excavation for construction purposes only. The lateral distance is measured from centerline and the farthest distance is the offset distance or construction limit whichever is less. Any soil samples or analysis without the approval of the Engineer will be at no additional cost to the Department.

- A) The Environmental Firm shall continuously monitor for worker protection and the Contractor shall manage and dispose of all soils excavated within the following areas as classified below.
1. Station 161+30 to Station 161+70 0 to 80 feet LT (Pay Day Loans/Auto Title Loans, Site #2221-28, 2510 Grand Avenue) – non-special waste. Contaminants of concern sampling parameters: BETX.
- B) The Environmental Firm shall continuously monitor for worker protection and the Contractor shall manage any excavated soils **within the construction limits of this project as fill**. Although the soil concentrations exceed a residential property's Tier 1 soil remediation objective for the ingestion exposure pathway, they can be utilized within the construction limits as fill because the roadway is not considered a residential property. All storm sewer excavated soils can be placed back into the excavated trench as backfill unless trench backfill is specified. If the soils cannot be utilized within the construction limits as fill then they must be managed off-site as a non-special waste. The following areas can be managed within the construction limits as fill.

1. Station 226+55 to Station 226+80 20 to 50 feet LT (Power King Fuel Depot, Site #2112-16, 840 Grand Avenue) – non-special waste. Contaminants of concern sampling parameters: Arsenic.
2. Station 160+50 to Station 161+00 0 to 80 feet RT (BP Amoco Gasoline Station, Site #2221-30, 2601 Grand Avenue) – non-special waste. Contaminants of concern sampling parameters: Lead.