

STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION

BEAM 4

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
BK EX S ABUT	398+63.88	2.94	832.70	832.70
CL BRG S ABUT	398+66.76	2.94	832.73	832.73
A	398+76.76	2.94	832.84	832.85
B	398+86.76	2.94	832.92	832.95
C	398+96.76	2.94	833.00	833.02
D	399+06.76	2.94	833.07	833.08
CL EX BRG PIER 1	399+21.63	2.94	833.14	833.14
E	399+31.63	2.94	833.17	833.19
F	399+41.63	2.94	833.20	833.24
G	399+51.63	2.94	833.21	833.26
H	399+61.63	2.94	833.21	833.27
I	399+71.63	2.94	833.19	833.24
J	399+81.63	2.94	833.17	833.19
K	399+91.63	2.94	833.13	833.14
CL EX BRG PIER 2	399+97.13	2.94	833.11	833.11
L	400+07.13	2.94	833.05	833.07
M	400+17.13	2.94	832.99	833.02
N	400+27.13	2.94	832.91	832.96
O	400+37.13	2.94	832.82	832.88
P	400+47.13	2.94	832.71	832.77
Q	400+57.13	2.94	832.60	832.63
R	400+67.13	2.94	832.47	832.48
CL EX BRG PIER 3	400+72.63	2.94	832.40	832.40
S	400+82.63	2.94	832.25	832.25
T	400+92.63	2.94	832.10	832.11
U	401+02.63	2.94	831.93	831.94
V	401+12.63	2.94	831.75	831.76
CL BRG N ABUT	401+24.01	2.94	831.53	831.53
BK EX N ABUT	401+26.88	2.94	831.47	831.47

BEAM 5

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
BK EX S ABUT	398+58.41	8.81	832.55	832.55
CL BRG S ABUT	398+61.29	8.81	832.58	832.58
A	398+71.29	8.81	832.69	832.71
B	398+81.29	8.81	832.79	832.81
C	398+91.29	8.81	832.87	832.89
D	399+01.29	8.81	832.94	832.95
CL EX BRG PIER 1	399+16.16	8.81	833.02	833.02
E	399+26.16	8.81	833.06	833.08
F	399+36.16	8.81	833.09	833.13
G	399+46.16	8.81	833.11	833.17
H	399+56.16	8.81	833.12	833.18
I	399+66.16	8.81	833.11	833.16
J	399+76.16	8.81	833.09	833.12
K	399+86.16	8.81	833.06	833.07
CL EX BRG PIER 2	399+91.66	8.81	833.04	833.04
L	400+01.66	8.81	832.99	833.01
M	400+11.66	8.81	832.93	832.97
N	400+21.66	8.81	832.86	832.92
O	400+31.66	8.81	832.78	832.84
P	400+41.66	8.81	832.68	832.73
Q	400+51.66	8.81	832.57	832.60
R	400+61.66	8.81	832.45	832.46
CL EX BRG PIER 3	400+67.16	8.81	832.38	832.38
S	400+77.16	8.81	832.24	832.24
T	400+87.16	8.81	832.09	832.10
U	400+97.16	8.81	831.93	831.95
V	401+07.16	8.81	831.76	831.77
CL BRG N ABUT	401+18.54	8.81	831.54	831.54
BK EX N ABUT	401+21.41	8.81	831.49	831.49

WEST EDGE OF PAVEMENT

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
BK EX S ABUT	398+77.80	-12.00	832.70	832.70
CL BRG S ABUT	398+80.68	-12.00	832.73	832.73
A	398+90.68	-12.00	832.81	832.83
B	399+00.68	-12.00	832.89	832.91
C	399+10.68	-12.00	832.95	832.97
D	399+20.68	-12.00	832.99	833.00
CL EX BRG PIER 1	399+35.55	-12.00	833.04	833.04
E	399+45.55	-12.00	833.06	833.08
F	399+55.55	-12.00	833.07	833.11
G	399+65.55	-12.00	833.06	833.12
H	399+75.55	-12.00	833.05	833.10
I	399+85.55	-12.00	833.02	833.06
J	399+95.55	-12.00	832.97	833.00
K	400+05.55	-12.00	832.92	832.93
CL EX BRG PIER 2	400+11.05	-12.00	832.89	832.89
L	400+21.05	-12.00	832.82	832.83
M	400+31.05	-12.00	832.73	832.77
N	400+41.05	-12.00	832.64	832.69
O	400+51.05	-12.00	832.53	832.59
P	400+61.05	-12.00	832.41	832.46
Q	400+71.05	-12.00	832.28	832.31
R	400+81.05	-12.00	832.14	832.14
CL EX BRG PIER 3	400+86.55	-12.00	832.05	832.05
S	400+96.55	-12.00	831.89	831.89
T	401+06.55	-12.00	831.72	831.73
U	401+16.55	-12.00	831.53	831.55
V	401+26.55	-12.00	831.33	831.35
CL BRG N ABUT	401+37.93	-12.00	831.09	831.09
BK EX N ABUT	401+40.80	-12.00	831.03	831.03

DESIGNED	SCD
CHECKED	DRB
DRAWN	THW
CHECKED	SCD



IE CONSULTANTS, INC  
6420 SOUTH SIXTH STREET  
SPRINGFIELD, ILLINOIS 62712  
TEL. (217) 529-8027  
FAX (217) 529-4543  
WWW.IE-CONSULTANTS.COM

E-S

11-1-09

DECK ELEVATIONS  
S.N. 101-0120

SHEET NO. 6 OF 34 SHEETS	F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	301	(1-1HB-1)D	WINNEBAGO	55	22
CONTRACT NO. 64E11					
ILLINOIS FED. AID PROJECT					