

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

F.A.S. ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
899	3,4,8(RS-4)	SALINE	32*	1
ILLINOIS			CONTRACT NO. 78871	

* FAS 899/FAP 331
* 32 + 1 = 33 TOTAL SHEETS
D-99-049-21

FOR INDEX OF SHEETS, SEE SHEET NO. 3
FOR SUMMARY OF QUANTITIES, SEE SHEET NO. 5-8

**PROPOSED
HIGHWAY PLANS**

FAS ROUTE 899/FAP ROUTE 331 (OLD IL 13/IL 13)
SECTION 3,4,8(RS-4)
PROJECT STP-NHPP-ER0E(637)
RESURFACING
SALINE COUNTY

C-99-065-21

TRAFFIC DATA

	2020	2021	2031	2041
PV	5225	5270	5830	6440
SU	750	760	835	925
MU	425	430	475	525
ADT	6400	6460	7140	7890

TOWNSHIPS


HARRISBURG

DESIGN DESIGNATION : N/A
COORDINATE SYSTEM : N/A
POSTED SPEED : 30-40 MPH


J.U.L.I.E.
JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION
1-800-892-0123
OR 811

PROJECT ENGINEER VALERIE ROLLA
PROJECT DESIGNER CLAYTON HOUGHLAND

CONTRACT NO. 78871



GROSS LENGTH = 12651.00 FT. = 2.40 MILES
NET LENGTH = 12043.00 FT. = 2.28 MILES



STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SUBMITTED 09-11-2021
[Signature]
REGION FIVE ENGINEER

October 1, 2021
[Signature]
ENGINEER OF DESIGN AND ENVIRONMENT

October 21, 2021
[Signature]
DIRECTOR OF HIGHWAYS PROJECT IMPLEMENTATION

PRINTED BY THE AUTHORITY
OF THE STATE OF ILLINOIS

INDEX OF SHEETS

SHEET NO	DESCRIPTION
1	COVER SHEET
2	SIGNATURE SHEET
3	INDEX OF SHEETS, STANDARDS LIST, MTD CROSSING TABLE
4	GENERAL NOTES, HMA MIXTURE REQUIREMENTS
5-8	SUMMARY OF QUANTITIES
9-16	TYPICAL SECTIONS
17-19	PAVEMENT SCHEDULE
20-22	PAVEMENT MARKING SCHEDULE
23	PAVEMENT PATCHING SCHEDULE
24-25	ADA RAMP SCHEDULES
* 26-32	DETAILS

* INCLUDES SHEET 30A

STANDARDS LIST

000001-08	standardsymbolsabbreviations&patterns
001001-02	areasofreinfrebars
001006-00	decimalofinch&foot
424001-11	PerpendicularCurbRamps
424016-05	MidBlockCurbRamps
442201-03	classc&dpatches
482001-02	hmaskldadjtoflexpvm
701006-05	OffRdOp-2L2W-15ftToEOP
701011-04	OffRdMovingOp-2L2W-DayOnly
701301-04	LnClosure2L2W-ShortTimeOp
701311-03	LnClosure2L2W-MovingOpDayOnly
701501-06	UrbanLnClosure2L2W-Undivided
701502-09	UrbanLnClosure2L2WWithBidirectLeftTurnLn
701701-10	UrbanLnClosureMultiLnIntersection
701801-06	SidewalkCornerOrCrosswalkClosure
701901-08	TrafCntrlDevices
720001-01	SignPanelMountDetails
720006-04	SignPanelErectDetails
728001-01	TelescopingSteelSignSupport
731001-01	BaseForTelescopingSteelSignSupport
780001-05	TypicalPvmtMrkings
781001-04	TypicalAppRaisedReflecPvmtMrkrs
BLR28	ConcreteCurbTypeBandCombinationConcreteCurbandGutter
420001-09	PavementJoints
701426-09	LnClosureMultiLnIntermittentOrMovingOperationForSpeeds>=45MPH

MTD CROSSING RESTRICTIONS TABLE

FAP ROUTE 899 (OLD IL 13)			EXISTING FILL HEIGHT	THICKNESS OF EXISTING	MTD CROSSING RESTRICTIONS
SN & CENTERLINE STATION			OVER BOX CULVERT	PAVEMENT OVER BOX CULVERT	
			FOOT	FOOT	
CULVERTS					
STRUCTURE	STA.				
SN 083-2020	STA 88+00	(MP 7.75)	1.2 (TRIPLE 3'X11')	~14.5" HMA	EMPTIED*
SN 083-7043	STA 1003+10	(MP 8.11)	0.5 (2'X6')	9" CONC. PAV'T, ~5.5" HMA	EMPTIED*
SN 083-7044	STA 1012+05	(MP 8.31)	2.1 (2'X8')	7" CONC. PAV'T, ~5.5" HMA	EMPTIED*
SN 083-2001	STA 1020+87	(MP 8.48)	2.2 (DOUBLE 4'X12')	7" CONC. PAV'T, ~3.5" HMA	EMPTIED*

REV. - MS

MODEL: Default
 FILE NAME: p:\pub\arcom\del_illinois\pwr\DOT\Documents\DOT_Offices\District_9\Projects\78871\CADD\Drawings\0978871-SHEETS.dwg

USER NAME = houjindoc	DESIGNED - _____	REVISED - _____	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	INDEX OF SHEETS, STANDARDS, & MTD CROSSING TABLE	F.A. RTE. = _____	SECTION = 3,4,8(RS-4)	COUNTY = SALINE	TOTAL SHEETS = 32	SHEET NO. = 3	
PLOT SCALE = 100,0000' / in.	CHECKED - _____	REVISED - _____			SCALE: _____	SHEET 1 OF 1 SHEETS	STA. _____ TO STA. _____	CONTRACT NO. 78871		
PLOT DATE = 8/3/2021	DATE - _____	REVISED - _____			ILLINOIS FED. AID PROJECT					
* FAS 899/FAP 331										

GENERAL NOTES

FACTORS USED FOR ESTIMATING PLAN QUANTITIES ARE AS FOLLOWS AND SHALL NOT BE USED FOR THE BASIS OF FINAL QUANTITIES:

ALL HOT MIX ASPHALT 2.016 TONS/CU. YD.
 ALL AGGREGATE 2.05 TONS/CU. YD.

THE QUANTITY OF SHORT TERM PAVEMENT MARKING SHOWN IN THE PLANS IS BASED ON ONE APPLICATION EACH FOR THE HMA SURFACE REMOVAL, BINDER COURSE, AND SURFACE COURSE

THE CONTRACTOR SHALL STAMP STATIONING IN THE PROPOSED HOT MIX ASPHALT SURFACE AT 300 FT INTERVALS ON ALTERNATING SIDES OF THE PAVEMENT AND AS DIRECTED BY THE ENGINEER. THE STATION SYMBOL STAMPS USED SHALL BE FURNISHED BY THE CONTRACTOR. THEY SHALL BE 5 1/2 IN. TALL, OF A DESIGN APPROVED BY THE ENGINEER, AND SHALL REMAIN THE PROPERTY OF THE CONTRACTOR.

HMA RESURFACING SHALL BE PLACED IN A SEQUENCE THAT WILL MINIMIZE THE TIME THE CENTERLINE EDGE IS EXPOSED TO TRAFFIC. WHEN AT THE END OF A DAY'S OPERATION THE EXPOSED CENTERLINE EDGE IS GREATER THAN 2,000 FT, THE CONTRACTOR SHALL BE REQUIRED TO PAVE IN THE ADJACENT LANE ON THE FOLLOWING WORK DAY. PRIOR TO WINTER SHUTDOWN, RESURFACING ON ADJACENT LANES IS TO BE BROUGHT UP TO THE SAME ELEVATION.

LONGITUDINAL JOINT SEALANT SHALL BE PLACED UNDER THE HMA SURFACE COURSE

VIBRATORY ROLLERS WILL NOT BE ALLOWED ON THIS PROJECT

COMMITMENTS: NONE

HMA MIXTURE REQUIREMENTS

Locations	Hot-Mix Asphalt Surface Course
Mixture Use(s):	Polymerized Hot-Mix Asphalt Surface Course, Mix D, N90
AB/PG:	SBS PG76-22
ABR % (Max):	See Special Provision
Design Air Voids:	4.0 %, 90 Gyration Design
Mixture Composition: (Gradation Mixture)	IL-9.5mm
Friction Aggregate:	D Surface
Mixture Weight:	112 lbs/Sq Yd/in
Quality Management Program	QCP
Sublot Size:	TBD

Locations	Hot-Mix Asphalt Binder Course
Mixture Use(s):	Polymerized Hot-Mix Asphalt Binder Course, IL-9.5FG, N90
AB/PG:	SBS PG76-22
ABR % (Max):	See Special Provision
Design Air Voids:	4.0 %, 90 Gyration Design
Mixture Composition: (Gradation Mixture)	IL-9.5mm Fine Graded
Friction Aggregate:	None
Mixture Weight:	112 lbs/Sq Yd/in
Quality Management Program:	QCP
Sublot Size:	TBD

Locations	Hot-Mix Asphalt Shoulders
Mixture Use(s):	Hot-Mix Asphalt Surface Course, Mix C, N30
AB/PG:	PG64-22
ABR % (Max):	See Special Provision
Design Air Voids:	4.0 %, 30 Gyration Design
Mixture Composition: (Gradation Mixture)	IL-9.5L
Friction Aggregate:	None
Mixture Weight:	112 lbs/Sq Yd/in
Quality Management Program:	QCQA
Sublot Size:	NA

MODEL: Default
 FILE NAME: p:\pub\arcson.com.dwg
 PROJECT: 78871\CADD\Drawings\DOT Offices\District 9\Projects\78871\CADD\Drawings\DOT Offices\District 9\Projects\78871-SHEETS.dwg

USER NAME = houjnlndccc	DESIGNED - _____	REVISED - _____	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	GENERAL NOTES & HMA MIXTURE REQUIREMENTS	F.A. RTE. = _____	SECTION = 3,4,8(RS-4)	COUNTY = SALINE	TOTAL SHEETS = 32	SHEET NO. = 4		
PLOT SCALE = 100,0000' / in.	CHECKED - _____	REVISED - _____			SCALE: _____	SHEET 1 OF 1 SHEETS	STA. _____ TO STA. _____	ILLINOIS FED. AID PROJECT			
PLOT DATE = 7/29/2021	DATE - _____	REVISED - _____			CONTRACT NO. 78871						
* FAS 899/FAP 331											

SUMMARY OF QUANTITIES

COUNTY:	SALINE CO	SALINE CO
ROUTE:	FAS 899	FAP 331
FUNDING:	80% FEDERAL 20% STATE	80% FEDERAL 20% STATE
LOCATION:	URBAN	URBAN
	ROADWAY	ROADWAY
	0005	0005

CODE NUMBER	ITEM DESCRIPTION	UNIT	TOTAL QUANTITY		
40600290	BITUMINOUS MATERIALS (TACK COAT)	POUND	29,284	23,890	5,394
40600990	TEMPORARY RAMP	SQ YD	384	276	108
40603219	POLYMERIZED HOT-MIX ASPHALT BINDER COURSE, IL-9.5FG, N90	TON	2,653	2,087	566
40604164	POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE, IL-9.5, MIX "D", N90	TON	3,918	3,243	675
42400800	DETECTABLE WARNINGS	SQ FT	60	60	
44000155	HOT-MIX ASPHALT SURFACE REMOVAL, 1 1/2"	SQ YD	11,068	11,068	
44000160	HOT-MIX ASPHALT SURFACE REMOVAL, 2 3/4"	SQ YD	44,431	33,584	10,847
44000500	COMBINATION CURB AND GUTTER REMOVAL	FOOT	115	115	
44000600	SIDEWALK REMOVAL	SQ FT	651	651	
44201389	CLASS C PATCHES, TYPE II, 13 INCH	SQ YD	335	335	
44201394	CLASS C PATCHES, TYPE III, 13 INCH	SQ YD	86	86	
44201431	CLASS C PATCHES, TYPE III, 16 INCH	SQ YD	35	35	
48102100	AGGREGATE WEDGE SHOULDER, TYPE B	TON	46	46	
48203100	HOT-MIX ASPHALT SHOULDERS	TON	1,685	1,097	588

MODEL: Default
 FILE: h:\mde\p\hulder-cw\berkeley.com\PROJECTS\DOT Offices\District 8\Projects\78871\CADD\Drawings\78871-SHEETS.dgn

REV. - MS

USER NAME = houjnlndcc DRAWN - _____ CHECKED - _____ DATE - _____ PLOT SCALE = 100.0000' / in. PLOT DATE = 8/16/2021	DESIGNED - _____ DRAWN - _____ CHECKED - _____ DATE - _____	REVISED - _____ REVISED - _____ REVISED - _____ REVISED - _____	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SUMMARY OF QUANTITIES SCALE: SHEET 1 OF 4 SHEETS STA. TO STA.	F.A. * RTE. - SECTION 3,4,8(RS-4) COUNTY SALINE TOTAL SHEETS 32 SHEET NO. 5 CONTRACT NO. 78871 ILLINOIS FED. AID PROJECT
---	--	--	---	--	---

* FAS 899/FAP 331

SUMMARY OF QUANTITIES - CONT

COUNTY:	SALINE CO	SALINE CO
ROUTE:	FAS 899	FAP 331
FUNDING:	80% FEDERAL 20% STATE	80% FEDERAL 20% STATE
LOCATION:	URBAN	URBAN
	ROADWAY	ROADWAY
	0005	0005

CODE NUMBER	ITEM DESCRIPTION	UNIT	TOTAL QUANTITY		
50800105	REINFORCEMENT BARS	POUND	510	510	
50901760	PIPE HANDRAIL	FOOT	20	20	
52200900	CONCRETE STRUCTURES (RETAINING WALL)	CU YD	4.4	4.4	
60260100	INLETS TO BE ADJUSTED	EACH	1	1	
60605000	COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.24	FOOT	124	124	
67100100	MOBILIZATION	L SUM	1.0	0.6	0.4
70102620	TRAFFIC CONTROL AND PROTECTION, STANDARD 701501	L SUM	1.0	1.0	
70102622	TRAFFIC CONTROL AND PROTECTION, STANDARD 701502	L SUM	1.0	1.0	
70102635	TRAFFIC CONTROL AND PROTECTION, STANDARD 701701	L SUM	1.0	1.0	
70102640	TRAFFIC CONTROL AND PROTECTION, STANDARD 701801	L SUM	1.0	1.0	
70107025	CHANGEABLE MESSAGE SIGN	CAL DA	28.0	28.0	
70300100	SHORT TERM PAVEMENT MARKING	FOOT	6,453.0	5,330.0	1,123.0
70300150	SHORT TERM PAVEMENT MARKING REMOVAL	SQ FT	2,153.0	1,778.0	375.0

MODEL: Default
 FILE NAME: p:\bldg-cw-bentley.com\PROJECTS\DOT Offices\District 8\Projects\78871\CADD\Drawings\DOT\78871-SHEETS.dgn

REV. - MS

USER NAME = houjndccc	DESIGNED - _____	REVISED - _____	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SUMMARY OF QUANTITIES		F.A. + RTE. -	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
PLOT SCALE = 100.0000' / in.	CHECKED - _____	REVISED - _____				+ ---	3,4,8(RS-4)	SALINE	32	6	
PLOT DATE = 8/16/2021	DATE - _____	REVISED - _____		SCALE:	SHEET 2 OF 4 SHEETS	STA. TO STA.	ILLINOIS FED. AID PROJECT				
						CONTRACT NO. 78871					

* FAS 899/FAP 331

SUMMARY OF QUANTITIES - CONT

COUNTY:	SALINE CO	SALINE CO
ROUTE:	FAS 899	FAP 331
FUNDING:	80% FEDERAL 20% STATE	80% FEDERAL 20% STATE
LOCATION:	URBAN	URBAN
	ROADWAY	ROADWAY
	0005	0005

CODE NUMBER	ITEM DESCRIPTION	UNIT	TOTAL QUANTITY	URBAN ROADWAY 0005	URBAN ROADWAY 0005
70300210	TEMPORARY PAVEMENT MARKING LETTERS AND SYMBOLS	SQ FT	774.0	737.0	37.0
70300220	TEMPORARY PAVEMENT MARKING - LINE 4"	FOOT	45,047.0	36,239.0	8,808.0
70300240	TEMPORARY PAVEMENT MARKING - LINE 6"	FOOT	569.0	569.0	
70300250	TEMPORARY PAVEMENT MARKING - LINE 8"	FOOT	1,010.0	810.0	200.0
70300260	TEMPORARY PAVEMENT MARKING - LINE 12"	FOOT	3,261.0	948.0	2,313.0
70300280	TEMPORARY PAVEMENT MARKING - LINE 24"	FOOT	131.0	131.0	
* 72000100	SIGN PANEL - TYPE 1	SQ FT	88.0	88.0	
72400310	REMOVE SIGN PANEL - TYPE 1	SQ FT	44.0	44.0	
* 72400710	RELOCATE SIGN PANEL - TYPE 1	SQ FT	10.0	10.0	
* 72800100	TELESCOPING STEEL SIGN SUPPORT	FOOT	147.0	147.0	
* 73100100	BASE FOR TELESCOPING STEEL SIGN SUPPORT	EACH	8.0	8.0	
73700100	REMOVE GROUND MOUNTED SIGN SUPPORT	EACH	4.0	4.0	
73700200	REMOVE CONCRETE FOUNDATION - GROUND MOUNT	EACH	4.0	4.0	
* 78000100	THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQ FT	774.0	737.0	37.0

* SPECIALTY ITEM

REV. - MS

MODEL: Default
 FILE: \\mdele-pw-bentley.com:PWIDOT\Documents\DOT Offices\District 8\Projects\78871\CADD\Drawings\0378871-SHEETS.dgn

USER NAME = houjnlndcc DRAWN - _____ CHECKED - _____ DATE - _____	DESIGNED - _____ DRAWN - _____ CHECKED - _____ DATE - _____	REVISED - _____ REVISED - _____ REVISED - _____ REVISED - _____	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SUMMARY OF QUANTITIES	F.A. RTE. = _____ SECTION = 3,4,8(RS-4) COUNTY = SALINE TOTAL SHEETS = 32 SHEET NO. = 7 CONTRACT NO. 78871
			SCALE: _____	SHEET 3 OF 4 SHEETS	STA. _____ TO STA. _____
ILLINOIS FED. AID PROJECT * FAS 899/FAP 331					

SUMMARY OF QUANTITIES - CONT

COUNTY:	SALINE CO	SALINE CO
ROUTE:	FAS 899	FAP 331
FUNDING:	80% FEDERAL 20% STATE	80% FEDERAL 20% STATE
LOCATION:	URBAN	URBAN
	ROADWAY	ROADWAY
	0005	0005

CODE NUMBER	ITEM DESCRIPTION	UNIT	TOTAL QUANTITY	ROADWAY 0005	ROADWAY 0005
* 78000200	THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	45,047.0	36,239.0	8,808.0
* 78000400	THERMOPLASTIC PAVEMENT MARKING - LINE 6"	FOOT	704.0	704.0	
* 78000500	THERMOPLASTIC PAVEMENT MARKING - LINE 8"	FOOT	1,010.0	810.0	200.0
* 78000600	THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	3,735.0	1422.0	2,313.0
* 78000650	THERMOPLASTIC PAVEMENT MARKING - LINE 24"	FOOT	131.0	131.0	
* 78100100	RAISED REFLECTIVE PAVEMENT MARKER	EACH	480.0	385.0	95.0
	78300200 RAISED REFLECTIVE PAVEMENT MARKER REMOVAL	EACH	480.0	385.0	95.0
* 88600100	DETECTOR LOOP, TYPE 1	FOOT	427.0	427.0	
	X4240430 PORTLAND CEMENT CONCRETE SIDEWALK 5 INCH, SPECIAL	SQ FT	998.0	998.0	
	Z0012455 CONCRETE STEP REMOVAL	EACH	1.0	1.0	
	Z0033700 LONGITUDINAL JOINT SEALANT	FOOT	19,129.0	15,387.0	3,742.0
	Z0034105 MATERIAL TRANSFER DEVICE	TON	6,571.0	5,330.0	1,241.0


* SPECIALTY ITEM

MODEL: Default
 FILE: \\nas01-01.bentley.com:PROJECTS\DOT Office\District 8\Projects\78871\CADD\Drawings\DOT SHEETS.dgn


REV. - MS

USER NAME = houjindcc PLOT SCALE = 100.0000' / in. PLOT DATE = 8/16/2021	DESIGNED - _____ DRAWN - _____ CHECKED - _____ DATE - _____	REVISED - _____ REVISED - _____ REVISED - _____ REVISED - _____	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SUMMARY OF QUANTITIES	F.A. + RTE. - + -	SECTION 3,4,8(RS-4)	COUNTY SALINE	TOTAL SHEETS 32	SHEET NO. 8	CONTRACT NO. 78871
SCALE:				SHEET 4 OF 4 SHEETS	STA.	TO STA.		ILLINOIS FED. AID PROJECT		

* FAS 899/FAP 331



TO BE USED
 SMART OLD IL 13:
 STA. 85+85 TO STA. 96+92
 STA. 103+85 TO STA. 109+48



TO BE USED
 SMART OLD IL 13:
 STA. 96+92 TO STA. 102+00

* WHERE NECESSARY TO FILL IN FOR LOW AGGREGATE SHOULDERS

MODEL: Default
 FILE NAME: p:\pub\arcom\dat\illinois\pwr\DOT\Documents\DOT_Offices\District 9\Projects\78871\CADD\Drawings\978871-SHEETS.dwg


USER NAME = houjnlndcc	DESIGNED - _____	REVISED - _____
DRAWN - _____	REVISOR - _____	REVISOR - _____
PLOT SCALE = 100,0000' / in.	CHECKED - _____	REVISOR - _____
PLOT DATE = 7/29/2021	DATE - _____	REVISOR - _____

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

TYPICAL SECTIONS			
SCALE:	SHEET 1	OF 8 SHEETS	STA. TO STA.

F.A. RTE.:	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
3	3,4,8(RS-4)	SALINE	32	9
ILLINOIS FED. AID PROJECT			CONTRACT NO. 78871	

* FAS 899/FAP 331



MODEL: Default
 FILE NAME: p:\pub\arcson.com.dwg
 PROJECT: 78871\CADD\Drawings\DOT_Offices\District_9\Projects\78871\CADD\Drawings\DOT_78871_SHEETS.dwg

USER NAME = houjnlndccc	DESIGNED - _____	REVISED - _____
DRAWN - _____	REVISOR - _____	REVISOR - _____
PLOT SCALE = 100.0000' / in.	CHECKED - _____	REVISOR - _____
PLOT DATE = 7/29/2021	DATE - _____	REVISOR - _____


**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

TYPICAL SECTIONS


SCALE: SHEET 2 OF 8 SHEETS STA. TO STA.

F.A. RTE.:	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
+	3,4,8(RS-4)	SALINE	32	10
ILLINOIS FED. AID PROJECT			CONTRACT NO. 78871	

* FAS 899/FAP 331



TO BE USED
 OLD IL 13:
 STA. 1004+48 TO STA. 1026+50



TO BE USED
 OLD IL 13:
 STA. 1026+50 TO STA. 1029+72

MODEL: Default
 FILE NAME: p:\pub\arcom\dat\illinois\pwr\DOT\Documents\DOT_Offices\District_9\Projects\78871\CADD\Drawings\0978871-SHEETS.dwg


USER NAME = houjnlndcc	DESIGNED - _____	REVISED - _____
PLOT SCALE = 100.0000' / in.	DRAWN - _____	REVISED - _____
PLOT DATE = 7/29/2021	CHECKED - _____	REVISED - _____
	DATE - _____	REVISED - _____

STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION

TYPICAL SECTIONS	
SCALE:	SHEET 3 OF 8 SHEETS STA. TO STA.


F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
3	3,4,8(RS-4)	SALINE	32	11
ILLINOIS FED. AID PROJECT			CONTRACT NO. 78871	

* FAS 899/FAP 331



TO BE USED
 OLD IL 13:
 STA. 1065+80 TO STA. 1066+80

- PROPOSED HMA SURFACE COURSE, N90, MIX D, (1 1/2")
- PROPOSED HMA BINDER COURSE, N90, IL-9.5FG, (1 1/4")
- PROPOSED HMA SURFACE REMOVAL, 2 3/4"



TO BE USED
 OLD IL 13:
 STA. 196+97 TO STA. 199+50

- PROPOSED HMA SURFACE COURSE, N90, MIX D, (1 1/2")
- PROPOSED HMA BINDER COURSE, N90, IL-9.5FG, (1 1/4")
- PROPOSED HMA SURFACE REMOVAL, 2 3/4"

MODEL: Default
 FILE NAME: p:\pub\arcom\dat\illinois\pwr\PROJECTS\DOT\Documents\DOT\Office\District 9\Projects\78871\CADD\Drawings\0978871-SHEETS.dwg

USER NAME = houjnlndcc	DESIGNED - _____	REVISED - _____
DRAWN - _____	REVISOR - _____	REVISOR - _____
PLOT SCALE = 100.0000' / in.	CHECKED - _____	REVISOR - _____
PLOT DATE = 7/29/2021	DATE - _____	REVISOR - _____


**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

TYPICAL SECTIONS


SCALE: SHEET 5 OF 8 SHEETS STA. TO STA.

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
3	3,4,8(RS-4)	SALINE	32	13
CONTRACT NO. 78871				

* FAS 899/FAP 331



TO BE USED
 OLD IL 13:
 STA. 199+50 TO STA. 203+90



TO BE USED
 OLD IL 13:
 STA. 203+90 TO STA. 211+30

* WHERE NECESSARY TO FILL IN FOR LOW AGGREGATE SHOULDERS

MODEL: Default
 FILE NAME: p:\pub\arcom\dot\illinois\pwr\DOT\Documents\DOT_Offices\District 9\Projects\78871\CADD\Drawings\DOT\978871-SHEETS.dgn


USER NAME = houjhandcc	DESIGNED - _____	REVISED - _____
DRAWN - _____	REVISOR - _____	REVISOR - _____
PLOT SCALE = 100,0000' / in.	CHECKED - _____	REVISOR - _____
PLOT DATE = 7/29/2021	DATE - _____	REVISOR - _____

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**


TYPICAL SECTIONS			
SCALE:	SHEET 6	OF 8 SHEETS	STA. TO STA.

F.A. RTE.:	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
---	3,4,8(RS-4)	SALINE	32	14
ILLINOIS FED. AID PROJECT			CONTRACT NO. 78871	

* FAS 899/FAP 331



TO BE USED
IL 13:
 STA. 1075+25 TO STA. 1081+10



TO BE USED
IL 13:
 STA. 1081+10 TO 1085+35
 STA. 1087+35 TO 1093+96

MODEL: Default
 FILE NAME: p:\pub\arcom\dat\illinois\pwr\DOT\Documents\DOT_Offices\District_9\Projects\78871\CADD\Drawings\0978871-SHEETS.dwg

USER NAME = houjnlndccc	DESIGNED - _____	REVISED - _____
DRAWN - _____	REVISOR - _____	REVISOR - _____
CHECKED - _____	REVISOR - _____	REVISOR - _____
DATE - _____	REVISOR - _____	REVISOR - _____


**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

TYPICAL SECTIONS

SCALE: SHEET 7 OF 8 SHEETS STA. TO STA.

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
+	3,4,8(RS-4)	SALINE	32	15
CONTRACT NO. 78871				
ILLINOIS FED. AID PROJECT				

* FAS 899/FAP 331



MODEL: Default
 FILE NAME: p:\pub\arcom\dot\illinois\pwr\pwr\DOT\Documents\DOT_Offices\District_9\Projects\78871\CADD\Drawings\978871-SHEETS.dwg

USER NAME = houjnlndcc	DESIGNED - _____	REVISED - _____
DRAWN - _____	REVISIONS - _____	REVISIONS - _____
PLOT SCALE = 100.0000' / in.	CHECKED - _____	REVISED - _____
PLOT DATE = 7/29/2021	DATE - _____	REVISED - _____

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

TYPICAL SECTIONS

SCALE: SHEET 8 OF 8 SHEETS STA. TO STA.

F.A. RTE.:	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
---	3,4,8(RS-4)	SALINE	32	16
ILLINOIS FED. AID PROJECT			CONTRACT NO. 78871	

* FAS 899/FAP 331

OLD IL 13 PAVEMENT RESURFACING SCHEDULE

LOCATION STATION TO STATION	LENGTH	ROADWAY WIDTH	TEMP RAMP	HMA SUR. REMOVAL, (2 3/4")	HMA SUR. REMOVAL, (1 1/2")	HMA BINDER COURSE, N90, IL- 9.5FG (1 1/4")	HMA SURF. COURSE, N90, MIX D (1 1/2")	BIT. MAT. (TACK COAT)	MATERIAL TRANSFER DEVICE	LONG JOINT SEALANT	NOTE		
												FOR INFORMATIONAL PURPOSE ONLY	
												(FT)	(FT)
SMART OLD IL 13													
85+85 TO 87+36	151	36	20		604		51	272	51	151	(AVG WIDTH 36' - 38')		
87+36 TO 90+51	315	33			1,155		98	520	98	315	(AVG WIDTH 30' - 36')		
90+51 TO 96+55	604	30			2,014		170	906	170	604			
96+55 TO 102+50	595	41			2,711		229	1,220	229	1,190	(AVG WIDTH 30' - 52')		
102+50 TO 109+48	698	32	18		2,482		210	1,117	210	698			
STA. EQN. 109+48 = 1004+48													
SMART OLD IL 13 SUB-TOTAL			38	0	8,966	0	758	4,035	758	2,958			
OLD IL 13													
1004+48 TO 1028+80	2,432	24	25	6,486		461	548	4,378	1,009	2,432			
1028+80 TO 1030+56	176	30		587		42	50	396	92	176	CENTER CONT. TURN LANE (AVG WIDTH 24' - 36')		
1030+56 TO 1050+00	1,944	36		7,776		550	656	5,249	1,206	3,888			
1050+00 TO 1052+42	166	40		738		53	63	498	116	332			
1052+42 TO 1053+96	154	45		770		55	65	520	120	308	INTERSECTION 34 (AVG WIDTH 40' - 50')		
1053+96 TO 1055+80.00	184	48		982		70	83	663	153	552			
1055+80 TO 1056+30.00	50	44	45	245		18	21	165	39	150	INTERSECTION VINE ST (AVG WIDTH 40' - 48')		
1056+30 TO 1058+05 GAP CONCRETE PAVEMENT													
1058+05 TO 1073+84	1,579	40	41	7,018		496	592	4,737	1,088	3,158			
1073+84 TO 1078+17 GAP CONCRETE PAVEMENT													
STA. EQN. 1078+17 = 196+97													
196+97 TO 199+50	253	37	38	1,041		74	88	703	162	253	(AVG WIDTH 36' - 38')		
199+50 TO 204+00	450	30		1,500		107	127	1,013	234	450			
204+00 TO 211+30	730	28	29	2,272		161	192	1,533	353	730	INTERSECTION 13 (AVG WIDTH 26' - 30')		
OLD IL 13 SUB-TOTAL			178	29,415	0	2,087	2,485	19,855	4,572	12,429			
SMART OLD IL 13 SUB-TOTAL			38	0	8,966	0	758	4,035	758	2,958			
OLD IL 13 TOTAL			216	29,415	8,966	2,087	3,243	23,890	5,330	15,387			

MOE:_Default\...
 FILE NAME: ...
 PROJECT: ...
 SHEETS: ...

* FAS 899/FAP 331

IL 13 PAVEMENT RESURFACING SCHEDULE

LOCATION STATION TO STATION			LENGTH	ROADWAY WIDTH	TEMP RAMP	HMA SUR. REMOVAL, (2 3/4")	HMA SUR. REMOVAL, (1 1/2")	HMA BINDER COURSE, N90, IL-9.5FG (1 1/4")	HMA SURF. COURSE, N90, MIX D (1 1/2")	BIT. MAT. (TACK COAT)	MATERIAL TRANSFER DEVICE	LONG JOINT SEALANT	NOTE
IL 13			(FT)	(FT)	(SQ YD)	(SQ YD)	(SQ YD)	(TON)	(TON)	(LBS)	(TON)	(FT)	
1075+25	TO	1079+60	435	53	54	2,562		181	216	1,730	397	870	(AVG WIDTH 40' - 66')
1079+60	TO	1081+10	150	35		584		42	50	394	92	300	(AVG WIDTH 30' - 40')
1081+10	TO	1089+20	810	35		3,150		223	266	2,127	489	1,620	(AVG WIDTH 30' - 40')
1089+20	TO	1093+96	476	32	33	1,693		120	143	1,143	263	952	(AVG WIDTH 24' - 40')
IL 13 TOTAL					87	7,989	0	566	675	5,394	1,241	3,742	

OLD IL 13 SHOULDER RESURFACING SCHEDULE

LOCATION STATION TO STATION			LENGTH	HMA SHLDR WIDTH		TEMP RAMP	HMA SUR. REMOVAL, (2-3/4")	HMA SUR. REMOVAL, (1 1/2")	AGG SHLDR WEDGE, TYPE B	HMA SHLDR		NOTES
				LT	RT					(2 3/4")	(1 1/2")	
FOR INFORMATIONAL PURPOSE ONLY			(FT)	(FT)	(FT)	(SQYD)	(SQYD)	(SQYD)	(TON)	(TON)	(TON)	
SMART OLD IL 13												
85+85	TO	87+36	151	4	4	5		135	23		16	
87+36	TO	90+51	315	4	4			280			32	
90+51	TO	96+55	604	4	4			537			61	
96+55	TO	102+50	595	4	4			529			60	
102+50	TO	109+48	698	4	4	5		621			70	
SMART OLD IL 13 SUB-TOTAL						10	0	2,102	23	0	239	
OLD IL 13												
1004+18	TO	1004+48	30	2	2	5		14			3	
1004+48	TO	1012+56	808	0	0							
1012+56	TO	1017+03	447	6	2			398			82	
1017+03	TO	1029+28	1,225	6	6	13		1,634			336	
1029+28	TO	1073+84	4,456	0	0							
1073+84 TO 1078+17 GAP CONCRETE PAVEMENT												US 45 INTERSECTION
STA. EQN. 1078+17 = 196+97												
196+97	TO	199+50	253	0	0							B6-24 CURB & GUTTER
199+50	TO	204+00	450	0	10	11		500	23		103	
204+00	TO	211+30	730	10	10	21		1,623			334	
OLD IL 13 SUB-TOTAL						50	4,169	0	23	858	0	
SMART OLD IL 13 SUB-TOTAL						10	0	2,102	23	0	239	
OLD IL 13 TOTAL						60	4,169	2,102	46	1,097		

MODEL: Default
 FILE: MainE - Pav Shoulder - 2024 - Bentley.com - PWDOT\Documents\DOT - Offices\District 8\Projects\78871\CADDData\Design\0978871-SHEETS.dgn

USER NAME = houjindoc	DESIGNED - _____	REVISED - _____
	DRAWN - _____	REVISED - _____
PLOT SCALE = 100,0000' / in.	CHECKED - _____	REVISED - _____
PLOT DATE = 9/28/2021	DATE - _____	REVISED - _____

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

PAVEMENT RESURFACING SCHEDULE

SCALE: SHEET 2 OF 3 SHEETS STA. TO STA.

F.A. RTE. =	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	3,4,8(RS-4)	SALINE	32	18
CONTRACT NO. 78871			ILLINOIS FED. AID PROJECT	

IL 13 SHOULDER RESURFACING SCHEDULE

LOCATION STATION TO STATION			LENGTH	HMA SHLDR WIDTH		TEMP RAMP	HMA SUR. REMOVAL, (2-3/4")	HMA SUR. REMOVAL, (1 1/2")	AGG SHLDR WEDGE, TYPE B	HMA SHLDR		NOTES
				LT	RT					(2 3/4")	(1 1/2")	
FOR INFORMATIONAL PURPOSE ONLY			(FT)	(FT)	(FT)	(SQYD)	(SQYD)	(SQYD)	(TON)	(TON)	(TON)	
IL 13												
1075+25	TO	1079+60	435	0	0							
1079+60	TO	1081+10	150	0	0							
1081+10	TO	1089+20	810	10	10		1,800			370		
1089+20	TO	1093+96	476	10	10	21	1,058			218		
IL 13 SUB-TOTAL						21	2,858	0	0	588	0	
IL 13 TOTAL						21	2,858	0	0	588		

MODEL: Default
 FILE: Mainfile.pxl
 USER: hougjlanccc
 PROJECT: 78871
 SHEET: 3 OF 3

USER NAME = hougjlanccc	DESIGNED - _____	REVISED - _____
DRAWN - _____	REVISIONS - _____	REVISIONS - _____
CHECKED - _____	REVISIONS - _____	REVISIONS - _____
DATE - _____	REVISIONS - _____	REVISIONS - _____

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

PAVEMENT RESURFACING SCHEDULE

SCALE: SHEET 3 OF 3 SHEETS STA. TO STA.

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
3	3,4,8(RS-4)	SALINE	32	19
ILLINOIS FED. AID PROJECT			CONTRACT NO. 78871	

* FAS 899/FAP 331

OLD IL 13 PAVEMENT MARKING SCHEDULE CONT.

LOCATION STATION TO STATION	THERMOPLASTIC PAVEMENT MARKING										RAISED REFLECTIVE PAVEMENT MARKERS	NOTES	
	LINE 4"			LINE 6"	LINE 8"	LINE 12"		LINE 24"	LETTERS & SYMBOLS	TWO-WAY AMBER MARKER			
	SOLID WHITE	SKIP- DASH YELLOW	SOLID YELLOW	SOLID WHITE	SOLID WHITE	SOLID WHITE	SOLID YELLOW	SOLID WHITE	SOLID WHITE				SQ FT
OLD IL 13			FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	EACH	
1004+00 TO 1004+60			120		120							1	
1004+60 TO 1022+62			3,604	451								23	
1022+62 TO 1024+60			396	50	198							25	
1024+60 TO 1029+20			920		920							58	
1029+20 TO 1030+52					528							4	
1030+52 TO 1051+00				2,048	4,096							52	GORE TRANSITION DOUBLE YELLOW
1031+71											31		DOUBLE LEFT TURN ARROW
1035+30						70			60				CROSSWALK
1034+71											31		DOUBLE LEFT TURN ARROW
1037+71											31		DOUBLE LEFT TURN ARROW
1040+10					65				54				CROSSWALK
1041+00											31		DOUBLE LEFT TURN ARROW
1043+71											31		DOUBLE LEFT TURN ARROW
1044+20					80				66				CROSSWALK
1047+00											31		DOUBLE LEFT TURN ARROW
1050+00											31		DOUBLE LEFT TURN ARROW
1051+00 TO 1052+00				50	300							3	
1052+00 TO 1053+05				105	420		105					3	LEFT TURN LANE
1052+33											37		1 ONLY, 1 LEFT TURN ARROW
1053+05			105						25				34 INTERSECTION/CROSSWALK
1053+88			115										CROSSWALK
1054+00									38				34 INTERSECTION
1054+75											37		1 ONLY, 1 LEFT TURN ARROW
1054+75											33		1 ONLY, 1 THROUGH ARROW
1054+75											37		1 ONLY, 1 RIGHT TURN ARROW
1054+00 TO 1055+91					382		220						
1055+60						100			123				CROSSWALK
1056+25 TO 1072+59				1,634	3,268							41	BI-DIRECTIONAL TURN LANE
1056+30					94				78				CROSSWALK
1056+75											31		DOUBLE LEFT TURN ARROW
1058+46											31		DOUBLE LEFT TURN ARROW
1061+00					80				66				CROSSWALK
1061+46											31		DOUBLE LEFT TURN ARROW
1064+46											31		DOUBLE LEFT TURN ARROW
1065+18					80				66				CROSSWALK
1067+46											31		DOUBLE LEFT TURN ARROW
1070+46											31		DOUBLE LEFT TURN ARROW
1072+50											42		BIKE XING
1072+59 TO 1073+84					230		115					4	
OLD IL 13 SUBTOTAL 1			5,260	4,338	10,462	569	440	513	0	63	589	214	
				20,494		569	440	513	63	589	214		

MODEL: Default
 FILE NAME: p:\pub\arcom\del_illinois\pms\pms\DOT\Documents\DOT_Offices\District_9\Projects\78871\CADD\Drawings\0978871-SHEETS.dwg

USER NAME = houjlanoc	DESIGNED - _____	REVISED - _____
	DRAWN - _____	REVISED - _____
PLOT SCALE = 100.0000' / in.	CHECKED - _____	REVISED - _____
PLOT DATE = 7/29/2021	DATE - _____	REVISED - _____

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

PAVEMENT MARKING SCHEDULE

SCALE: SHEET 2 OF 3 SHEETS STA. TO STA.

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	3,4,8(RS-4)	SALINE	32	21
CONTRACT NO. 78871				
ILLINOIS FED. AID PROJECT				

OLD IL 13 PAVEMENT MARKING SCHEDULE CONT.

LOCATION STATION TO STATION	THERMOPLASTIC PAVEMENT MARKING									RAISED REFLECTIVE PAVEMENT MARKERS	NOTES
	LINE 4"			LINE 6"	LINE 8"	LINE 12"		LINE 24"	LETTERS & SYMBOLS		
	SOLID WHITE	SKIP-DASH YELLOW	SOLID YELLOW	SOLID WHITE	SOLID WHITE	SOLID WHITE	SOLID YELLOW	SOLID WHITE	SOLID WHITE		
OLD IL 13 GAP INTERSECTION 1073+84 TO 1078+17 STA. EQN. 1078+17 = 196+97	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	SQ FT	EACH	
196+97 TO 199+70			848							14	TRANSITION AREA DOUBLE YELLOW
199+70 TO 204+70	688	125								7	
204+70 TO 211+30	1,320		1320					32		34	TRANSITION AREA/RIGHT TURN LANE
OLD IL 13 SUB-TOTAL 2	2,008	125	2,168	0	0	0	0	32	0	55	
OLD IL 13 SUB-TOTAL 1	20,494			569	440	513		63	589	214	
SMART OLD IL 13 SUB-TOTAL	11,444			0	370	795		36	148	116	
OLD IL 13 TOTAL	36,239			569	810	1,308		131	737	385	

IL 13 PAVEMENT MARKING SCHEDULE

LOCATION STATION TO STATION	THERMOPLASTIC PAVEMENT MARKING									RAISED REFLECTIVE PAVEMENT MARKERS	NOTES
	LINE 4"			LINE 6"	LINE 8"	LINE 12"		LINE 24"	LETTERS & SYMBOLS		
	SOLID WHITE	SKIP-DASH YELLOW	SOLID YELLOW	SOLID WHITE	SOLID WHITE	SOLID WHITE	SOLID YELLOW	SOLID WHITE	SOLID WHITE		
IL 13	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	SQ FT	EACH	
1075+25 TO 1081+10			2,340					985		30	
1081+10 TO 1084+23	626		1,252					527		16	
1084+23 TO 1085+35	224										
1085+35 TO 1087+35	400				200					15	LEFT TURN LANE
1086+88									37		1 ONLY, 1 LEFT TURN ARROW
1087+35 TO 1093+96	1,322		2,644					801		34	
IL 13 SUB-TOTAL	2,572	0	6,236	0	200	0	2,313	0	37	95	
IL 13 TOTAL	8,808			0	200	2,313		0	37	95	

MODEL: Default
 FILE NAME: p:\pub\arcom\del_illinois\pms\PROJECTS\DOT\Documents\DOT_Offices\District_9\Projects\78871\CADD\Drawings\0978871-SHEETS.dwg

USER NAME = houjnanoc	DESIGNED - _____	REVISED - _____
	DRAWN - _____	REVISED - _____
PLOT SCALE = 100,0000' / in.	CHECKED - _____	REVISED - _____
PLOT DATE = 7/29/2021	DATE - _____	REVISED - _____

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

PAVEMENT MARKING SCHEDULE

SCALE: SHEET 3 OF 3 SHEETS STA. TO STA.

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
3	3,4,8(RS-4)	SALINE	32	22
CONTRACT NO. 78871				

ILLINOIS FED. AID PROJECT

* FAS 899/FAP 331

OLD IL 13 PAVEMENT PATCHING SCHEDULE

MM	PATCH #	W FT	L FT	AREA SQ YD	CLASS C PATCHES TY II 13"	CLASS C PATCHES TY III 13"	CLASS C PATCHES TY III 16"
SALINE COUNTY EAST BOUND							
8	1	18	4	8.00	8.00		
8	2	12	4	5.33	5.33		
8	3	18	7.5	15.00		15.00	
8	4	12	6	8.00	8.00		
8	5	18	4	8.00	8.00		
8	6	12	6.8	9.07	9.07		
8	7	17	7.2	13.60	13.60		
8	8	18	4	8.00	8.00		
8	9	18	4	8.00	8.00		
8	10	18	4	8.00	8.00		
8	11	12	4	5.33	5.33		
8	12	12	4	5.33	5.33		
8	13	12	4	5.33	5.33		
8	14	12	4	5.33	5.33		
8	15	17	4	7.56	7.56		
8	16	17	7.4	13.98	13.98		
8	17	12	4	5.33	5.33		
8	18	12	4	5.33	5.33		
8	19	12	4.5	6.00	6.00		
8	20	4	13.5	6.00	6.00		
9	21	15	11	18.33			18.33
9	22	13	11.5	16.61			16.61
9	23	18	9	18.00		18.00	
9	24	18	4	8.00	8.00		
9	25	18	4	8.00	8.00		
9	26	18	4.5	9.00	9.00		
SALINE COUNTY EAST BOUND SUBTOTAL					167.00	33.00	35.00

MM	PATCH #	W FT	L FT	AREA SQ YD	CLASS C PATCHES TY II 13"	CLASS C PATCHES TY III 13"	CLASS C PATCHES TY III 16"
SALINE COUNTY WEST BOUND							
8	27	17	7.5	14.17	14.17		
8	28	12	4	5.33	5.33		
8	29	17	4	7.56	7.56		
8	30	17	4	7.56	7.56		
8	31	16	9.5	16.89		16.89	
8	32	12	4	5.33	5.33		
8	33	12	4	5.33	5.33		
8	34	17	4	7.56	7.56		
8	35	12	4	5.33	5.33		
8	36	18	7	14.00	14.00		
8	37	18	9	18.00		18.00	
8	38	12	4	5.33	5.33		
8	39	12	4	5.33	5.33		
8	40	12	7.8	10.40	10.40		
8	41	12	4	5.33	5.33		
8	42	12	4	5.33	5.33		
8	43	12	4	5.33	5.33		
8	44	12	4	5.33	5.33		
8	45	12	4	5.33	5.33		
8	46	12	4	5.33	5.33		
8	47	12	4	5.33	5.33		
8	48	12	4	5.33	5.33		
9	49	18	9	18.00		18.00	
9	50	18	4	8.00	8.00		
9	51	18	4	8.00	8.00		
9	52	18	4	8.00	8.00		
9	53	18	4	8.00	8.00		
SALINE COUNTY WEST BOUND SUBTOTAL					168.00	53.00	0.00

MODEL: Default
 FILE NAME: p:\pub\arcoms.dwg
 PROJECT: 78871\CADD\Drawings\DOT_Offices\District_9\Projects\78871\CADD\Drawings\DOT_78871_SHEETS.dwg

USER NAME = houjnanoc	DESIGNED - _____	REVISED - _____
DRAWN - _____	REVISIONS - _____	
PLOT SCALE = 100.0000' / in.	CHECKED - _____	REVISED - _____
PLOT DATE = 7/29/2021	DATE - _____	REVISED - _____

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

PAVEMENT PATCHING SCHEDULE

SCALE: SHEET 1 OF 1 SHEETS STA. TO STA.

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
3,4,8(RS-4)	SALINE		32	23
			CONTRACT NO. 78871	
ILLINOIS FED. AID PROJECT				

* FAS 899/FAP 331

PAVEMENT AND SIDEWALK SCHEDULE							
				DETECTABLE WARNINGS	COMB CC&G TB6.24	PIPE HANDRAIL	PC CONC SIDEWALK 5 SPECIAL
LOCATION				(SQ FT)	(FOOT)	(FOOT)	(SQ FT)
1	OLD IL 13	&	LAND ST	20	37		183
2	OLD IL 13	&	MCKINLEY ST	20	64	20	480
3	OLD IL 13	&	GRANGER ST	20	23		335
TOTALS				60	124	20	998

REMOVALS SCHEDULE						
				COMB CURB GUTTER REM	SIDEWALK REMOVAL	CONC STEP REMOV
LOCATION				(FOOT)	(SQ FT)	(EACH)
1	OLD IL 13	&	LAND ST	33	156	
2	OLD IL 13	&	MCKINLEY ST	60	265	1
3	OLD IL 13	&	GRANGER ST	22	230	
TOTALS				115	651	1

UTILITY ADJUSTMENT SCHEDULE				
				INLETS ADJUST
LOCATION				(EACH)
1	OLD IL 13	&	LAND ST	1
2	OLD IL 13	&	MCKINLEY ST	
3	OLD IL 13	&	GRANGER ST	
TOTALS				1

RETAINING WALL SCHEDULE					
				REINFORCEMENT BARS	CONC STR RETAIN WALL
LOCATION				(POUND)	(CU YD)
1	OLD IL 13	&	LAND ST		
2	OLD IL 13	&	MCKINLEY ST	250	2.2
3	OLD IL 13	&	GRANGER ST	260	2.2
TOTALS				510	4.4

PAVEMENT MARKING SCHEDULE					
				THPL PVT MK LINE 6	THPL PVT MK LINE 12
LOCATION				(FOOT)	(FOOT)
1	OLD IL 13	&	LAND ST		
2	OLD IL 13	&	MCKINLEY ST	70	60
3	OLD IL 13	&	GRANGER ST	65	54
TOTALS				135	114

MODEL: D:\efc\h...
 FILE NAME: 20230603.14 IDOT D9 PFB 196-061_W014_014 ADA_Borass-Harris\Borass\Design\Drawings\Plan\Sheet\0978871-ent-schedule-01.dgn



USER NAME = RCall	DESIGNED - RAG	REVISED -
	DRAWN - JDB	REVISED -
PLOT SCALE = 40,0000 * / in.	CHECKED - JH	REVISED -
PLOT DATE = 8/13/2021	DATE - 8/13/2021	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

SCHEDULE OF QUANTITIES

SCALE: SHEET 1 OF 1 SHEETS STA. TO STA.

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
899	3,4,8(RS-4)	SALINE	32	24
			CONTRACT NO. 78871	
			ILLINOIS FED. AID PROJECT	

EXISTING SIGN SCHEDULE									
LOCATION			REMOVE SIGN PANEL TYPE 1 (SQ FT)	RELOCATE SIGN PANEL TYPE 1 (SQ FT)	REM GR MT SIGN SUPPORT (EACH)	REM CONC FDN-GR MOUNT (EACH)	NOTES		
			MOVE TO	TYPE	DESCRIPTION				
2	OLD IL 13	&	MCKINLEY ST						
			NORTHWEST QUADRANT	9.0		1	1		S1-1 SCHOOL CROSSING
			NORTHWEST QUADRANT	2.0					W16-7P DIAGONAL ARROW
			SOUTHWEST QUADRANT	9.0		1	1		S1-1 SCHOOL CROSSING
			SOUTHWEST QUADRANT	2.0					W16-7P DIAGONAL ARROW
3	OLD IL 13	&	GRANGER ST						
			NORTHEAST QUADRANT	9.0					S1-1 SCHOOL CROSSING
			NORTHEAST QUADRANT	2.0		1	1		W16-7P DIAGONAL ARROW
			NORTHEAST QUADRANT		5.0			NORTHEAST QUADRANT	HARRISBURG HIGH SCHOOL 9 BLOCKS (ARROW)
			SOUTHEAST QUADRANT	9.0					S1-1 SCHOOL CROSSING
			SOUTHEAST QUADRANT	2.0		1	1		W16-7P DIAGONAL ARROW
			SOUTHEAST QUADRANT		5.0			SOUTHEAST QUADRANT	HARRISBURG HIGH SCHOOL 9 BLOCKS (ARROW)
PAY ITEM TOTALS				44	10	4	4		

NEW SIGN SCHEDULE							
LOCATION			SIGN PANEL TYPE 1 (SQ FT)	TELESCOPING STEEL SIGN SUPPORT (FOOT)	BASE TEL STL SIGN SUPPORT (EACH)	NOTES	
			TYPE	DESCRIPTION			
2	OLD IL 13	&	MCKINLEY ST				
			NORTHWEST QUADRANT	9.0		1	S1-1 SCHOOL CROSSING
			NORTHWEST QUADRANT	2.0	18.0		W16-7P DOWNWARD DIAGONAL ARROW
			NORTHWEST QUADRANT	9.0		1	S1-1 SCHOOL CROSSING
			NORTHWEST QUADRANT	2.0	18.0		W16-9P AHEAD (PLAQUE)
			SOUTHWEST QUADRANT	9.0		1	S1-1 SCHOOL CROSSING
			SOUTHWEST QUADRANT	2.0	16.0		W16-7P DOWNWARD DIAGONAL ARROW
			SOUTHWEST QUADRANT	9.0		1	S1-1 SCHOOL CROSSING
			SOUTHWEST QUADRANT	2.0	18.0		W16-9P AHEAD (PLAQUE)
3	OLD IL 13	&	GRANGER ST				
			NORTHEAST QUADRANT	9.0		1	S1-1 SCHOOL CROSSING
			NORTHEAST QUADRANT	2.0	18.0		W16-7P DOWNWARD DIAGONAL ARROW
			NORTHEAST QUADRANT	9.0		1	S1-1 SCHOOL CROSSING
			NORTHEAST QUADRANT	2.0	20.5		W16-9P AHEAD (PLAQUE)
			NORTHEAST QUADRANT				HARRISBURG HIGH SCHOOL 9 BLOCKS (ARROW)
			SOUTHEAST QUADRANT	9.0		1	S1-1 SCHOOL CROSSING
			SOUTHEAST QUADRANT	2.0	18.0		W16-7P DOWNWARD DIAGONAL ARROW
			SOUTHEAST QUADRANT	9.0		1	S1-1 SCHOOL CROSSING
			SOUTHEAST QUADRANT	2.0	20.5		W16-9P AHEAD (PLAQUE)
			SOUTHEAST QUADRANT				HARRISBURG HIGH SCHOOL 9 BLOCKS (ARROW)
PAY ITEM TOTALS				88	147	8	

MODEL: D:\efc\h...
 FILE NAME: 21030063.14 IDOT D9 PFB 196-061_W014_001_13 ADA_Banana-Harrisburg\DCAD\Design\Project\Sheet\21030063.14-ent-schedule-02.dgn




USER NAME = RCall	DESIGNED - RAG	REVISED -
DRAWN - JDB	REVISIONS -	
PLOT SCALE = 40,0000 * / in.	CHECKED - JH	REVISED -
PLOT DATE = 8/13/2021	DATE - 8/13/2021	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION



SCHEDULE OF QUANTITIES

SCALE: SHEET 1 OF 1 SHEETS STA. TO STA.




F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
899	3,4,8(RS-4)	SALINE	32	25
CONTRACT NO. 78871				
ILLINOIS FED. AID PROJECT				




NORTHWEST QUADRANT



LEGEND

-  DETECTABLE WARNINGS
-  SIDEWALK REMOVAL
-  CONC CURB & GUTTER REMOVAL



MODEL: D:\efc\h...
 FILE NAME: 21320063.14 IDOT D9 PFB 196-061_W014_014_13 ADA_Removal_Harrisburg\DCAD\Design\Project\1978871-ent-sab-a-01.dgn

EFK Moen
Civil Engineering Design








USER NAME = RCall	DESIGNED - RAG	REVISED -
	DRAWN - JDB	REVISED -
PLOT SCALE = 40,0000 * / in.	CHECKED - JH	REVISED -
PLOT DATE = 8/13/2021	DATE - 8/13/2021	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

**PLAN SHEET
OLD IL 13 - LAND ST**

SCALE: SHEET 1 OF 3 SHEETS STA. TO STA.

F.A.U. RTE. 899	SECTION 3,4,8(RS-4)	COUNTY SALINE	TOTAL SHEETS 32	SHEET NO. 26
CONTRACT NO. 78871				
ILLINOIS FED. AID PROJECT				



MODEL: P:\efk\13 DOT D9 PFB 196-061_W014.dwg 13 ADA Ramp-Harrisburg\DCAD\Design\Drawings\196-061-02 - ALT.dwg
 FILE NAME: 20230613_14 DOT D9 PFB 196-061_W014.dwg 13 ADA Ramp-Harrisburg\DCAD\Design\Drawings\196-061-02 - ALT.dwg


EFK Moen
Civil Engineering Design

USER NAME = RCall	DESIGNED - RAG	REVISED -
PLOT SCALE = 40,0000' / in.	DRAWN - JDB	REVISED -
PLOT DATE = 8/13/2021	CHECKED - JH	REVISED -
	DATE - 8/13/2021	REVISED -




**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**



PLAN SHEET	
OLD IL 13 - MCKINLEY ST	
SCALE:	SHEET 2 OF 3 SHEETS STA. TO STA.

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
899	3,4,8(RS-4)	SALINE	32	27
CONTRACT NO. 78871				
ILLINOIS FED. AID PROJECT				





LEGEND


-  DETECTABLE WARNINGS
-  SIDEWALK REMOVAL
-  CONC CURB & GUTTER REMOVAL



NORTHEAST QUADRANT



SOUTHEAST QUADRANT



MODEL: P:\efk\h...
 FILE NAME: 21030063.14 IDOT D9 PFB 196-061_W014_011_13 ADA_Removal_Harrisburg\DCM\Design\Plan\Harrisburg\1978871-sit-sab-pa-03 - ALT.dgn


EFK Moen
Civil Engineering Design

USER NAME = RCall	DESIGNED - RAG	REVISED -
PLOT SCALE = 40,0000 * / in.	DRAWN - JDB	REVISED -
PLOT DATE = 8/13/2021	CHECKED - JH	REVISED -
	DATE - 8/13/2021	REVISED -


**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

PLAN SHEET	
OLD IL 13 - GRANGER ST	
SCALE:	SHEET 3 OF 3 SHEETS STA. TO STA.

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
899	3,4,8(RS-4)	SALINE	32	28
CONTRACT NO. 78871				
ILLINOIS FED. AID PROJECT				



DETAIL
CURB AS RETAINING WALL



DETAIL
SIDEWALK TIE BAR

NOTE: PLACE BAR WITHIN LOWER
1/3 OF SIDEWALK DEPTH

MODEL Path: \\...
FILE NAME: 2023063.14 IDOT D9 PFB 196-061 W014 01 13 ADA Ramp-Harrisburg\DCAD\Design\Prelim\Plotsheet\0278871-sit-detail-01.dwg

EFK Moen
Civil Engineering Design


USER NAME = RCall	DESIGNED - RAG	REVISED -
	DRAWN - JDB	REVISED -
PLOT SCALE = 40,0000 * / in.	CHECKED - JH	REVISED -
PLOT DATE = 8/13/2021	DATE - 8/13/2021	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

DETAIL-CURB AS RETAINING WALL

SCALE: SHEET 1 OF 1 SHEETS STA. TO STA.

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
899	3,4,8(RS-4)	SALINE	32	29
CONTRACT NO. 78871				
ILLINOIS FED. AID PROJECT				



FOR PEDESTRIAN CROSSING

MODEL Path: \\...
 FILE NAME: 2023063.14 IDOT D9 PFB 196-061_W014_014 ADA_Barnes-Harrisburg\DCAD\Design\Project\8871-sit-detail-02.dwg




USER NAME = RCall	DESIGNED - RAG	REVISED -
PLOT SCALE = 40,0000 * / in.	DRAWN - JDB	REVISED -
PLOT DATE = 8/13/2021	CHECKED - JH	REVISED -
	DATE - 8/13/2021	REVISED -


STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

DETAIL-CROSSWALK SIGNAGE	
SCALE:	SHEET 1 OF 1 SHEETS STA. TO STA.


F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
899	3,4,8(RS-4)	SALINE	32	30
CONTRACT NO. 78871				
ILLINOIS FED. AID PROJECT				



PIPE HANDRAIL



SECTION THRU SIDEWALK



BASE PL

Notes:

Gripping surfaces shall be uninterrupted by construction elements, or obstructions.

Handrail shall not rotate within their fittings.

Handrail shall be ADA compliant and conform to Section 509 with the exception that all pipe and connections shall be welded galvanized or aluminum according to Article 1006.30, or 1006.34.

All vertical pickets shall be plumb.


The diameter of the gripping surface of the handrail shall be 1-1/4" to 1-1/2"

Handrail required where shown on plans.


This work shall consist of furnishing and erecting Handrails, baseplate, anchor bolts and all other materials as listed above and according to this detail. This work shall be paid for at the contract UNIT price per FOOT for PIPE HANDRAIL.

BILL OF MATERIALS

Item	Unit	Quantity
Pipe Handrail	Foot	20



PLAN



ANCHOR BOLT DETAILS

In lieu of the cast-in-place anchor device shown, the Contractor has the option of drilling and setting 5/8" Ø anchor rods according to Article 509.06 of the Standard Specifications. Embedment shall be according to the manufacturer's specifications.

MODEL Path: \\...
FILE NAME: 20230063.14 IDOT D9 PFB 106-061.W014.001.13 ADA Remos-Harrisburg\DCAD\Design\Prd\106-061\13-ada-detail-03.dwg

EFK Moen
Civil Engineering Design

USER NAME = RCall	DESIGNED - RAG	REVISED -
PLOT SCALE = 0:2" = 1' / lin.	DRAWN - JDB	REVISED -
PLOT DATE = 8/13/2021	CHECKED - JH	REVISED -
	DATE - 8/13/2021	REVISED -


**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

DETAIL - PIPE HANDRAIL	
SCALE:	SHEET 1 OF 1 SHEETS STA. TO STA.

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
899	3,4,8(RS-4)	SALINE	32	30A
CONTRACT NO. 78871				
ILLINOIS FED. AID PROJECT				

UNEVEN LANES SIGN

W8-11 (48" x 48")



COLORS:
LEGEND AND BORDER - BLACK NON-REFLECTORIZED
BACKGROUND - ORANGE REFLECTORIZED

NOTE: PRIOR TO ALLOWING TRAFFIC ON ANY PORTION OF THE ROADWAY THAT HAS BEEN COLDMILLED OR BEFORE RESURFACING OPERATIONS BEGIN, THE CONTRACTOR SHALL HAVE ERECTED "UNEVEN PAVEMENT" SIGNS THAT CONFORM TO THE ABOVE DETAILS. A MINIMUM OF ONE SIGN AT EACH END OF THE IMPROVEMENT WILL BE REQUIRED. THE CONTRACTOR SHALL MAINTAIN THE "UNEVEN PAVEMENT" SIGNS UNTIL THE RESURFACING OPERATIONS ARE COMPLETED.

IF AT ANY TIME THE SIGNS ARE IN PLACE BUT NOT APPLICABLE, THEY SHALL BE TURNED FROM THE VIEW OF MOTORISTS OR COVERED AS DIRECTED BY THE ENGINEER.

THE COST OF FURNISHING, ERECTING, MAINTAINING, AND REMOVING THE REQUIRED SIGNS SHALL BE INCLUDED IN THE CONTRACT.

REVISIONS

DRAWN	2-15-89
REVISED	4-06-93
RESIGNED	7-23-04
RESIZED	9-08-08
REVIEWED	5-17-13

STD. 9-41

REVISIONS

REDRAWN	5-13-02
REVISED	10-27-05
REVISED	3-26-08
REDRAWN	3-16-11
REVISED	4-12-13

STD. 9-92

DETAIL OF DETECTOR LOOPS


NOTES

- THE DETECTOR LOOPS SHALL BE TYPE I. EACH DETECTOR LOOP SHALL HAVE 3 TURNS OF LOOP WIRE AND BE INSTALLED IN ACCORDANCE WITH THE APPLICABLE PORTIONS OF SECTION 886 OF THE STANDARD SPECIFICATIONS FOR TRAFFIC CONTROL ITEMS.
- BEGINNING LEAD WIRES SHALL BE CONNECTED TO THE BLACK LEAD AND THE ENDING LEAD WIRES SHALL BE CONNECTED TO THE WHITE LEAD OF THE TWIN TWISTED FEED CABLES AT THE SPLICE POINT.
- WHERE THE LOOPS ARE INSTALLED PRIOR TO RESURFACING, THE LOOP CORNERS SHALL BE DIAGONALLY CUT.

LOOP LEGEND


- CLOCKWISE ROTATION FOR LOOP WIRES
- INDICATES SPLICE POINT FOR DETECTOR LOOP LEAD
- INDICATES 2" CORE-DRILL

LOOP LAYOUT



DETAIL 6' x 20' DETECTOR LOOPS

ILLINOIS STANDARD



COLORS:
LEGEND AND BORDER- BLACK NON-REFLECTORIZED
BACKGROUND- ORANGE REFLECTORIZED

SIGN SIZE	DIMENSIONS							
	A	B	C	D	E	F	G	H
48x48	48.0	24.1	3.0	34.0	33.0	6.0	13.0	3.5

SIGN SIZE	SERIES LINES			MAR-GIN	BOR-DER	BLANK STD.
	1	2	3			
48x48	7C	7C	7C	0.8	1.2	B4-48D

ALL DIMENSIONS IN INCHES

NOTES:

PRIOR TO ALLOWING TRAFFIC ON ANY PORTION OF THE ROADWAY THAT HAS BEEN COLDMILLED, THE CONTRACTOR SHALL HAVE ERECTED "ROUGH GROOVED SURFACE" SIGNS THAT CONFORM TO THE ABOVE DETAILS. A MINIMUM OF ONE SIGN AT EACH END OF THE IMPROVEMENT WILL BE REQUIRED. THE CONTRACTOR SHALL MAINTAIN THE "ROUGH GROOVED SURFACE" SIGNS UNTIL THE COLDMILLED SURFACE IS COVERED WITH LEVELING BINDER OR SURFACE COURSE.

IF AT ANY TIME THE SIGNS ARE IN PLACE BUT NOT APPLICABLE, THEY SHALL BE TURNED FROM THE VIEW OF MOTORISTS OR COVERED AS DIRECTED BY THE ENGINEER.


THE COST OF FURNISHING, ERECTING, MAINTAINING, AND REMOVING THE REQUIRED SIGNS SHALL BE INCLUDED IN THE CONTRACT.

REVISIONS

REDRAWN	2-15-89
REVISED	4-6-93
REVISED	3-27-08
REVIEWED	5-17-13


STD. 9-39

TEMPORARY HOT-MIX ASPHALT TRANSITIONS




STEP I

- PLACE HOT-MIX ASPHALT MAT, LENGTH 40 TIMES THE THICKNESS OF THE MAT BEING PLACED PAST THE PROPOSED TRANSVERSE JOINT LOCATION USING NORMAL OPERATING PROCEDURES.
- EXTREME CARE SHOULD BE TAKEN TO MAINTAIN ENOUGH MATERIAL IN FRONT OF THE SCREED TO MAINTAIN REQUIRED PAVING DEPTH.




STEP II

- MOVE THE PAVER OUT OF THE WAY AND REMOVE THE ASPHALT FROM THE AREA OF THE PROPOSED TEMPORARY HOT-MIX ASPHALT TRANSITION.
- SQUARE UP THE END OF THE MAT WITH A RAKE OR LUTE.
- NOTE THAT THE MAT WITHIN 4' OF THE END OF JOINT IS NOT TO BE ROLLED AT THIS TIME.



STEP III

- JOINT PAPER OR OTHER PRESELECTED JOINT MATERIAL IS THEN PLACED IN THE CLEARED AREA AND THE EXCESS ASPHALT USED TO HAND FORM A TRANSITION TO THE DIMENSIONS SHOWN ABOVE.
- NOTE THAT IN CONSTRUCTING THE TRANSITION, THE MAT DEPTH IS CONTINUED AS PART OF THE TRANSITION BEFORE FORMING THE FEATHER.



STEP IV

- COMPLETE TEMPORARY TRANSITION BY ROLLING.
- TO RESUME PAVING, AT THE JOINT, REMOVE TEMPORARY TRANSITION AND DISPOSE OF THE MATERIAL ACCORDING TO ART. 202.03 OF THE STD. SPECS. (COST INCLUDED IN THE CONTRACT).
- CONSTRUCTING THE TEMPORARY TRANSITIONS WILL NOT BE PAID FOR SEPARATELY IN ACCORDANCE WITH ARTICLE 406.14 OF THE STANDARD SPECIFICATIONS.

REVISIONS

REDRAWN	2-15-89
REVISED	8-16-94
REVISED	01-09-07
REVISED	05-8-08
REVISED	05-16-13

STD. 9-26

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

DETAILS

SCALE: SHEET 6 OF 7 SHEETS STA. TO STA.


F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
3	3,4,8(RS-4)	SALINE	32	31

CONTRACT NO. 78871



ILLINOIS FED. AID PROJECT

* FAS 899/FAP 331

INLAY DETAIL
STA. 85+85 TO STA. 109+48



INLAY DETAIL
STA. 1004+48 TO STA. 211+30
STA. 1075+25 TO STA. 1093+96



NOTE: FOR DETECTOR LOOP DETAILS, SEE STANDARD 8866001 AND 8866006.

MODEL: Default
 FILE NAME: p:\blades-cw-bentley.com\PROJECTS\DOT\Office\District_8\Projects\78871\CADD\Drawings\DOT\78871-SHEETS.dgn

USER NAME = houjindccc	DESIGNED - _____	REVISED - _____
DRAWN - _____	REVISIONS - _____	REVISIONS - _____
PLOT SCALE = 100,0000' / in.	CHECKED - _____	REVISIONS - _____
PLOT DATE = 9/23/2021	DATE - _____	REVISIONS - _____

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

DETAILS

SCALE: _____ SHEET 7 OF 7 SHEETS STA. _____ TO STA. _____

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
3,4,8(RS-4)	SALINE		32	32
CONTRACT NO. 78871				

* FAS 899/FAP 331