



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

October 21, 2021

SUBJECT: Route FAS 55 (Center Street)
Section 18-00026-00-SW (Durand)
Winnebago County
Contract No. 85695
Item 074
November 5, 2021 Letting
Addendum B

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

- 1. Revised sheets 2, 40, 41 & 42 of the Plans.**
- 2. Revised the Schedule of Prices.**
- 3. Revised page 2 of the Index to the Special Provisions.**
- 4. Revised page 13 of the Special Provisions.**

Prime contractors must utilize the enclosed material when preparing their bid and must include any changes to the Schedule of Prices in their bid.

Very truly yours,

A handwritten signature in black ink, appearing to read 'Jack A. Elston'.

Jack A. Elston, P.E.
Bureau Chief, Design and Environment

WOOD POST SPECIAL	12
PLANTER REMOVAL	12
TRENCH EXCAVATION AND BACKFILL.....	12
HANDHOLE TO BE ADJUSTED	12
INLETS, SPECIAL, NO. 3	13
INLETS, SPECIAL.....	13
SLOTTED DRAIN.....	13
STORM SEWERS, INSTALLATIONS 8"	13
STORM SEWERS, CLASS A B, TYPE 1 10"	13
STORM SEWERS, CLASS A B, TYPE 1, 12"	13
STORM SEWERS, CLASS A B, TYPE 1, 15"	13
STORM SEWERS, CLASS A B, TYPE 1, 18"	13
STORM SEWERS, CLASS A, TYPE 1, EQUIVALENT ROUND SIZE 24"	13
DOWNSPOUT CONNECTION	13
PLUG EXISTING STORM SEWERS.....	14
REMOVE EXISTING FLARED END SECTION	14
WATER VALVES TO BE ADJUSTED, SPECIAL	14
FIRE HYDRANTS, COMPLETE	14
FIRE HYDRANT TO BE REMOVED	14
TRAFFIC CONTROL PLAN	15
TRAFFIC CONTROL SURVEILLANCE	18
CLEARING AND GRUBBING	18
PLANTING WOODY PLANTS	19
PLANTING PERENNIAL PLANTS	19
SHREDDED BARK MULCH 3"	20
LANDSCAPE EDGING	20
PEDESTRIAN RAILING	21
STEEL RAILING REMOVAL.....	21
SIDEWALK REMOVAL	21
PAVEMENT REMOVAL	21
EARTH EXCAVATION	21
BENCH REMOVAL	22
REMOVE EXISTING WOOD UTILITY POLES.....	22
GATEWAY MONUMENT SIGN COMPLETE.....	22
ORNAMENTAL LIGHT POLE, INSTALL ONLY.....	22

INLETS, SPECIAL, NO. 3

Description: This work shall be constructed in accordance with Section 602 of the IDOT Standard Specifications and IDOT District 2 standard detail 79.4. The 4'X6' inlet structures are to be placed at the locations indicated on the plans.

Method of Measurement: Measurement for this work will be per EACH of the inlet type specified.

Basis of Payment: This work will be paid for at the contract unit price per EACH for the specified type of INLETS, SPECIAL, NO. 3.

INLETS, SPECIAL

Description: This work shall be constructed in accordance with Section 602 of the IDOT Standard Specifications and IDOT District 2 standard detail 10.2. The 2'X3' inlet structures are to be placed at the locations indicated on the plans.

Method of Measurement: Measurement for this work will be per EACH of the inlet type specified.

Basis of Payment: This work will be paid for at the contract unit price per EACH for the specified type of INLETS, SPECIAL.

SLOTTED DRAIN

Description: This work shall include the furnishing and installation of all 12" diameter HPDE storm sewer piping, slotted drain grating, and associated appurtenances as detailed in the plans. Work shall be in conformance with the Sections 601 and 602 of the IDOT Standard Specifications for Road and Bridge Construction.

Method of Measurement: Measurement for this work will be per FOOT.

Basis of Payment: This work will be paid for at the contract unit price per FOOT for SLOTTED DRAIN.

STORM SEWERS, INSTALLATIONS 8"
STORM SEWERS, CLASS A B, TYPE 1 10"
STORM SEWERS, CLASS A B, TYPE 1, 12"
STORM SEWERS, CLASS A B, TYPE 1, 15"
STORM SEWERS, CLASS A B, TYPE 1, 18"
STORM SEWERS, CLASS A, TYPE 1, EQUIVALENT ROUND SIZE 24"

Description: This work shall consist of the furnishing and placing Type 1 Class A B HDPE and Type 1 Class A RCP EQRS storm sewer pipe of the diameter specified on the plans. All work completed shall be in accordance with Section 550 of the IDOT Standard Specifications for Road and Bridge Construction. Trench excavation and backfill will be considered incidental to this pay item.

Method of Measurement: Measurement for this work will be per FOOT.

Basis of Payment: This work will be paid for at the contract unit price per FOOT for STORM SEWERS, INSTALLATIONS 8", STORM SEWERS, CLASS A B, TYPE 1 10", STORM SEWERS, CLASS A B, TYPE 1, 12", STORM SEWERS, CLASS A B, TYPE 1, 15", STORM SEWERS, CLASS A B, TYPE 1, 18", and for STORM SEWER, CLASS CLASS A, TYPE 1, EQUIVALENT ROUND SIZE 24".

DOWNSPOUT CONNECTION

Description: This work shall consist of all labor and material associated with the connection of downspouts and roof drains to proposed or existing storm sewer infrastructure as indicated on the plans. All connections shall be properly sealed to prevent sediment from entering the storm sewer collection system.