CONTRACT NO RTE. SECTION COUNTY TOTAL SHEET NO. FED. ROAD DIST. NO. | ILLINOIS FED. AID PROJECT TYPE I OR TYPE II BARRICADES WITH ONE FLASHING AMBER LIGHT ON EACH, OR TYPE III BARRICADES WITH TWO FLASHING AMBER LIGHTS ON EACH. 200'± (60 m±)-DRIVEWAY STREET, SPEED 40 MPH OR LES 200'± (60 m±) COLLECTOR IIT> 40 MPH (60 W20-1(0) M6~4(0)~2115 AHEAD M6-1(0)-2115 TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS A. FOR NO LANE RESTRICTION ON THE SIDE ROAD OR DRIVEWAYS B. FOR A LANE CLOSURE ON A SIDE ROAD OR DRIVEWAY: USE APPLICABLE PORTIONS OF THE TYPICAL APPLICATION OF TRAFFIC CONTROL DEVICES (STD. 70150), STD. 701606 OR THE APPROPRIATE STANDARD). THE SPACING OF SIGNS AND BARRICADES SHALL BE ADJUSTED FOR FIELD CONDITIONS AS DIRECTED BY THE ENGINEER. THE DIRECTIONAL ARROW SHALL BE COVERED OR REMOVED WHEN NO LONGER CONSISTENT WITH THE SIDE ROAD LANE CLOSURE. 1. SIDE ROAD WITH A SPEED LIMIT OF 40 MPH (60 km/h) OR LESS AS SHOWN ON THE DRAWING AND AS DIRECTED BY THE ENGINEER: O) ONE BOAD CONSTRUCTION AHEAD SIGN 36 x 36 (900x900) WITH A FLASHER AND FLAG MOUNTED ON IT APPROXIMATELY 200' (60 m) IN ADVANCE OF THE MAIN ROUTE. C. ADVANCE WARNING SIGNS ARE TO BE OMITTED ON DRIVEWAY UNLESS OTHERWISE NOTED. b) THE CLOSED PORTION OF THE MAIN ROUTE SHALL BE PROTECTED BY BLOCKING WITH TYPE I, TYPE II OR TYPE III BARRICADES, 1/3 OF THE CROSS SECTION OF THE CLOSED PORTION. D. THE TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS SHALL BE INCIDENTAL TO THE COST OF SPECIFIED TRAFFIC CONTROL STANDARDS OR ITEMS. O) ONE ROAD CONSTRUCTION AHEAD SIGN 48 x 48 (1.2 m x 1.2 m) WITH A FLASHER MOUNTED ON 1T APPROXIMATELY 500' (150 m) IN ADVANCE OF THE MAIN ROUTE. All dimensions are in millimeters (inches) unless otherwise shown. b) THE CLOSED PORTION OF THE MAIN ROUTE SHALL BE PROTECTED BY BLOCKING WITH TYPE III BARRICADES, 1/2 OF THE CROSS SECTION OF THE CLOSED PORTION. ILLINOIS DEPARTMENT OF TRANSPORTATION TRAFFIC CONTROL AND PROTECTION 3. WHEN THE SIDE ROAD LIES BETWEEN THE BEGINNING OF THE MAINLINE SIGNING AND THE WORK ZONE, A SINGLE HEADED ARROW (M6-1) SHALL BE USED IN LIEU OF THE DOUBLE HEADED ARROW (M6-4). 3/6/2887 Ki\diststd\ 58.868 '/ bouerd] FOR SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS DATE NAME SCALE NAME PLOT PLOT USER CHECKED BY

PYRIGHT © 2009 ENGINEERING ENTERPRISES, INC

Engineering Enterprises, Inc.
CONSULTING ENGINEERS
52 Wheeler Road
Sugar Grove, Illinois 60554
630.486.6700 / www.eelweb.com

VILLAGE OF MONTGOMERY
Kane & Kendall Counties, Illinois

| i    | L  |           | 1                                 |
|------|--|-----------|-----------------------------------|
|      |  |           |                                   |
|      |  |           |                                   |
|      |  |           |                                   |
|      |  |           |                                   |
| NO.  | DATE   | REVISIONS |                                   |
| <br> | AN THE RESIDENCE AND ADDRESS OF THE PERSON NAMED IN COLUMN 1 |           | CONTRACTOR OF THE PERSON NAMED IN |

DOUGLAS ROAD
LAPP IMPROVEMENTS

TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS - TC-10

| <br>    |        |      |        |
|---------|--------|------|--------|
| DATE:   | AUGUST |      | 2009   |
| PROJECT | NO:    |      | MO0762 |
| FILE:   |        | M007 | 62-CVR |
| SHEET   | 10     | OF   | 17     |