

BITUMINOUS /EARTHWORK & SEEDING SCHEDULE

BITUMINOUS SCHEDULE

Location	Remarks	Length	Proposed Surface		✓ 21001000	✓ 31100910	✓ 35101400	✓ 40603080	✓ 40603310	Bituminous Materials (Prime Coat)	Pavement Removal
			Width	Sq Yd	Geotechnical Fabric for Ground Stabilization	Subbase Granular Material Type A, 12"	Aggregate Base Course, Type B	Hot-Mix Asphalt Binder Cse, IL-19.0, N50	Hot-Mix Asphalt Surface Cse, Mix "C", N50		
Ophiam Rd.											
Lt & Rt Sta	14 + 50 - 17 + 95	345	26	997	1112	1112		167.4	186.8	0.6	843.3
Lt & Rt Sta	17 + 95 - 20 + 0	205	31.75	723	723	723		121.5	121.5	0.4	501.1
Lt & Rt Sta	20 + 0 - 21 + 68	168	27.75	518	574	574		87.0	96.4	0.3	410.7
Lt & Rt Sta	21 + 68 - 24 + 0	232	26	670	748	748		112.6	125.6	0.4	567.1
Entrance											
Lt - FE	17 + 70							46.1			
Lt - FE	21 + 68							46.1			
TOTALS					✓ 3156	✓ 3156	✓ 92.2	✓ 489	✓ 530	1.7	✓ 2322

EARTH WORK SCHEDULE /SEEDING SCHEDULE

LOCATION	✓ 20200100				✓ 25000210	✓ 25000310	✓ 25000750	✓ 25100115	✓ 28000250
	EARTH EXC (CUT)	EARTH EXC ADJ SHRINK 25% EARTH	EMBANKMENT (FILL)	EARTHWORK BALANCE WASTE (+) SHORTAGE (-)	SEEDING CLASS 2A	SEEDING CLASS 4	MOWING	MULCH METHOD 2	TEMPORARY EROSION CONTROL SEEDING
	CU YD	CU YD	CU YD	CU YD	ACRE	ACRE	ACRE	ACRE	POUND
14 + 50 - 20 + 00	1775.8	1331.9	96.7	1235.2	0.24	0.13	0.38	0.38	96.00
20 + 00 - 24 + 00	1005.3	754.0	87.0	667.0	0.30	0.10	0.37	0.37	120.00
TOTAL	✓ 2781	2085.8	183.7	1902.1	✓ 0.54	✓ 0.23	✓ 0.75	✓ 0.75	216.00