

78008210 POLYUREA PAVEMENT MARKING TYPE I - LINE 4"					
FOOT	LOCATION	OFFSET	REMARKS		
2,906	547 + 80.0 TO 576 + 00.0	LT	WHITE EDGE LINE		
1,701	576 + 13.0 TO 592 + 75.0	LT	WHITE EDGE LINE		
4,337	547 + 80.0 TO 591 + 17.0	RT	WHITE EDGE LINE		
90	591 + 17.0 TO 592 + 75.0	RT	WHITE EDGE LINE		
3,140	547 + 80.0 TO 563 + 50.0		YELLOW CENTER LINE x 2		
3,744	563 + 50.0 TO 572 + 86.0		YELLOW CENTER LINE x 4		
606	572 + 86.0 TO 575 + 89.0		YELLOW CENTER LINE x 2		
628	FLANSBURG RD. MEDIAN	RT	YELLOW CENTER LINE x 4		
6,904	575 + 49.0 TO 592 + 75.0		YELLOW CENTER LINE x 4		
1,106	593 + 35.0 TO 598 + 88.0		YELLOW CENTER LINE x 2		
25,162 TOTAL					

78008230 POLYUREA PAVEMENT MARKING TYPE I - LINE 6"					
FOOT	LOCATION	OFFSET	REMARKS		
70	570 + 29.0 TO 573 + 09.0	RT	WHITE DASHED TAPER		
280	573 + 09.0 TO 575 + 89.0	RT	WHITE LTL LANE LINE		
367	577 + 03.0 TO 580 + 70.0	LT	WHITE RTL LANE LINE		
40	580 + 70.0 TO 582 + 30.0	LT	WHITE DASHED TAPER		
60	588 + 03.0 TO 590 + 40.0	RT	WHITE DASHED TAPER		
176	590 + 40.0 TO 592 + 16.0	RT	WHITE RTL LANE LINE		
296	593 + 35.0 TO 596 + 31.0	LT	WHITE LTL LANE LINE		
64	596 + 31.0 TO 598 + 88.0	LT	WHITE DASHED TAPER		
1,353 TOTAL					

78000250 POLYUREA PAVEMENT MARKING TYPE 1 - LINE 12"					
FOOT	LOCATION	OFFSET	REMARKS		
58	FLANSBURG MEDIAN	LT	WHITE STOP BAR		
288	562 + 50.0 TO 572 + 86.0		YELLOW MEDIAN DIAGONALS		
827	576 + 49.0 TO 592 + 75.0		YELLOW MEDIAN DIAGONALS		
1,173 TOTAL					

78008270 POLYUREA PAVEMENT MARKING TYPE I - LINE 24"					
FOOT	LOCATION	OFFSET	REMARKS		
55	FLANSBURG ROAD	LT	STOP BAR		
55 TOTAL					

78100100 RAISED REFLECTIVE PAVEMENT MARKER					
EACH	LOCATION	REMARKS			
10	554 + 00.0 TO 561 + 70.0	2-WAY AMBER, 80' C-C			
6	561 + 70.0 TO 562 + 50.0	2-WAY AMBER, 40' C-C x 2			
41	562 + 50.0 TO 573 + 09.0 (SEE NOTE)	1 WAY AMBER, 40'/20' C-C x 2 W/ BRIDGE OMISSION			
23	573 + 09.0 TO 575 + 89.0 (SEE NOTE)	2-WAY AMBER, 40'/20' C-C x 2			
8	FLANSBURG MEDIAN	2-WAY AMBER, 40' C-C x 2			
15	573 + 09.0 TO 575 + 89.0 (SEE NOTE)	1-WAY CRYSTAL @ LTL, 20' C-C			
82	576 + 49.0 TO 592 + 75.0	1 WAY AMBER, 40 C-C x 2			
20	577 + 03.0 TO 580 + 70.0 (SEE NOTE)	1 WAY CRYSTAL @ RTL, 20' C-C			
9	590 + 40.0 TO 592 + 16.0 (SEE NOTE)	1 WAY CRYSTAL @ RTL, 20' C-C			
214 TOTAL					
NOTE: MARKER SPACING ON INSIDE OF TURN BAYS AND TAPERS ARE 20' CC PER D2 STANDARD 41.1					

78100105 RAISED REFLECTIVE PAVEMENT MARKER (BRIDGE)					
EACH	LOCATION	OFFSET	REMARKS		
22	576 + 50.0 TO 571 + 50.0		1-WAY AMBER, 40' C-C X 2		
22 TOTAL					

78200410 GUARDRAIL MARKERS, TYPE A					
EACH	LOCATION	OFFSET	REMARKS		
1	563 + 70.0	RT			
1	564 + 50.0	RT			
1	565 + 30.0	RT			
1	566 + 10.0	RT			
1	566 + 90.0	RT			
1	567 + 10.0	RT			
1	573 + 70.0	RT			
1	565 + 60.0	LT			
1	567 + 10.0	LT			
1	571 + 20.0	LT			
1	572 + 00.0	LT			
1	572 + 80.0	LT			
1	573 + 60.0	LT			
13 TOTAL					

78200520 BARRIER WALL MARKERS, TYPE B					
EACH	LOCATION	OFFSET	REMARKS		
1	568 + 50.0	RT			
1	571 + 00.0	RT			
1	570 + 40.0	LT			
1	569 + 60.0	LT			
4 TOTAL					

78201000 TERMINAL MARKER - DIRECT APPLIED					
EACH	LOCATION	OFFSET	REMARKS		
1	563 + 25.0	RT			
1	564 + 84.0	RT			
1	574 + 21.0	LT			
1	574 + 04.0	LT			
4 TOTAL					

78300100 PAVEMENT MARKING REMOVAL					
SQ FT	LOCATION	OFFSET	REMARKS		
39	547 + 90.0 TO 552 + 50.0		DASHED CENTER LINE		
201	547 + 90.0 TO 554 + 00.0		LEFT EDGE LINE		
550	561 + 50.0 TO 579 + 00.0		LEFT EDGE LINE		
467	566 + 00.0 TO 573 + 00.0		DOUBLE CENTER LINE		
200	577 + 00.0 TO 581 + 00.0		RIGHT TURN LANE		
239	587 + 00.0 TO 592 + 50.0		EDGE AND MEDIAN LINES		
666	594 + 00.0 TO 599 + 00.0		EDGE AND CENTER LINES		
47	577 + 00.0 TO 581 + 00.0		RTL ARROWS INTO FLANSBURG		
268	FLANSBURG		MEDIAN AND DIAGONALS		
110	FLANSBURG		STOP BAR		
47	593 + 35.0 TO 596 + 31.0		LTL ARROWS INTO BOLTON		
2,834 TOTAL					

78300200 RAISED REFLECTIVE PAVEMENT MARKER REMOVAL					
EACH	LOCATION	OFFSET	REMARKS		
15	575 + 00.0 TO 587 + 00.0		ASSUME 80' C-C		
26	588 + 00.0 TO 593 + 00.0		ASSUME 40' C-C, 2 SIDES		
41 TOTAL					

89502400 EXISTING FLASHING BEACON INSTALLATION COMPLETE					
EACH	LOCATION	OFFSET	REMARKS		
1	565 + 00.0	RT			
1 TOTAL					

FILE NAME =	USER NAME = #USER#	DESIGNED - AAF	REVISED -
H:\PROJECTS\2945\DRGNS\09200507\20050729	CHLdgn	DRAWN - AAF	REVISED -
	PLOT SCALE = 20.0000 "/ IN.	CHECKED - BAP	REVISED -
	PLOT DATE = 8/7/2009	DATE - 8/7/2009	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

US ROUTE 20 SCHEDULE OF QUANTITIES			
SCALE:	SHEET NO.	TO STA.	FROM STA.
NONE	8 OF 9 SHEETS	N/A	N/A

HOHI		HARRY O. BEYER-ASSOCIATES, INC. DESIGN AND CONSULTING ENGINEERS 55 East Jackson Blvd. Suite 800 Chicago, IL 60604 312-546-8131		PROJECT NUMBER 2945
F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
301	21 VBR	STEPHENSON	112	15
FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT			CONTRACT NO. 64D15	