

EARTHWORK				
LOCATION	20200100 EARTH EXCAVATION	EARTH EXCAVATION ADJUSTED FOR SHRINKAGE (25%)	EMBANKMENT	20400800 FURNISHED EXCAVATION WASTE (+) OR SHORTAGE (-)
	CU YD	CU YD	CU YD	CU YD
STA. 968+50.00 TO STA. 973+80.50	922.75	692.06	4,132.09	-3,440.03
STA. 975+71.50 TO STA. 980+50.00	54.32	40.74	43.90	-3.16
TOTALS	980	732.80	4,175.99	-3,443.19

PERIMETER EROSION BARRIER	
LOCATION	28000400 PERIMETER EROSION BARRIER
	FOOT
STA. 968+50.00 TO STA. 974+16.00, LT	694.0
STA. 968+50.00 TO STA. 974+16.05, RT	614.1
STA. 975+14.50 TO STA. 976+32.78, LT	172.8
STA. 975+14.51 TO STA. 977+48.79, RT	196.0
TOTAL	1677

BITUMINOUS MATERIALS (PRIME COAT)		
LOCATION	AREA	40600100 BITUMINOUS MATERIALS (PRIME COAT)
	SQ YD	GAL
ON MILLED SURFACE (RATE=0.1 GAL/SQ YD)		
STA. 968+50.00 TO STA. 970+50.00	525.9	52.59
STA. 978+87.50 TO STA. 980+50.00	427.8	42.78
ON EXISTING PAVEMENT (RATE=0.05 GAL/SQ YD)		
STA. 970+50.00 TO STA. 973+44.50	785.4	39.27
STA. 976+07.50 TO STA. 978+87.50	746.7	37.33
FOG COAT ON NEW BINDER (RATE=0.03 GAL/SQ YD)		
STA. 968+80.00 TO STA. 973+44.50	1237.5	37.13
STA. 976+07.50 TO STA. 980+20.00	1099.1	32.97
ON EXISTING BASE COURSE WIDENING AND HMA SHOULDERS (RATE=0.05 GAL/SQ YD)		
STA. 970+67.00 TO STA. 973+80.50, RT	244.3	12.22
STA. 970+71.00 TO STA. 973+80.50, LT	198.1	10.12
STA. 975+71.50 TO STA. 977+55.73, RT	141.0	7.20
STA. 975+71.50 TO STA. 976+43.23, LT	41.9	2.14
STA. 976+40.19 TO STA. 976+80.64, LT	13.7	0.69
TOTAL		274

SEEDING, CLASS 2 (SPECIAL)	
LOCATION	25001000 SEEDING, CLASS 2 (SPECIAL)
	ACRE
STA. 968+50.00 TO STA. 973+44.50, LT	0.50
STA. 968+50.00 TO STA. 973+44.50, RT	0.37
STA. 976+07.50 TO STA. 980+50.00, LT	0.05
STA. 976+07.50 TO STA. 980+50.00, RT	0.01
TOTAL	0.93

STONE RIPRAP, CLASS A4	
LOCATION	28100107 STONE RIPRAP, CLASS A4
	SQ YD
STA. 970+50.00 TO STA. 972+07.11, RT (DITCH)	175.9
STA. 972+00.00 TO STA. 973+44.50, LT (DITCH)	786.0
STA. 973+48.50 TO STA. 973+53.50, LT (5'x40')	22.2
STA. 973+48.50 TO STA. 973+53.50, RT (5'x34')	18.9
STA. 975+39.33 TO STA. 975+85.38, LT (5'x48')	26.7
STA. 976+71.42 TO STA. 977+24.78, RT (5'x55')	30.6
FROM BRIDGE PLANS	1159.0
TOTAL	2219.3

FILTER FABRIC	
LOCATION	28200200 FILTER FABRIC
	SQ YD
STA. 970+50.00 TO STA. 972+07.11, RT (DITCH)	175.9
STA. 972+00.00 TO STA. 973+44.50, LT (DITCH)	786.0
STA. 973+48.50 TO STA. 973+53.50, LT (5'x40')	22.2
STA. 973+48.50 TO STA. 973+53.50, RT (5'x34')	18.9
STA. 975+39.33 TO STA. 975+85.38, LT (5'x48')	26.7
STA. 976+71.42 TO STA. 977+24.78, RT (5'x55')	30.6
FROM BRIDGE PLANS	1159.0
TOTAL	2219.3

EROSION CONTROL BLANKET	
LOCATION	25100630 EROSION CONTROL BLANKET
	SQ YD
STA. 968+50.00 TO STA. 973+70.57, LT	1884.6
STA. 968+50.00 TO STA. 973+70.53, RT	1656.5
STA. 975+81.50 TO STA. 976+32.78, LT	77.1
STA. 975+81.50 TO STA. 977+48.79, RT	186.1
STA. 975+86.21 TO STA. 980+50.00, LT	233.8
STA. 977+25.59 TO STA. 980+50.00, RT	80.6
TOTAL	4119

BASE COURSE WIDENING			
LOCATION	LENGTH (FT)	WIDTH (FT)	35650700 BASE COURSE WIDENING SQ YD
STA. 970+67.00 TO STA. 973+71.92, RT	304.92	5.27	178.4
STA. 970+71.00 TO STA. 973+44.50, LT	273.50	4.21	128.1
STA. 975+59.87 TO STA. 977+88.00, RT	228.13	4.80	121.6
STA. 976+07.50 TO STA. 977+81.00, LT	173.50	4.36	84.0
TOTAL			512

AGGREGATE (PRIME COAT)		
LOCATION	AREA	40600300 AGGREGATE (PRIME COAT)
	SQ YD	TON
ON NEW BINDER (2 LBS/SQ YD)		
STA. 968+80.00 TO STA. 973+44.50	1237.5	1.2
STA. 976+07.50 TO STA. 980+20.00	1099.1	1.1
ON MILLED SURFACE (4 LBS/SQ YD)		
STA. 968+50.00 TO STA. 970+50.00	525.9	1.1
STA. 978+87.50 TO STA. 980+50.00	427.8	0.9
TOTAL		4

TEMPORARY EROSION CONTROL SEEDING				
LOCATION	AREA	NUMBER OF APPLICATIONS	LBS/ACRE	28000250 TEMPORARY EROSION CONTROL SEEDING POUND
STA. 968+50.00 TO STA. 980+50.00	0.9	3	100	270
TOTAL				270

HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT			
LOCATION	LENGTH (FT)	WIDTH (FT)	40600982 HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT SQ YD
STA. 468+50.00 TO STA. 468+80.00	30.00	22.13	73.75
STA. 480+20.00 TO STA. 480+50.00	30.00	22.60	75.33
TOTAL			149

TEMPORARY RAMP				
LOCATION	LENGTH (FT)	WIDTH (FT)	40600990 TEMPORARY RAMP SQ YD	
PRE-STAGE I				
STA. 968+50.00 TO STA. 968+80.00	30.0	22.1	73.7	
STA. 973+44.50 TO STA. 973+87.10	42.6	32.0	151.5	
STA. 975+83.70 TO STA. 976+07.50	23.8	28.1	74.3	
STA. 980+20.00 TO STA. 980+50.00	30.0	22.6	75.3	
STAGE I				
STA. 973+39.50 TO STA. 973+44.50, LT	5.0	17.5	9.7	
STA. 976+07.50 TO STA. 976+12.50, LT	5.0	17.5	9.7	
STAGE II				
STA. 973+39.50 TO STA. 973+44.50, RT	5.0	16.0	8.9	
STA. 976+07.50 TO STA. 976+12.50, RT	5.0	16.0	8.9	
TOTAL			412	

TEMPORARY DITCH CHECKS	
LOCATION	28000300 TEMPORARY DITCH CHECKS EACH
STA. 973+44.50, LT	1
STA. 972+07.11, RT	1
TOTAL	2