

GIRDER 10

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. W. Abut.	13369.75	-15.00	449.85	449.85
CL Brg. W. Abut.	13375.49	-15.00	449.91	449.91
A	13385.49	-15.00	450.02	450.04
B	13395.49	-15.00	450.11	450.17
C	13405.49	-15.00	450.20	450.28
D	13415.49	-15.00	450.29	450.37
E	13425.49	-15.00	450.36	450.45
F	13435.49	-15.00	450.43	450.52
G	13445.49	-15.00	450.49	450.57
H	13455.49	-15.00	450.55	450.61
I	13465.49	-15.00	450.60	450.64
J	13475.49	-15.00	450.64	450.66
K	13485.49	-15.00	450.67	450.68
L	13495.49	-15.00	450.70	450.69
M	13505.49	-15.00	450.72	450.71
CL. Brg. Pier 1	13510.72	-15.00	450.72	450.72
N	13520.72	-15.00	450.73	450.74
O	13530.72	-15.00	450.74	450.77
P	13540.72	-15.00	450.73	450.81
Q	13550.72	-15.00	450.72	450.84
R	13560.72	-15.00	450.70	450.87
S	13570.72	-15.00	450.67	450.89
T	13580.72	-15.00	450.64	450.90
U	13590.72	-15.00	450.60	450.89
V	13600.72	-15.00	450.55	450.87
W	13610.72	-15.00	450.50	450.83
X	13620.72	-15.00	450.44	450.77
Y	13630.72	-15.00	450.37	450.69
Z	13640.72	-15.00	450.29	450.59
A1	13650.72	-15.00	450.21	450.48
B1	13660.72	-15.00	450.12	450.34
C1	13670.72	-15.00	450.02	450.20
D1	13680.72	-15.00	449.92	450.05
E1	13690.72	-15.00	449.81	449.89
F1	13700.72	-15.00	449.69	449.73
CL. Brg. Pier 2	13714.80	-15.00	449.51	449.51
G1	13724.80	-15.00	449.38	449.36
H1	13734.80	-15.00	449.24	449.22
I1	13744.80	-15.00	449.09	449.08
J1	13754.80	-15.00	448.93	448.93
K1	13764.80	-15.00	448.77	448.78
L1	13774.80	-15.00	448.60	448.63
M1	13784.80	-15.00	448.42	448.47
N1	13794.80	-15.00	448.24	448.29
O1	13804.80	-15.00	448.05	448.10
P1	13814.80	-15.00	447.85	447.90
Q1	13824.80	-15.00	447.65	447.69
R1	13834.80	-15.00	447.43	447.46
S1	13844.80	-15.00	447.21	447.23
CL. Brg. E. Abut	13850.03	-15.00	447.10	447.10
Bk. E. Abut.	13855.77	-15.00	446.97	446.97

GIRDER 11

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. W. Abut.	13383.23	-9.00	450.10	450.10
CL Brg. W. Abut.	13388.97	-9.00	450.16	450.16
A	13398.97	-9.00	450.26	450.28
B	13408.97	-9.00	450.34	450.38
C	13418.97	-9.00	450.42	450.47
D	13428.97	-9.00	450.50	450.55
E	13438.97	-9.00	450.56	450.62
F	13448.97	-9.00	450.62	450.67
G	13458.97	-9.00	450.67	450.72
H	13468.97	-9.00	450.72	450.75
I	13478.97	-9.00	450.76	450.77
J	13488.97	-9.00	450.79	450.79
K	13498.97	-9.00	450.81	450.80
L	13508.97	-9.00	450.83	450.82
M	13518.97	-9.00	450.84	450.83
CL. Brg. Pier 1	13524.20	-9.00	450.84	450.84
N	13534.20	-9.00	450.84	450.86
O	13544.20	-9.00	450.84	450.89
P	13554.20	-9.00	450.82	450.91
Q	13564.20	-9.00	450.80	450.93
R	13574.20	-9.00	450.77	450.95
S	13584.20	-9.00	450.74	450.95
T	13594.20	-9.00	450.69	450.94
U	13604.20	-9.00	450.64	450.91
V	13614.20	-9.00	450.59	450.87
W	13624.20	-9.00	450.52	450.82
X	13634.20	-9.00	450.45	450.74
Y	13644.20	-9.00	450.37	450.65
Z	13654.20	-9.00	450.29	450.54
A1	13664.20	-9.00	450.20	450.42
B1	13674.20	-9.00	450.10	450.28
C1	13684.20	-9.00	449.99	450.13
D1	13694.20	-9.00	449.88	449.98
E1	13704.20	-9.00	449.76	449.82
F1	13714.20	-9.00	449.63	449.66
CL. Brg. Pier 2	13728.28	-9.00	449.44	449.44
G1	13738.28	-9.00	449.30	449.29
H1	13748.28	-9.00	449.14	449.14
I1	13758.28	-9.00	448.99	448.99
J1	13768.28	-9.00	448.82	448.83
K1	13778.28	-9.00	448.65	448.68
L1	13788.28	-9.00	448.47	448.51
M1	13798.28	-9.00	448.28	448.33
N1	13808.28	-9.00	448.09	448.15
O1	13818.28	-9.00	447.89	447.95
P1	13828.28	-9.00	447.68	447.73
Q1	13838.28	-9.00	447.47	447.51
R1	13848.28	-9.00	447.25	447.27
S1	13858.28	-9.00	447.02	447.03
CL. Brg. E. Abut	13863.51	-9.00	446.90	446.90
Bk. E. Abut.	13869.25	-9.00	446.76	446.76

GIRDER 12

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. W. Abut.	13396.70	-3.00	450.33	450.33
CL Brg. W. Abut.	13402.44	-3.00	450.38	450.38
A	13412.44	-3.00	450.47	450.48
B	13422.44	-3.00	450.54	450.56
C	13432.44	-3.00	450.61	450.64
D	13442.44	-3.00	450.68	450.71
E	13452.44	-3.00	450.74	450.76
F	13462.44	-3.00	450.79	450.80
G	13472.44	-3.00	450.83	450.84
H	13482.44	-3.00	450.86	450.86
I	13492.44	-3.00	450.89	450.88
J	13502.44	-3.00	450.91	450.90
K	13512.44	-3.00	450.93	450.91
L	13522.44	-3.00	450.94	450.92
M	13532.44	-3.00	450.94	450.93
CL. Brg. Pier 1	13537.67	-3.00	450.94	450.94
N	13547.67	-3.00	450.93	450.95
O	13557.67	-3.00	450.91	450.96
P	13567.67	-3.00	450.88	450.97
Q	13577.67	-3.00	450.85	450.98
R	13587.67	-3.00	450.81	450.98
S	13597.67	-3.00	450.77	450.97
T	13607.67	-3.00	450.72	450.95
U	13617.67	-3.00	450.66	450.91
V	13627.67	-3.00	450.59	450.85
W	13637.67	-3.00	450.52	450.78
X	13647.67	-3.00	450.44	450.70
Y	13657.67	-3.00	450.35	450.59
Z	13667.67	-3.00	450.26	450.48
A1	13677.67	-3.00	450.15	450.34
B1	13687.67	-3.00	450.05	450.20
C1	13697.67	-3.00	449.93	450.05
D1	13707.67	-3.00	449.81	449.89
E1	13717.67	-3.00	449.68	449.72
F1	13727.67	-3.00	449.54	449.56
CL. Brg. Pier 2	13741.75	-3.00	449.34	449.34
G1	13751.75	-3.00	449.18	449.17
H1	13761.75	-3.00	449.02	449.01
I1	13771.75	-3.00	448.86	448.86
J1	13781.75	-3.00	448.68	448.71
K1	13791.75	-3.00	448.50	448.54
L1	13801.75	-3.00	448.31	448.36
M1	13811.75	-3.00	448.11	448.17
N1	13821.75	-3.00	447.91	447.95
O1	13831.75	-3.00	447.70	447.73
P1	13841.75	-3.00	447.48	447.49
Q1	13851.75	-3.00	447.26	447.24
R1	13861.75	-3.00	447.03	447.00
S1	13871.75	-3.00	446.79	446.77
CL. Brg. E. Abut	13876.98	-3.00	446.66	446.66
Bk. E. Abut.	13882.72	-3.00	446.52	446.52

**TOP OF SLAB ELEVATIONS
EB STRUCTURE
STRUCTURE NO. 082-0162**

COOMBE-BLOXDORF P.C. Engineers / Land Surveyors Springfield, Illinois Design Firm License No. 184-002703	PROJECT NO. 07004	SHEET NO. 14	F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	SCALE		64	82-2VB	ST. CLAIR	153	69
	DATE	59 SHEETS	CONTRACT NO. 76867				
	DESIGN BY		FED. ROAD DIST. NO.	ILLINOIS	FED. AID PROJECT		
DRAWN BY	CFC						
CHECKED BY	RM/MCB						

USER NAME = CFC