



# Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

October 22, 2020

SUBJECT: Route FAU 9200 (Mousette Lane)  
Section 16-00047-00-RP (Cahokia)  
St. Clair County  
Contract No. 97738  
Item 115  
November 6, 2020 Letting  
Addendum A

## NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

- 1. Revised the Schedule of Prices.**
- 2. Revised sheets 3 & 6 of the Plans.**
- 3. Revised page 4 of the Special Provisions.**

Prime contractors must utilize the enclosed material when preparing their bid and must include any changes to the Schedule of Prices in their bid.

Very truly yours,

A handwritten signature in black ink, appearing to read 'Jack A. Elston'.

Jack A. Elston, P.E.  
Bureau Chief, Design and Environment

## **WATER VALVES TO BE ADJUSTED**

This work shall consist of adjusting the water valves to the proposed grades as shown in the plans and in accordance with Section 561.

This work will be paid for at the contract unit price per each for WATER VALVES TO BE ADJUSTED, which price shall include all necessary equipment, labor and materials required to complete the work.

## **SANITARY MANHOLES TO BE ADJUSTED**

This work shall consist of adjusting the manhole lids to the proposed grades as shown in the plans and in accordance with Section 603. Adjusting rings shall be in accordance with Article 603.08 of the Standard Specifications.

This work will be paid for at the contract unit price per each for SANITARY MANHOLES TO BE ADJUSTED, which price shall include all necessary equipment, labor and materials required to complete the work.

## **FLASHING BEACON INSTALLATION**

This work shall consist of furnishing, installing, powering and constructing the flashing beacon, a light emitting diode signal head on a Metal Post-Type A at the proposed locations as shown in the plans. LED shall be in accordance with Article 880.02. Metal Post-Type A shall be in accordance with Section 729. Solar Power generation shall be approved by the Engineer.

This work will be paid for at the contract unit price per each for FLASHING BEACON INSTALLATION, which price shall include all necessary equipment, labor and materials required to complete the work.

## **SUBMITTAL OF EEO/LABOR DOCUMENTATION**

Effective: April 2016

This work shall be done in accordance with Check Sheets No. 1, 3 and 5 of the IDOT Supplemental Specifications and Recurring Special Provisions and the "Weekly DBE Trucking Reports (BDE)" Special Provision, except as here-in modified.

### **PAYROLL AND STATEMENT OF COMPLIANCE:**

Certified payroll, (FORM SBE 48 OR AN APPROVED FACSIMILE) and the Statement of Compliance, (FORM SBE 348) shall be submitted by two methods:

1. By Mail (United States Postal Service): The ORIGINAL of the certified payroll and the Statement of Compliance for the Prime Contractor and each Subcontractor shall be submitted by mail to the Regional Engineer for District 8.