

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
57	*	DOUGLAS	76	25

* (15,21-25,21-26,27)RS-1

SCHEDULE OF QUANTITIES

CLASS A PATCHES

STATION	DIRECTION	LANE	LENGTH (FOOT)	WIDTH (FOOT)	PATCH AREA		SAW CUTS 44213200 (FOOT)	TIE BARS Z0075300 (FOOT)	PATCHING REINFORCEMENT 44213000 (SQ YD)
					TYPE I, 12.0" 44200573 (SQ YD)	TYPE II, 12.0" 44200577 (SQ YD)			
465+64.87	NB	PL	6.0	12.0	0.0	8.0	60.0	0	8.0
465+12.07	SB	DL	6.0	6.0	4.0	0.0	36.0	0	4.0
467+81.35	SB	DL	10.0	6.0	0.0	6.7	44.0	0	6.7
469+23.91	SB	DL	6.0	6.0	4.0	0.0	36.0	0	4.0
472+67.11	SB	DL	6.0	12.0	0.0	8.0	60.0	0	8.0
480+48.55	SB	DL	6.0	6.0	4.0	0.0	36.0	0	4.0
483+60.07	SB	DL	6.0	6.0	4.0	0.0	36.0	0	4.0
484+07.59	SB	DL	6.0	12.0	0.0	8.0	60.0	0	8.0
486+13.51	SB	DL	6.0	12.0	0.0	8.0	60.0	0	8.0
486+18.79	SB	DL	6.0	6.0	4.0	0.0	36.0	0	4.0
494+16.07	SB	DL	6.0	12.0	0.0	8.0	60.0	0	8.0
503+03.11	SB	DL	6.0	12.0	0.0	8.0	60.0	0	8.0
TOTALS =					20.0	54.7	584.0	0.0	74.7
USE =					20.0	55.0	584.0	0.0	75.0

CLASS A PATCHES

STATION	DIRECTION	LANE	LENGTH (FOOT)	WIDTH (FOOT)	PATCH AREA		SAW CUTS 44213200 (FOOT)	TIE BARS Z0075300 (EACH)	PATCHING REINFORCEMENT 44213000 (SQ YD)
					TYPE IV, 7.0" 44200523 (SQ YD)	44213200 (FOOT)			
1442+00.00	NB	DL	660.0	6.0	440.0		1344.0	330	440.0
1448+60.00	NB	DL	660.0	6.0	440.0		1344.0	330	440.0
1468+40.00	NB	DL	660.0	6.0	440.0		1344.0	330	440.0
1475+00.00	NB	DL	660.0	6.0	440.0		1344.0	330	440.0
1481+60.00	NB	DL	660.0	6.0	440.0		1344.0	330	440.0
1500+40.00	NB	DL	660.0	6.0	440.0		1344.0	330	440.0
137+90.00	NB	DL	660.0	6.0	440.0		1344.0	330	440.0
144+50.00	NB	DL	660.0	6.0	440.0		1344.0	330	440.0
155+33.87	NB	DL	660.0	6.0	440.0		1344.0	330	440.0
161+93.87	NB	DL	660.0	6.0	440.0		1344.0	330	440.0
TOTALS =					4,400.0		13,440.0	3,300.0	4,400.0
USE =					4,400.0		13,440.0	3,300.0	4,400.0

CLASS A PATCHES

STATION	DIRECTION	LANE	LENGTH (FOOT)	WIDTH (FOOT)	PATCH AREA				SAW CUTS 44213200 (FOOT)	TIE BARS Z0075300 (EACH)	PATCHING REINFORCEMENT 44213000 (SQ YD)
					TYPE I, 10.0" 44200553 (SQ YD)	TYPE II, 10.0" 44200553 (SQ YD)	TYPE III, 10.0" 44200557 (SQ YD)	TYPE IV, 10.0" 44200559 (SQ YD)			
231+69.19	NB	DL	10.0	6.0	0.0	6.7	0.0	0.0	44.0	0	6.7
462+32.23	NB	PL	6.0	12.0	0.0	8.0	0.0	0.0	60.0	0	8.0
525+84.07	NB	DL	6.0	12.0	0.0	8.0	0.0	0.0	60.0	0	8.0
527+63.59	NB	DL	6.0	12.0	0.0	8.0	0.0	0.0	60.0	0	8.0
527+63.59	NB	PL	6.0	12.0	0.0	8.0	0.0	0.0	60.0	0	8.0
546+90.59	NB	PL	6.0	12.0	0.0	8.0	0.0	0.0	60.0	0	8.0
1400+00.00	SB	DL	6.0	12.0	0.0	8.0	0.0	0.0	60.0	0	8.0
1410+00.00	SB	DL	6.0	12.0	0.0	8.0	0.0	0.0	60.0	0	8.0
1420+00.00	SB	DL	6.0	12.0	0.0	8.0	0.0	0.0	60.0	0	8.0
1430+00.00	SB	DL	6.0	12.0	0.0	8.0	0.0	0.0	60.0	0	8.0
1435+00.00	SB	DL	6.0	12.0	0.0	8.0	0.0	0.0	60.0	0	8.0
1440+00.00	SB	DL	6.0	12.0	0.0	8.0	0.0	0.0	60.0	0	8.0
1445+00.00	SB	DL	6.0	12.0	0.0	8.0	0.0	0.0	60.0	0	8.0
1450+00.00	SB	DL	6.0	12.0	0.0	8.0	0.0	0.0	60.0	0	8.0
1455+00.00	SB	DL	6.0	12.0	0.0	8.0	0.0	0.0	60.0	0	8.0
1460+00.00	SB	DL	6.0	12.0	0.0	8.0	0.0	0.0	60.0	0	8.0
319+49.83	SB	DL	6.0	6.0	4.0	0.0	0.0	0.0	36.0	0	4.0
322+98.31	SB	DL	6.0	6.0	4.0	0.0	0.0	0.0	36.0	0	4.0
421+03.27	SB	DL	6.0	6.0	4.0	0.0	0.0	0.0	36.0	0	4.0
459+89.35	SB	DL	20.0	6.0	0.0	13.3	0.0	0.0	64.0	10	13.3
541+68.07	SB	DL	6.0	6.0	4.0	0.0	0.0	0.0	36.0	0	4.0
542+63.11	SB	DL	6.0	12.0	0.0	8.0	0.0	0.0	60.0	0	8.0
546+16.87	SB	DL	6.0	6.0	4.0	0.0	0.0	0.0	36.0	0	4.0
546+43.27	SB	DL	6.0	6.0	4.0	0.0	0.0	0.0	36.0	0	4.0
377+75.98	IL 133	RAMP C	12.0	8.0	0.0	10.7	0.0	0.0	56.0	0	10.7
377+89.98	IL 133	RAMP C	6.0	8.0	0.0	5.3	0.0	0.0	44.0	0	5.3
378+04.98	IL 133	RAMP C	16.0	8.0	0.0	14.2	0.0	0.0	64.0	0	14.2
378+62.98	IL 133	RAMP C	20.0	8.0	0.0	0.0	17.8	0.0	72.0	10	17.8
379+98.98	IL 133	RAMP C	6.0	8.0	0.0	5.3	0.0	0.0	44.0	0	5.3
381+43.98	IL 133	RAMP C	6.0	8.0	0.0	5.3	0.0	0.0	44.0	0	5.3
381+75.98	IL 133	RAMP C	6.0	8.0	0.0	5.3	0.0	0.0	44.0	0	5.3
381+88.98	IL 133	RAMP C	6.0	8.0	0.0	5.3	0.0	0.0	44.0	0	5.3
388+23.98	IL 133	RAMP C	4.0	16.0	0.0	7.1	0.0	0.0	72.0	0	7.1
393+99.98	IL 133	RAMP C	30.0	8.0	0.0	0.0	0.0	26.7	92.0	15	26.7
394+57.98	IL 133	RAMP C	8.0	8.0	0.0	7.1	0.0	0.0	48.0	0	7.1
394+96.98	IL 133	RAMP C	10.0	20.0	0.0	0.0	22.2	0.0	100.0	0	22.2
TOTALS =					24.0	213.8	40.0	26.7	2008.0	35.0	304.4
USE =					24.0	214.0	40.0	27.0	2008.0	35.0	305.0

44400100 FIBERGLASS FABRIC REPAIR SYSTEM

LOCATION	STATION	TO	STATION	WIDTH (FOOT)	AREA (SQ YD)
N.B. DRIVING LANE	1455+20.00	TO	1468+40.00	6.0	880.0
N.B. DRIVING LANE	1488+20.00	TO	1491+86.53	6.0	244.4
N.B. DRIVING LANE	1493+86.53	TO	1500+40.00	6.0	435.6
N.B. DRIVING LANE	129+62.99	TO	137+90.00	6.0	551.3
N.B. DRIVING LANE	152+90.00	TO	155+33.87	6.0	162.6
TOTAL=					2,273.9
USE=					2274.0

ILLINOIS DEPARTMENT OF TRANSPORTATION

SCHEDULE OF QUANTITIES

F.A.I. ROUTE 57
SECTION (15,21-25,21-26,27)RS-1
DOUGLAS COUNTY

SCALE: N/A
DATE: 08-2008

DRAWN BY: RC
CHECKED BY: KD