

**PROPOSED DRAINAGE PIPE SCHEDULE**

PIPE	UPSTREAM STRUCTURE	DOWNSTREAM STRUCTURE	UPSTREAM INVERT ELEVATION	DOWNSTREAM INVERT ELEVATION	STORM SEWERS, CLASS A, TYPE 1	STORM SEWERS, CLASS A, TYPE 1	STORM SEWERS, CLASS A, TYPE 2	STORM SEWERS, CLASS A, TYPE 4	COMBINED SEWER (EXTRA STRENGTH VITRIFIED CLAY PIPE)	COMBINED SEWER (WATER MAIN REQUIREMENTS)	PIPE DRAINS	STORM SEWERS (WATER MAIN REQUIREMENTS)	STORM SEWERS, TYPE 4 EXTRA STRENGTH VITRIFIED CLAY PIPE	COMBINED SEWERS, CLASS A, TYPE 3	REINFORCED CONCRETE PIPE ELBOW	TRENCH BACKFILL
					12"	24"	12"	12"	8"	8"	6"	12"	12"	60"	60"	
									(CDOT)	(CDOT)	(SPECIAL)		(CDOT)			
					FOOT		FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	EACH	(CY)
<b>HARRISON STREET</b>																
P-01	S-01	PR CONNECTION TO EX COMB. SEWER	587.88	EX PIPE					15							13.1
P-02A	S-02A	S-02B	590.28	590.26						3						8.0
P-02B	S-02B	PR CONNECTION TO EX COMB. SEWER	590.26	EX PIPE						27						18.0
P-03	S-03	"	588.23	EX PIPE					30							31.3
P-50	EX	S-53	586.16	581.29								57				89.5
P-51	S-51	S-53	594.85	594.71							18					1.3
P-53	S-53	S-54	581.29	581.16									42			89.9
P-55	S-55	S-56	579.35	579.17										99	2	169.3
<b>HALSTED STREET</b>																
P-04	S-04	PR CONNECTION TO EX COMB. SEWER	588.04	EX PIPE					41							36.1
P-04A	S-04A	S-04	588.24	588.04						37						23.5
P-05A	S-05A	"	587.91	EX PIPE					36							31.5
P-05B	S-05B	S-05A	587.98	587.91						16						6.9
P-06	S-06	PR CONNECTION TO EX COMB. SEWER	587.25	EX PIPE					35							16.0
P-07	S-07	"	587.20	EX PIPE					33							41.1
S BRIDGE																7.2
N BRIDGE																1.4
<b>60" COMBINED SEWER</b>																
P-56	S-56	S-57	579.17	579.01										81	1	0.0
<b>EB I-290</b>																
P-26	EX STRUCTURE	S-33	570.87	570.85												4.2
P-27	S-33	S-34	570.85	570.63												59.2
P-28	S-34	S-35	570.63	570.60												4.8
<b>ES RAMP</b>																
P-20	S-20	S-21	569.96	569.93	8											0.9
P-21	S-23A	S-24	570.21	570.16				17								1.0
P-22A	S-22	S-23A	570.23	570.21				8								0.1
P-22B	S-23B	S-23A	570.23	570.21				8								0.1
P-23	S-26	S-27	570.42	570.34	17											1.9
P-25	S-30	S-31	570.75	570.71	18											4.8
P-25A	S-30A	S-30	570.99	570.75			53									17.3
P-25B	S-31C	S-31B	571.53	571.50	9											3.5
<b>SW RAMP</b>																
P-29	S-37	S-36	569.91	569.90	4											0.9
P-30	S-36	EX STRUCTURE	569.90	569.89	5											0.5
ROUNDED TOTAL					61	77	53	33	190	83	18	57	42	180	3	682.0

**NOTES:**

- ADDITIONAL TRENCH BACKFILL QUANTITY PROVIDED ON THE DRAINAGE AND UTILITY SCHEDULE FOR STORM SEWER AND COMBINED SEWER REMOVAL AND EROSION CONTROL SCHEDULE FOR TEMPORARY DRAINAGE.

FILE PATH = p:\388035-p\m\escomon\me\local\p\60W26-sht-Schedule-Drain-06