



Designer NOTES: 1. Designer to modify this Special Detail sheet, as needed, for inclusion in plans.
 2. This treatment is recommended for large waterways: > 30' (9.0 m) in width.
 3. Include District CADD Detail for Fabric Formed Concrete Revetment Mats.
 4. Designer to add Drainage Structure Details as needed. The CULVERT flowline should be located such that CULVERT siltation is minimized.



EROSION CONTROL BLANKET DETAILS

GENERAL NOTES

1. Fabric Formed Concrete Revetment Mats shall conform to Section 285.
2. Erosion Control Blanket shall conform to Article 251.04.

All dimensions are in inches (millimeters) unless otherwise noted.


1-1-97	RENUM. A-12.10, NEW REVISION BOX	T.P.
10-16-06	REVISED TO 2007 SPEC.	M.A.

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**


**WATERWAY EROSION CONTROL, DOWNSTREAM TREATMENT,
FABRIC FORMED CONCRETE REVETMENT MATS**
 NOT TO SCALE

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
CONTRACT NO.				
FED. ROAD DIST. NO.			ILLINOIS FED. AID PROJECT	


SHT. 1 OF 2
CADD STD. 285121-D4



SECTION A-A



ALTERNATE TREATMENT
(WITH EXISTING FARM UNDERDRAIN)



SECTION B-B

NOTE
If the alternate treatment is utilized, then a formal agreement should be executed between the Department and the property owner, that defines future maintenance responsibility. The agreement should be recorded on the property documents at the county courthouse, and should be executed as early in the contract as possible.

All slope ratios are expressed as units of vertical displacement to units of horizontal displacement (V:H).
All dimensions are in inches (millimeters) unless otherwise noted.