TRAFFIC SIGNAL LEGEND

GUY WIRE	>R	>	>	12" (300mm) TRAFFIC SIGNAL SECTION		R	R		DME		
TEMPORARY WOOD POLE (CLASS 5 OR BETTER) 45 FOOT (13.7m) MINIMUM	R⊗ ∨R	⊗	•	ABANDON ITEM	А			STEEL MAST ARM POLE AND FOUNDATION TO BE REMOVED	ORMF		
GUY WIRE SIGNAL HEAD	R	,> ⊳	<i>></i> −	12" (300mm) TRAFFIC SIGNAL SECTION			R	ALUMINUM MAST ARM POLE AND FOUNDATION TO BE REMOVED	RMF		
SIGNAL HEAD CONSTRUCTION STAGES (NUMBERS INDICATE THE CONSTRUCTION STAGE)	>		→ ²	12" (300mm) RED WITH 8" (200mm) YELLOW AND GREEN TRAFFIC SIGNAL FACE		R		STEEL COMBINATION MAST ARM ASSEMBLY AND POLE WITH LUMINAIRE AND	RMF		
SIGNAL HEAD WITH BACKPLATE	+C ^R	+->	+-			R	R	FOUNDATION TO BE REMOVED	0- 		
SIGNAL HEAD OPTICALLY PROGRAMMED	R —⊳′′P′′	>′′P′′	-▶ "P"	SIGNAL FACE			G ◆Y	SIGNAL POST AND FOUNDATION TO BE REMOVED	RMF O		
FLASHER INSTALLATION (S DENOTES SOLAR POWER)	R O- - ''F''	O- ⊳ "F"	●→ "F"			◆ \$\)	∢ Y ∢ G	INTERSECTION & SAMPLING (SYSTEM) DETECTOR		[IS]	IS
PEDESTRIAN SIGNAL HEAD	R -	-0	-1			R	R	SAMPLING (SYSTEM) DETECTOR		[s]	S
PEDESTRIAN PUSHBUTTON DETECTOR	R	©	©	SIGNAL FACE WITH BACKPLATE. "P" INDICATES PROGRAMMED HEAD		$\stackrel{()}{\bigcirc}$	G ← Y ← G	EXISTING INTERSECTION LOOP DETECTOR	0 D	[PI	
ACCESSIBLE PEDESTRIAN PUSHBUTTON DETECTOR	R APS	@APS				••		PROPOSED INTERSECTION AND SAMPLING (SYSTEM) DETECT(EXISTING PREFORMED INTERSECTION LOOP DETECTOR	JK		
ILLUMINATED SIGN "NO LEFT TURN"	R		lacktriangle			"P"	"P"	PROPOSED INTERSECTION AND SAMPLING (SYSTEM) DETECT(OR	ÎPPÎ	
ILLUMINATED SIGN				12" (300mm) PEDESTRIAN SIGNAL HEAD WALK/DON'T WALK SYMBOL		OW W		PREFORMED INTERSECTION AND SAMPLING (SYSTEM) DETECTOR		PIS	PIS
"NO RIGHT TURN"	R			12" (300mm) PEDESTRIAN SIGNAL HEAD INTERNATIONAL SYMBOL, OUTLINED				PREFORMED SAMPLING (SYSTEM) DETECTOR		PS.	PS
DETECTOR LOOP, TYPE I				12" (300mm) PEDESTRIAN SIGNAL HEAD			•	DAUDOAD	0\/8400		
PREFORMED DETECTOR LOOP		۶- س ۱۶۱ ۱۶۰	Р	INTERNATIONAL SYMBOL, SOLID		(*	RAILROAD SYMBOLS			
MICROWAVE VEHICLE SENSOR	R (M)1	M	M	PEDESTRIAN SIGNAL HEAD, INTERNATIONAL SYMBOL, WITH COUNTDOWN TIMER		(€) C (6) D	₽ C * D			<u>EXISTING</u>	PROPOSED
VIDEO DETECTION CAMERA	R [V]]	[V]	(V)	RADIO INTERCONNECT	 	##+	 	RAILROAD CONTROL CABINET			R►≺R
VIDEO DETECTION ZONE				RADIO REPEATER	RERR	ERR	RR	RAILROAD CANTILEVER MAST ARM	∑ €	XXX	X OX X
PAN, TILT, ZOOM CAMERA	R ₽™	Pīb	P 1	DENOTES NUMBER OF CONDUCTORS, ELECTRIC	2.31			FLASHING SIGNAL		$\times \Theta \times$	X⊖X
	R.W	<u>*</u>	(W)	CABLE NO. 14, UNLESS NOTED OTHERWISE, ALL DETECTOR LOOP CABLE TO BE SHIELDED				CROSSING GATE		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	***
WIRELESS DETECTOR SENSOR	W	W	W	GROUND CABLE IN CONDUIT		1		CROSSBUCK		*	*