

PAVEMENT PATCHING (FOR STORM SEWER)

STATION	WIDTH	LENGTH	DIRECTION	LANE	CLASS D PATCHES, 305MM		
					SQ. METERS	TYPE I SQ METER M4428042	TYPE II SQ METER M4428242
94+000.8	2.44	1.40	WB	DRIVE	3.4	3.4	
	2.14	1.40	WB	PASSING	3.0		5.2
MH	1.21	1.83	WB	PASSING	2.2		
MH	0.62	1.83	CTR.	CTR. TURN	1.1	4.0	
	2.43	1.20	CTR.	CTR. TURN	2.9		
	3.05	1.20	EB	PASSING	3.7	3.7	
	3.35	1.20	EB	DRIVE	4.0	4.0	
	2.96	1.20	EB	RT TURN LANE	3.6	3.6	
94+074.0	2.44	1.40	WB	DRIVE	3.4	3.4	
	2.14	1.40	WB	PASSING	3.0		5.2
MH	1.21	1.83	WB	PASSING	2.2		
MH	0.62	1.83	CTR.	CTR. TURN	1.1	4.0	
	2.43	1.20	CTR.	CTR. TURN	2.9		
	3.05	1.20	EB	PASSING	3.7	3.7	
	3.35	1.20	EB	DRIVE	4.0	4.0	
94+132.3	2.44	1.40	WB	DRIVE	3.4	3.4	
	2.14	1.40	WB	PASSING	3.0		5.2
MH	1.21	1.83	WB	PASSING	2.2		
MH	0.62	1.83	CTR.	CTR. TURN	1.1	4.0	
	2.43	1.20	CTR.	CTR. TURN	2.9		
	3.05	1.20	EB	PASSING	3.7	3.7	
	3.35	1.20	EB	DRIVE	4.0	4.0	
94+167.0	2.44	1.40	WB	DRIVE	3.4	3.4	
	2.14	1.40	WB	PASSING	3.0		5.2
MH	1.21	1.83	WB	PASSING	2.2		
MH	0.62	1.83	CTR.	CTR. TURN	1.1	4.0	
	2.43	1.20	CTR.	CTR. TURN	2.9		
	3.05	1.20	EB	PASSING	3.7	3.7	
	3.35	1.20	EB	DRIVE	4.0	4.0	
94+220.3	2.44	1.40	WB	DRIVE	3.4	3.4	
	2.14	1.40	WB	PASSING	3.0		5.2
MH	1.21	1.83	WB	PASSING	2.2		
MH	0.62	1.83	CTR.	CTR. TURN	1.1	4.1	
	2.53	1.20	CTR.	CTR. TURN	3.0		
	3.15	1.20	EB	PASSING	3.8	3.8	
	3.45	1.20	EB	DRIVE	4.1	4.1	
94+265.0	2.44	1.40	WB	DRIVE	3.4	3.4	
	2.14	1.40	WB	PASSING	3.0		5.2
MH	1.21	1.83	WB	PASSING	2.2		
MH	0.62	1.83	CTR.	CTR. TURN	1.1	4.0	
	2.43	1.20	CTR.	CTR. TURN	2.9		
	3.05	1.20	EB	PASSING	3.7	3.7	
	3.35	1.20	EB	DRIVE	4.0	4.0	
94+337	2.44	1.40	WB	DRIVE	3.4	3.4	
	2.14	1.40	WB	PASSING	3.0		5.2
MH	1.21	1.83	WB	PASSING	2.2		
MH	0.62	1.83	CTR.	CTR. TURN	1.1	4.0	
	2.43	1.20	CTR.	CTR. TURN	2.9		
	3.05	1.20	EB	PASSING	3.7	3.7	
	3.35	1.20	EB	DRIVE	4.0	4.0	
94+391.0	2.44	1.40	WB	DRIVE	3.4	3.4	
	2.14	1.40	WB	PASSING	3.0		5.2
MH	1.21	1.83	WB	PASSING	2.2		
MH	0.62	1.83	CTR.	CTR. TURN	1.1	4.0	
	2.43	1.20	CTR.	CTR. TURN	2.9		
	3.05	1.20	EB	PASSING	3.7	3.7	
	3.35	1.20	EB	DRIVE	4.0	4.0	
				PAGE TOTAL		124.7	41.6

PAVEMENT PATCHING (FOR STORM SEWER) CONT'D

STATION	WIDTH	LENGTH	DIRECTION	LANE	CLASS D PATCHES, 305MM		
					SQ. METERS	TYPE I SQ METER M4428042	TYPE II SQ METER M4428242
94+460.0	2.44	1.40	WB	DRIVE	3.4	3.4	
	2.14	1.40	WB	PASSING	3.0		5.2
MH	1.21	1.83	WB	PASSING	2.2		
MH	0.62	1.83	CTR.	CTR. TURN	1.1	4.0	
	2.43	1.20	CTR.	CTR. TURN	2.9		
	3.05	1.20	EB	PASSING	3.7	3.7	
	3.35	1.20	EB	DRIVE	4.0	4.0	
94+595.0	2.44	1.40	WB	DRIVE	3.4	3.4	
	2.14	1.40	WB	PASSING	3.0		5.2
MH	1.21	1.83	WB	PASSING	2.2		
MH	0.62	1.83	CTR.	CTR. TURN	1.1	4.1	
	2.53	1.20	CTR.	CTR. TURN	3.0		
	3.15	1.20	EB	PASSING	3.8	3.8	
	3.45	1.20	EB	DRIVE	4.1	4.1	
94+620 M	3.00	4.50	CTR.	CTR. TURN	13.5		13.5
94+627	2.44	1.40	WB	DRIVE	3.4	3.4	
	3.35	1.40	WB	PASSING	4.7	4.7	
	3.15	1.40	CTR.	CTR. TURN	4.4	4.4	
	3.15	1.40	EB	PASSING	4.4	4.4	
	3.45	1.40	EB	DRIVE	4.8	4.8	
94+678.9	2.64	1.20	WB	DRIVE	3.2	3.2	
	3.63	1.20	WB	PASSING	4.4		7.4
MH	1.00	3.00	WB	PASSING	3.0		
MH	2.00	3.00	CTR.	CTR. TURN	6.0		10.1
	3.41	1.20	CTR.	CTR. TURN	4.1		
	3.41	1.20	EB	PASSING	4.1	4.1	
	3.65	1.20	EB	DRIVE	4.4	4.4	
94+731.5	2.44	1.20	WB	DRIVE	2.9	2.9	
	3.35	1.20	WB	PASSING	4.0	4.0	
	3.15	1.20	CTR.	CTR. TURN	3.8	3.8	
	3.15	1.20	EB	PASSING	3.8	3.8	
	3.45	1.20	EB	DRIVE	4.1	4.1	
94+777.3 M	3.00	0.30	WB	PASSING	0.9	0.9	
MH	3.00	2.70	CTR.	CTR. TURN	8.1		8.1
94+785.0	2.65	1.20	WB	DRIVE	3.2	3.2	
	3.63	1.20	WB	PASSING	4.4	4.4	
	3.42	1.20	CTR.	CTR. TURN	4.1	4.1	
	3.42	1.20	EB	PASSING	4.1	4.1	
	3.63	1.20	EB	DRIVE	4.4	4.4	
94+836.5	2.44	1.20	WB	DRIVE	2.9	4.0	
	3.35	1.20	WB	PASSING	4.0	4.0	
	3.15	1.20	CTR.	CTR. TURN	3.8	3.8	
	3.15	1.20	EB	PASSING	3.8	3.8	
	3.35	1.20	EB	DRIVE	4.0	4.0	
94+874.90	2.44	2.28	WB	DRIVE	5.6		5.6
	3.35	2.28	WB	PASSING	7.6		7.6
	3.15	2.40	CTR.	CTR. TURN	7.6		7.6
	3.15	2.28	EB	PASSING	7.2		7.2
	3.35	2.28	EB	DRIVE	7.6		7.6
				PAGE TOTAL		123.2	85.1

PAVEMENT PATCHING (FOR STORM SEWER) CONT'D

STATION	WIDTH	LENGTH	DIRECTION	LANE	CLASS D PATCHES, 305MM		
					SQ. METERS	TYPE I SQ METER M4428042	TYPE II SQ METER M4428242
94+885.0	2.44	1.75	WB	DRIVE	4.3	4.3	
	3.35	1.75	WB	PASSING	5.9		5.9
	3.15	2.10	CTR.	CTR. TURN	6.6		6.6
	3.15	1.75	EB	PASSING	5.5		5.5
	3.35	1.75	EB	DRIVE	5.9		5.9
94+911.0	2.61	1.20	WB	DRIVE	3.1	3.1	
	3.59	1.20	WB	PASSING	4.3	4.3	
	3.38	1.20	CTR.	CTR. TURN	4.1	4.1	
	3.38	1.20	EB	PASSING	4.1	4.3	
	3.59	1.20	EB	DRIVE	4.3	4.3	
94+979.6	2.50	1.20	WB	DRIVE	3.0	3	
	3.45	1.20	WB	PASSING	4.1	4.1	
	3.25	1.20	CTR.	CTR. TURN	3.9	3.9	
	3.25	1.20	EB	PASSING	3.9	3.9	
	3.45	1.20	EB	DRIVE	4.1	4.1	
94+987.9 M	3.50	3.50	CTR.	CTR. TURN	12.3		12.3
95+022.0	2.44	1.20	WB	DRIVE	2.9	2.9	
	3.35	1.20	WB	PASSING	4.0	4.0	
	3.15	1.20	CTR.	CTR. TURN	3.8	3.8	
	3.15	1.20	EB	PASSING	3.8	3.8	
	3.35	1.20	EB	DRIVE	4.0	4.0	
95+080.6M	2.50	2.50	CTR.	CTR. TURN	6.3		6.3
95+087.0	2.44	1.20	WB	DRIVE	2.9	2.9	
	3.35	1.20	WB	PASSING	4.0	4.0	
	3.15	1.20	CTR.	CTR. TURN	3.8	3.8	
	3.15	1.20	EB	PASSING	3.8	3.8	
	3.35	1.20	EB	DRIVE	4.0	4.0	
95+111.5	2.44	1.20	WB	DRIVE	2.9	2.9	
	3.35	1.20	WB	PASSING	4.0	4.0	
	3.15	1.20	CTR.	CTR. TURN	3.8	3.8	
	3.15	1.20	EB	PASSING	3.8	3.8	
	3.35	1.20	EB	DRIVE	4.0	4.0	
95+295.0	3.70	1.20	WB	DRIVE	4.4	4.4	
	5.00	1.20	EB	DRIVE	6.0		6.0
				PAGE TOTAL		103.3	48.5
				TOTAL		351.2	175.2
				USE		352.0	176.0

SCHEDULES OF QUANTITIES