ROUTE NO.	SECTION	Montgomery		TOTAL SHEETS	SHEET NO.	SHEET NO.	12
FAP 42 (IL 127)	106 (B-2)			61	30	15 SHEETS	
FFD BOAD DIST	DOAD DIET NO 7		EEO AID BROJECT-				

Contract #72150


Stage construction line —— - Stage removal line 1'-10'2 1'-10'2' Temporary Concrete Barrier See Standard 704001 When "A" is 3'-6" or less, the temporary concrete barrier shall be anchored to the new slab according to Detail I or Detail II. No anchorage is required See Detail I or Detail II. Drill 1^l_4 " ϕ Holes in existing slab for 1" ϕ x 11" dowel bars. Traffic side only. Cost included

NEW SLAB

EXISTING SLAB

SECTIONS THRU SLAB

with Temporary Concrete Barrier.



** Wood blocks may be omitted when required to provide minimum stage traffic lane width. When the wood blocks are omitted, the concrete barrier shall be in direct contact with the steel retainer plate.

screwed to coupler at approximate © of each barrier panel. Detail II - With Extended Reinforcement Bars: Connect one (1) 1''x7''x10'' steel 12 to the concrete slab with $2^{-5}8''$ ϕ Expansion Anchors or cast in place inserts spaced between the top layer of reinforcement at approximate € of each barrier panel.

Detail I - With Bar Splicer or Couplers:

-Extended #5 bars


2-5₈″ ¢ Expansion Anchors or cast in place inserts with a certified min. proof load of

5,000 Lbs.

NOTES

Cost of anchorage is included with Temporary Concrete Barrier. The 1" x 7" x 10" plate shall not be removed until stage II construction forms and all reinforcement bars are in place and the concrete is ready

Connect one (1) 1"x7"x10" steel P to the top layer of couplers with $2^{-5}8'' \phi$ bolts



STEEL RETAINER P 1" x 7" x 10"

* Required only with Detail II

REVISIONS NAME DATE LIN ENGINEERING,LTD. Consulting Engineers Designed By: RKM Checked By: MTH Drawn By: AJF
Date: 04/07 File: 068-0507.DGN

ILLINOIS DEPARTMENT OF TRANSPORTATION TEMPORARY CONCRETE BARRIER ILLINOIS ROUTE 127 OVER LITTLE BEARCAT CREEK F.A.P. ROUTE 42 - SECTION 106 (B-2) MONTGOMERY COUNTY STATION 115+99.00 STRUCTURE NO. 068-0507

R-27

11-1-06

when "A" is greater than 3'-6".