

SEEDING AND FERTILIZING SCHEDULE

SN 028-0075 LOCATION STATION TO STATION	SEEDING* CLASS 2	SEEDING CLASS 7	NITROGEN (N)	PHOSPHOROUS (P)	POTASSIUM (K)	MULCH METHOD 2	AGRICULTURAL GROUND LIMESTONE	TEMPORARY EROSION CONTROL SEEDING
	ACRE	ACRE	POUND	POUND	POUND	ACRE	TON	POUND
FAP 853 (IL 14)								
STA 145+75.00 TO STA 153+80.00 RT	0.33	0.33	53	40	40	0.60	0.66	33
STA 145+75.00 TO STA 153+80.00 LT	0.37	0.37	59	44	44	0.40	0.74	37
PROJECT TOTALS	0.70	0.70	112	84	84	1.0	1.4	70

* NEED FOR MULCH METHOD 2 REDUCED OR ELIMINATED WITH USE OF EROSION CONTROL BLANKET. SEE EROSION CONTROL SCHEDULE.

TERMINALS AND GUARDRAIL SCHEDULE

SN 028-0075 LOCATION STATION TO STATION	TEMPORARY GUARDRAIL	SPBGR TYPE A	TBT TYPE 6	TBT TYPE I SPECIAL (TANGENT)	REMOVE & RE-ERECT TYPE I	TERMINAL MARKER DIRECT APPLIED	GUARDRAIL MARKER
	FOOT	FOOT	EACH	EACH	EACH	EACH	EACH
FAP 853 (IL 14)							
NW QUADRANT:							
STA 147+98.85 LT TO STA 148+48.85 LT					1	1	1
STA 148+48.85 LT TO STA 148+98.85 LT		50					2
STA 148+98.85 LT TO STA 149+44.50 LT			1				
STA 148+11.35 LT TO STA 148+61.35 LT				1			
STA 148+61.35 LT TO STA 148+98.85 LT	37.5						
NE QUADRANT:							
STA 149+98.00 LT TO STA 150+43.65 LT			1				
STA 150+43.65 LT TO STA 151+81.15 LT		137.5			1	1	4
STA 151+81.15 LT TO STA 152+31.15 LT				1			1
STA 150+81.15 LT TO STA 151+31.15 LT							
STA 150+43.65 LT TO STA 150+81.15 LT	37.5						
SW QUADRANT:							
STA 147+11.35 RT TO STA 147+61.35 RT					1	1	1
STA 147+61.35 RT TO STA 148+98.85 RT		137.5					4
STA 148+98.85 RT TO STA 149+44.50 RT			1				
STA 148+61.35 RT TO STA 148+98.85 RT	37.5						
STA 148+11.35 RT TO STA 148+61.35 RT				1			
SE QUADRANT:							
STA 149+98.00 RT TO STA 150+43.65 RT			1				
STA 150+43.65 RT TO STA 150+93.65 RT		50			1	1	2
STA 150+93.65 RT TO STA 151+43.65 RT							1
STA 150+43.65 RT TO STA 150+81.15 RT	37.5						
STA 150+81.15 RT TO STA 151+31.15 RT				1			
PROJECT TOTALS	150	375	4	4	4	4	16

HOT MIX ASPHALT PAVEMENT SCHEDULE

SN 028-0075 LOCATION STATION TO STATION	HOT MIX ASPHALT BINDER COURSE SUPERPAVE, IL-19.0, N90	HOT MIX ASPHALT SURFACE COURSE SUPERPAVE, MIX C, N90	HOT MIX ASPHALT BASE COURSE WIDENING, 10"
	TON	TON	SQ YD
FAP 853 (IL 14)			
STA 146+30.00 TO STA 149+12.00	443		
STA 150+30.50 TO STA 153+25.00	423		
STA 145+75.00 TO STA 149+12.00		65	
STA 150+30.50 TO STA 153+80.00		67	
STA 146+41.15 TO STA 147+10.61 LT		11	
STA 147+69.60 TO STA 149+12.00 RT			109
STA 150+30.50 TO STA 151+59.00 RT			100
STA 148+01.00 TO STA 149+60.00 LT			62
STA 149+90.00 TO STA 151+46.00 LT			61
PROJECT TOTALS	866	143	332

SHOULDER SCHEDULE

SN 028-0075 LOCATION STATION TO STATION	AGGREGATE SHOULDERS, TYPE A 8"	HOT-MIX ASPHALT SHOULDERS, 8"	HOT-MIX ASPHALT SHOULDERS
	SQ YD	SQ YD	TON
FAP 853 (IL 14)			
STA 146+30.00 TO STA 147+80.55 LT	28		
STA 146+30.00 TO STA 146+42.00 LT		1.3	
STA 146+42.00 TO STA 147+10.00 LT			9
STA 147+10.61 TO STA 149+42.00 LT		142.3	
STA 150+00.50 TO STA 153+25.00 LT		230.5	
STA 152+49.96 TO STA 153+25.00 LT	24		
STA 146+30.00 TO STA 146+92.68 RT	20		
STA 146+30.00 TO STA 147+40.00 RT		51.8	
STA 147+40.00 TO STA 149+12.00 RT			89
STA 149+12.00 TO STA 149+42.00 RT		7.5	
STA 150+00.50 TO STA 150+30.50 RT		7.5	
STA 150+30.50 TO STA 151+75.00 RT			114
STA 151+75.00 TO STA 153+25.00 RT		18.1	
STA 151+61.66 TO STA 153+25.00 RT	53		
PROJECT TOTALS	125	459	212

6/19/2007
 c:\pave\pave\98020991\98020992.dgn
 9:00:00 AM / IN.
 h:\stevetw