



F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80/94	*	COOK	231	151
STA.	TO STA.			
FED. ROAD DIST. NO. 1	ILLINOIS	FED. AID PROJECT		
*(0203.1 & 0304) R-6		CONTRACT * 62105		



NOTES:

1. ALL HIGH MAST TOWERS ARE EXISTING OR TO BE INSTALLED UNDER CONTRACT 62664, SHOWN FOR INFORMATION ONLY.
2. CONDUIT EMBEDDED IN STRUCTURE, 30MM DIA. CNC, 4 WIDE X 2 HIGH. FOR DETAILS, SEE DRAWING ED16-4.
3. CONDUIT ENCASED, REINFORCED CONCRETE, 30MM DIA. CNC, 4 WIDE X 2 HIGH. THE REINFORCEMENT SHALL BEGIN MINIMUM 1.5 METER BEFORE DUCT BANK LEAVES THE MEDIAN BARRIER WALL FOUNDATION ON BOTH SIDES OF BRIDGE PIER STRUCTURE. FOR DETAILS, SEE DRAWING ED16-2.
4. JUNCTION BOX, STAINLESS STEEL 600MM X 1200MM X 300MM IS TO BE FURNISHED AND INSTALLED ON TOP OF BARRIER WALL UNDER CONTRACT 62664. FOR INSTALLATION DETAILS, SEE DRAWING ED16-3.
5. CONDUIT EMBEDDED IN STRUCTURE, 30MM DIA. CNC, 2 WIDE X 1 HIGH. FOR DETAILS, SEE DRAWING ED16-4.
6. FOR FIBER OPTIC DUCT BANK TERMINATION DETAILS, SEE DRAWING ED16-3.
7. EXISTING PUSHED CONDUIT FOR TOLLWAY LIGHTS SHALL REMAIN.
8. PROVIDE "CONCRETE GLARE SCREEN, SPECIAL" CONTINUOUSLY FROM THE J.B. AT STA. 3+047 TO 3+090.

STA. 100+450
LIMIT OF ELECTRICAL WORK



5 m 0 20 m
1 : 500

REVISIONS		ILLINOIS DEPARTMENT OF TRANSPORTATION F.A.I. ROUTE 80/94 (INTERSTATE 80/294) ELECTRICAL RACEWAY PLAN STA. 2+950 TO STA. 3+250 SCALE: 1:500 DATE: JULY 18, 2005	DRAWN BY: MB CHECKED BY: KMY
NAME	DATE		
McDonough Associates Inc. Engineers / Architects		RL16-1	