



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

November 7, 2005

SUBJECT: FAP Route 573
Project ACF-0573 (156)
Section 116R-4
DeKalb County
Contract No. 64517
Item No. 51, November 18, 2005 Letting
Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised pages 4, 8, 11 & 14 of the Schedule of Prices.
2. Revised sheets 2 – 6, 61, 66, 128, 129, 131, 133, 137 and 139 of the Plans.
3. Added sheet 139A to the Plans.
4. Revised page iii of the Table of Contents to the Special Provisions.
5. Revised page 19 of the Special Provisions.
6. Added page 122 to the Special Provisions.

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

Michael L. Hine
Engineer of Design
and Environment

A handwritten signature in black ink, appearing to read 'Ted B. Walschleger' followed by a small 'P.E.' monogram.

By: Ted B. Walschleger, P. E.
Engineer of Project Management

cc: Gregg Mounts, Region 2, District 2; Roger Driskell; Estimates; Design & Environment File

TBW:MS:jc

ILLINOIS DEPARTMENT OF TRANSPORTATION
 SCHEDULE OF PRICES
 CONTRACT
 NUMBER -

64517

State Job # - C-92-090-05
 PPS NBR - 2-06930-0300
 County Name - DEKALB - -
 Code - 37 - -
 District - 2 - -
 Section Number - 116R-4

Project Number
 ACF-0573/156/000

Route
 FAP 573

Item Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
Z0049800	RELOC EX SURV MKRS	EACH	75.000				
Z0076600	TRAINEES	HOUR	1,000.000		0.800		800.000
20100110	TREE REMOV 6-15	UNIT	101.000				
20100210	TREE REMOV OVER 15	UNIT	581.000				
20100500	TREE REMOV ACRES	ACRE	0.500				
20200100	EARTH EXCAVATION	CU YD	42,730.000				
* 20800150	TRENCH BACKFILL	CU YD	5,812.000				
21001000	GEOTECH FAB F/GR STAB	SQ YD	210.000				
21101615	TOPSOIL F & P 4	SQ YD	18,610.000				
21301052	EXPLOR TRENCH 52	FOOT	350.000				
25000400	NITROGEN FERT NUTR	POUND	553.000				
25000500	PHOSPHORUS FERT NUTR	POUND	553.000				
25000600	POTASSIUM FERT NUTR	POUND	553.000				
25000750	MOWING	ACRE	2.500				
25000910	SEEDING CL 1 MOD	ACRE	2.500				
* REVISED : OCTOBER 31, 2005							

ILLINOIS DEPARTMENT OF TRANSPORTATION
 SCHEDULE OF PRICES
 CONTRACT
 NUMBER -

64517

State Job # - C-92-090-05
 PPS NBR - 2-06930-0300
 County Name - DEKALB - -
 Code - 37 - -
 District - 2 - -
 Section Number - 116R-4

Project Number
 ACF-0573/156/000

Route
 FAP 573

Item Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
* 50800105	REINFORCEMENT BARS	POUND	485.000				
50800205	REINF BARS, EPOXY CTD	POUND	70.000				
51000105	PIPE HANDRAIL	FOOT	62.000				
542D0220	P CUL CL D 1 15	FOOT	382.000				
542D0235	P CUL CL D 1 30	FOOT	20.000				
54213657	PRC FLAR END SEC 12	EACH	1.000				
54213675	PRC FLAR END SEC 30	EACH	1.000				
54213681	PRC FLAR END SEC 36	EACH	2.000				
54213687	PRC FLAR END SEC 42	EACH	1.000				
54215550	MET END SEC 15	EACH	6.000				
54215565	MET END SEC 30	EACH	1.000				
54244405	FL INLT BX MED 542546	EACH	3.000				
* DELETED							
550A0050	STORM SEW CL A 1 12	FOOT	96.000				
550A0120	STORM SEW CL A 1 24	FOOT	348.000				
* REVISED : OCTOBER 31, 2005							

ILLINOIS DEPARTMENT OF TRANSPORTATION
 SCHEDULE OF PRICES
 CONTRACT
 NUMBER -

64517

State Job # - C-92-090-05
 PPS NBR - 2-06930-0300
 County Name - DEKALB - -
 Code - 37 - -
 District - 2 - -
 Section Number - 116R-4

Project Number
 ACF-0573/156/000

Route
 FAP 573

Item Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
60603800	COMB CC&G TB6.12	FOOT	410.000				
60605000	COMB CC&G TB6.24	FOOT	20,301.000				
60608600	COMB CC&G TM6.06	FOOT	85.000				
60610400	COMB CC&G TM6.24	FOOT	16.000				
60618300	CONC MEDIAN SURF 4	SQ FT	176.000				
61133100	FLD TILE JUN VAULT 2D	EACH	2.000				
61140000	STORM SEWER SPEC 8	FOOT	100.000				
61140100	STORM SEWER SPEC 10	FOOT	100.000				
61140200	STORM SEWER SPEC 12	FOOT	100.000				
* 61141100	STORM SEWER SPEC 30	FOOT	20.000				
63000000	SPBGR TY A	FOOT	188.000				
63100085	TRAF BAR TERM T6	EACH	2.000				
63200310	GUARDRAIL REMOV	FOOT	104.000				
63301210	REM RE-E SPBGR TY A	FOOT	75.000				
63500105	DELINEATORS	EACH	2.000				
66410400	CH LK FENCE REM & RE	FOOT	166.000				
* REVISED : OCTOBER 31, 2005							

ILLINOIS DEPARTMENT OF TRANSPORTATION
 SCHEDULE OF PRICES
 CONTRACT
 NUMBER - 64517

State Job # - C-92-090-05
 PPS NBR - 2-06930-0300
 County Name - DEKALB- -
 Code - 37 - -
 District - 2 - -
 Section Number - 116R-4

Project Number
 ACF-0573/156/000

Route
 FAP 573

Item Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
78200410	GUARDRAIL MKR TYPE A	EACH	6.000				
* 78201000	TERMINAL MARKER - DA	EACH	2.000				
78300100	PAVT MARKING REMOVAL	SQ FT	2,243.000				
* REVISED : OCTOBER 31, 2005							

SEEDING AND SODDING (BDE)..... 79
SELF-CONSOLIDATING CONCRETE FOR CAST-IN-PLACE CONSTRUCTION (BDE)..... 81
SELF-CONSOLIDATING CONCRETE FOR PRECAST PRODUCTS (BDE)..... 86
SHOULDER STABILIZATION AT GUARDRAIL (BDE)..... 88
STABILIZED SUBBASE AND BITUMINOUS SHOULDERS SUPERPAVE (BDE)..... 89
STEEL PLATE BEAM GUARDRAIL (BDE) 94
SUBCONTRACTOR MOBILIZATION PAYMENTS (BDE) 95
SUBGRADE PREPARATION (BDE) 95
SUPERPAVE BITUMINOUS CONCRETE MIXTURES (BDE)..... 95
TEMPORARY CONCRETE BARRIER (BDE) 102
TRAFFIC BARRIER TERMINALS (BDE) 104
TRAFFIC CONTROL DEFICIENCY DEDUCTION (BDE) 105
TRUCK BED RELEASE AGENT (BDE) 106
WEIGHT CONTROL DEFICIENCY DEDUCTION..... 106
WORK ZONE TRAFFIC CONTROL DEVICES (BDE) 108
PAYROLLS AND PAYROLL RECORDS (BDE)..... 109
STEEL COST ADJUSTMENT (BDE)..... 110
STORM WATER POLLUTION PREVENTION PLAN..... 114
STORM SEWERS, SPECIAL 30" 122

Revised 11/07/2005

standard weight. It shall be furnished in 10' lengths. All couplings shall be welded in conformance with ASTM A-53 to ensure that the conduit will not become disconnected during pullback. The diameters and thicknesses of the pipe shall be in accordance with the plans and with the requirements indicated herein.

Pipe joints in welded steel plate pipe shall be welded in accordance with AWS. Pipe joints shall be water tight. Longitudinal welds shall be full penetration welds, performed in the fabrication shop. Transverse welds between fabricated pieces of pipe may be performed in the shop or in the field. These welds shall be partial penetration welds with an effective throat dimension of at least one half the pipe thickness. The minimum wall thickness of the pipe shall be as follows:

30" Diameter: 30 inch minimum inside diameter by 0.50 inches thickness.

42" Diameter: 42 inch minimum inside diameter by 0.75 inches thickness.

CONSTRUCTION REQUIREMENTS

BNSF shall be notified at least 3 days (and in conformance with permit and general license requirements) before commencing any bore under active tracks. If required by the BNSF, the contractor shall coordinate his operations schedule with the BNSF so that a flagger provided by BNSF is present during the boring operation. Active tracks shall be monitored for settlement during the boring operation.

Basis of Payment. General Requirements, Accuracy of Placement, Method of Measurement and Basis of Payment shall conform to Section 552 of the Standard Specifications. At his option, the contractor may utilize the steel pipe as a casing and may install a carrier pipe to allow greater flexibility to meet the Accuracy of Placement requirements. No additional payment shall be made for additional materials or labor required due to the use of a carrier pipe, and this work shall be considered included in the contract unit price for STORM SEWERS JACKED IN PLACE (SPECIAL) of the diameter specified.

This work shall be paid at the contract unit price per Foot for STORM SEWERS JACKED IN PLACE, 30" (SPECIAL) and STORM SEWERS JACKED IN PLACE, 42" (SPECIAL).

CHAIN LINK FENCE TO BE REMOVED AND RE-ERECTED

Revised 11/07/2005

STORM SEWERS, SPECIAL 30"
Effective September 27, 2005

This work shall consist of furnishing and installing steel storm sewer of the required diameter at the locations shown on the plans. All work shall conform to applicable portions of the Standard Specifications with particular attention to Sections 542, 543 and 550.

MATERIALS

The pipe shall consist of welded steel plate pipe conforming to ASTM A36, A411 or A572, fabricated to the outside diameter and thickness indicated herein. The Contractor shall supply mill chemical and physical test reports to the Engineer.

The furnished pipe shall be fabricated of black, seamless steel, conforming to Schedule 80 with standard weight. It shall be furnished in 10' lengths. All couplings shall be welded in conformance with ASTM A-53 to ensure that the conduit will not become disconnected during pullback. The diameters and thicknesses of the pipe shall be in accordance with the plans and with the requirements indicated herein.

Pipe joints in welded steel plate pipe shall be welded in accordance with AWS. Pipe joints shall be water tight. Longitudinal welds shall be full penetration welds, performed in the fabrication shop. Transverse welds between fabricated pieces of pipe may be performed in the shop or in the field. These welds shall be partial penetration welds with an effective throat dimension of at least one half the pipe thickness. The minimum wall thickness of the pipe shall be as follows:

30" Diameter: 30" minimum inside diameter by 0.50 inch thickness.

Basis of Payment. General Requirements, Accuracy of Placement, Method of Measurement and Basis of Payment shall conform to Section 550 of the Standard Specifications.

This work shall be paid for at the contract unit price per Foot for STORM SEWERS, SPECIAL 30".

Trench backfill will be measured and paid for as specified in Article 208.

Added 11/07/2005