

FAP RTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
729	34Z-4	VERMILION	285	13


SIDESTREET	PAVEMENT WIDTH METER	COMBINATION CURB & GUTTER TYPE	BOULEVARD WIDTH METER		SIDEWALK WIDTH METER	
			LT	RT	LT	RT
CLARK ST	5.0	B-15.30	-	-	-	-
FRANKLIN ST	9.4	B-15.30	-	-	2.0	2.0
S WALNUT ST	16.8	B-15.30	-	-	2.0 & VARIES	2.0
N VERMILION ST	10.0	B-15.30	-	-	4.7	-
S VERMILION ST	12.5	B-15.30	-	-	2.4 & VARIES	-
N HAZEL ST	13.9	B-15.30	-	-	2.6	2.3
S HAZEL ST	12.5	B-15.30	-	2.0	-	1.8
N JACKSON ST	12.9	B-15.30	-	-	2.6	2.0 & VARIES
S JACKSON ST	12.2	B-15.60	1.3	1.4	1.5	1.5
N WASHINGTON ST	8.6	B-15.30	-	-	2.5	2.3 & VARIES
COLLEGE ST	8.4	B-15.45	-	-	2.6	2.0
MCDONALD ST	13.0	B-15.30	-	-	2.7	2.8
QUINCY ST	4.4	B-15.30	-	-	1.7	1.1
LAUHOFF ST	8.4	B-15.30	-	-	4.3	2.4
PARK ST	11.8	B-15.30	-	-	3.4	3.1
ELIZABETH ST	6.6	B-15.30	0.5	0.7	1.5	1.5
CORRINE ST	8.4	B-15.30	-	0.9	2.0	1.4
N BUCHANAN ST	10.7	B-15.30	-	-	1.3 & VARIES	1.5 & VARIES
S BUCHANAN ST	8.1	B-15.60	0.7	0.7	1.6 & VARIES	1.4 & VARIES

• SEE NOTE


NOTES:  
THE NORTH LEG OF LAUHOFF STREET AND THE NORTH LEG BUCHANAN STREET SHALL BE PORTLAND CEMENT CONCRETE PAVEMENT, 230mm

FOR SIDEROADS WITH MEDIANS THE PROFILE GRADE LINE WILL BE AT THE EDGE OF THE MEDIAN.

SEE INTERSECTION DETAILS FOR SIDE ROAD CROSS SLOPE.



NORTH WALNUT STREET  
STATION TO STATION  
STA 4+016.625 TO STA 4+039.101 \*\*  
STA 4+039.101 TO STA 4+101.149 \*\*\*  
STA 4+101.149 TO STA 4+115.000 \*\*\*\*



TYPICAL SIDESTREET

PROPOSED TYPICAL SECTIONS