



PROPOSED TYPICAL SECTION #1
STA. 352+50 TO STA. 354+28



PROPOSED TYPICAL SECTION #2
STA. 354+28.17 TO STA. 355+10



PROPOSED TYPICAL SECTION #3

STA. 355+10 TO STA. 355+78.06 SE TRANS.
STA. 355+78.06 TO STA. 381+93.49 FULL SE=4.44%
STA. 381+93.49 TO STA. 383+36.64 SE TRANS.

* TAPER PAVEMENT FROM 36' TO 22'
FROM STA. 370+00 TO STA. 373+85
** BEGIN AT STA. 368+00

- Ⓐ VAR. -4.06% TO -3.56%
- Ⓑ VAR. -4.00% TO -4.44%
- Ⓒ VAR. -1.50% TO +4.44%
- Ⓓ VAR. -1.50% TO -4.44%

PAVEMENT LEGEND

1. EX HMA RESURF., 3"
- 1A. EX HMA SURF, 1/2"
- 1B. EX HMA BINDER, 3/4"
- 1C. EX PCC PVMT (8-6-8)
2. EX HMA SURF., 3"
3. EX STONE BASE CSE., 7/2"
4. EX SUB-BASE GRAN. MATL.
5. EX HMA SHLD, 6" (TBR)
6. EX PCC PVMT, 8"
7. EX HMA WIDENING, 10"
8. EX GRAN. EMB. SPECIAL, VARIES
9. EX PCC PVMT W/ HMA WIDENING, 9"
10. EX PCC PVMT W/ PCC WIDENING, 9"
11. EX HMA SHOULDER 8"
12. EX CONCRETE GUTTER, TY A
13. EX CONCRETE C & G, TYPE B 6.12
- 13A. EX CONCRETE C & G, TYPE 3
14. PR HMA SURF. REM., VAR. DEPTH (1/2" AT Ⓒ)
- 14A. PR HMA SURF REM, 1/2"
15. PR HMA SURF. REM., 2/4"
16. PR HMA SURF, CSE., 1/2"
17. PR LEVELING BINDER (MM), 3/4" MIN.
18. PR HMA BASE CSE./WIDENING, 10"
19. PR HMA BASE CSE./WIDENING, 12"
20. PR HMA SHLD, 8"
21. PR HMA SHLD, 2/4" & VAR.
22. PR AGG SHLD, TYPE B
23. PR HMA BINDER CSE., 2/4" (MIN.)
24. PR SUB-BASE GRAN. MATL., TY A, VAR DEPTH
25. PR EARTH EXC./EMB.
26. PR GRADING & SHAPING SHLD.
27. PR PVMT MARKING, LINE 5"
28. PR TEMP GUARDRAIL
29. PR SHLD RUMBLE STRIPS